VITAL STATISTICS OF CALIFORNIA

1988

George Deukmejian
Governor
State of California

THE VITAL STATISTICS SYSTEM IN CALIFORNIA

STATE REGISTRAR: DIRECTOR OF CALIFORNIA STATE DEPARTMENT OF HEALTH SERVICES

OFFICE OF STATE REGISTRAR: The State Registrar's functions are performed by the Office of State Registrar, which

- Maintains a permanent public record of each birth, death, marriage, and marriage dissolution which has occurred in California since 1905.
- Provides certified copies of California vital records or searches the permanent central registry to verify the occurrence of vital events in California.
- Prepares and maintains computer files of state birth, death, marriage, and divorce data and monitors these files for data quality.
- Offers tables and computer tapes from the state vital statistics files to public and private organizations and to individuals requesting the data for research and planning and provides consultation to the users of these data.
- Prepares and periodically publishes statistical analyses and summaries of vital statistics for use by the Department of Health Services, other agencies, and the public. The data are used in medical and social sciences, public health and health demographics, human services planning, population estimation and projection, and economic forecasting.
- Builds and continues cooperative relationships with federal, state, and local agencies including the National Center for Health Statistics, which collect, maintain, and use vital records/statistics.
- Develops forms, standards, and guidelines for registration of all vital events occurring in the State of California.
- Directs and monitors the state-delegated functions of approximately 180 local offices which register California's vital events in order to assure statewide compliance with the statutory mandate for uniform application of registration laws, policies, and procedures.

STATE OF CALIFORNIA—HEALTH AND WELFARE AGENCY GEORGE DEUKMEJIAN, Governor

DEPARTMENT OF HEALTH SERVICES
714/744 P STREET
P.O. BOX 942732
SACRAMENTO, CA 94234-7320

Dear Colleague,

One of the most fundamental and important functions of the California Department of Health Services is the compilation and enumeration of data on the State's births, deaths, and other vital events. Vital statistics information is essential for public health surveillance, health care services planning, and health policy decision making. Such information is also important for other governmental agencies, the business community, and numerous other entities. Thus, we are pleased to present Vital Statistics of California, 1988, the latest report on California's vital events.

The primary sources of data used in preparing this report were certificates of live birth, death, and fetal death which occurred in California during 1988 and which were registered with the Department. For all practical purposes, this includes all such events. Not included in this report, but available from the Office of the State Registrar, are data on marriages, legal separations, judgments of nullity, and dissolutions of marriage.

The vital statistic rates that are presented in this report, and which use population as a denominator, were calculated using the latest California population data. These data were prepared by the Demographic Research Unit of the Department of Finance. Since this report uses the most recent data available, some rates may differ slightly from previously published rates. For the reader's convenience, state and county population data are presented so that, if desired, more specific rates or independent calculation of rates may be performed.

Also, to assist users of this document, a description of California's vital statistics registration system, along with information on how to interpret and analyze the data, are presented in Chapter 6. Likewise, Chapter 7 provides definitions of the rates and ratios used throughout the report.

New to this year's report are two tables and a full page graph. Table 2-37 enumerates live birth data by county and age of father; Figure 2-D charts the estimated percent of non-marital births by race of mother from 1966-1988; and Table 5-14 delineates death rates by age and age-adjusted death rates for California from 1980-1988.

It is gratifying that Californa's age-adjusted death rate has decreased by 9 percent since 1980 as shown by Table 5-14. However, we remain concerned about the increased mortality from AIDS (Acquired Immune Deficiency Syndrome). In 1988, AIDS joined the ten leading causes of death (replacing homicide), and became the number one killer of Black and White males, ages 35-44. Besides AIDS, the 1988 increases in death rates due to chronic obstructive pulmonary disease and allied conditions, chronic liver disease and cirrhosis, and pneumonia and influenza are cause for concern.

The fact that the infant mortality rate reached its lowest recorded level in 1988 is encouraging. Another reason for optimism is the two-year reduction in rates among three of the four leading causes of death (diseases of the heart, malignant neoplasms, and unintentional injuries).

Regrettably, tobacco abuse continues to be a major cause of death in California and remains the single most preventable cause of illness and death in the State.

Overall, though, as the data provided here show, California's population continues to grow and California continues to be one of the healthiest places in the United States to live.

Kenneth W. Kizer, M.D., M.P.H.
Director

VITAL STATISTICS OF CALIFORNIA

1988

David W. Mitchell, Chief
Health Data and Statistics Branch

William A. Avritt, Chief
Rural and Community Health Division

Kenneth W. Kizer, M.D., M.P.H.
Director
Department of Health Services

Clifford L. Allenby
Secretary
Health and Welfare Agency

Department of Health Services
Health and Welfare Agency
State of California

July 1990

Gwendolyn Doebbert, Chief

Health Demographics Section
Health Data and Statistics Branch

This report was prepared by Charles M. Chan. Inquiries regarding the report should be directed to Health Demographics Section, Department of Health Services, 714 P Street, Room 1494, P.O. Box 942732, Sacramento, CA 94234-7320. If you wish to call, the phone number for this section is (916) 445-1010.

The production of this report was made possible with assistance of the following section staff: Sherry Fujii, Les Fujitani, Rosalind Garner, Deborah Godfrey, Michael Pearson, Kathryn Riedmiller, and Cynthia Schmidt. Additionally, the cooperation and assistance of the following department staff is gratefully acknowledged: Data Retrieval and Analysis Section; Data Systems Branch; Composing Unit; and the Office of the State Registrar. Finally, the contribution to this year's report by the Demographic Research Unit of the Department of Finance is also appreciated.

Note: This publication serves as an historical recording of the most requested statistics relating to vital events and is a source of information which can be used in further analysis. While many users of vital statistics have a good working knowledge of this subject, others may not fully understand the sources, quality, and limitations of these data. Chapter 6 discusses the special concerns when working with these vital statistics. Please refer to this chapter before analyzing the data presented in this year's publication.

TABLE OF CONTENTS

Chapter		Page
	HIGHLIGHTS	vii
1.	REVIEW OF VITAL STATISTICS OF CALIFORNIA	1
2.	LIVE BIRTH TABLES AND FIGURES	11
3.	FETAL DEATH TABLES	115
4.	INFANT DEATH TABLES AND FIGURES	129
5.	DEATH TABLES AND FIGURES	145
6.	SOURCES, QUALITY, AND LIMITATIONS OF DATA	239
	VITAL STATISTICS REGISTRATION	240
	History of Vital Statistics Registration	240
	Registration System at Present	240
	Live Birth, Death, and Fetal Death Registration	241
	Marriage and Marriage Dissolution Registration	242
	SOURCES AND QUALITY OF VITAL STATISTICS DATA	242
	Records	242
	Births, Deaths, and Fetal Deaths	242
	California Birth Cohort File	243
	Life Tables	244
	Quality Control Procedures	245
	Population	245
	LIMITATIONS OF DATA	246
	Cause of Death	246
	Tabulations of Cause of Death	247
	HIV Code Changes	247
	Variability of Rates	248
	Sampling Error and Vital Statistics	249
	Time Periods and Geographic Bases	250
	Race and Ethnicity*	251
	Age	253
	Length of Gestation	254
	Age-Adjusted Death Rates	254
7.	APPENDIX	255
	DEFINITIONS	256
	RATES AND RATIOS	258
	CERTIFICATES AND LISTS OF VARIABLES	260
	VITAL STATISTICS REGISTRATION IN CALIFORNIA	271

* Note: It is recommended that the section on Race/Ethnicity be read before beginning analysis of data by race.

NOTES

HIGHLIGHTS

POPULATION..... California had an estimated population in 1988 of 28,313,914 persons. The population density was 180.8 persons per square mile of land area. This was an increase of 41.3 percent over the 1970 population density of 128.0 persons (Table 1-3).

- Life Expectancy..... Life expectancy for females born in 1988 was 79.3 years, almost seven years longer than life expectancy for males (72.5 years). This difference was less than the difference in 1970, when the female life expectancy advantage was greater than seven years (7.3 years) (Table 1-5).

LIVE BIRTHS..... The number of live births to California residents reached 532,708 in 1988, an increase of 29,332 or 5.8 percent over 1987. This compares to a 4.5 percent increase from 1986 to 1987. It was the fifteenth consecutive annual rise in the number of births (Table 1-1).

California's 1988 crude birth rate of 18.8 live births per 1,000 population was an increase of 3.3 percent over the 1987 rate of 18.2. This was the highest crude birth rate since 1965 when it was 19.2 (Table 1-1).

- General Fertility Rate..... The 1988 General Fertility Rate of 79.9 live births per 1,000 women ages 15-44 was the highest general fertility rate in California since 1970, when it was 84.7. The 1988 rate was 4.3 percent higher than the 1987 rate of 76.6 (Table 2-2).

California's 1988 general fertility rate of 79.9 was 18.7 percent higher than the national rate of 67.3. This was the thirteenth consecutive year that the general fertility rate for California surpassed that of the United States (Table 2-2).

Kings County posted the highest general fertility rate in 1988, 105.3, and Sierra County the lowest at 23.4 (Table 2-5).

- **Women of Childbearing Age....** The median age of California women of childbearing age (15-44) in 1988 was 30.5 years compared to 29.8 years for the United States. In 1987, the median age of California women of childbearing age was 30.2 and the median age for the United States was 29.6 (Table 2-1).

- **Age-Specific Birth Rates.....** In 1988, California's age-specific live birth rates increased for women in each age group, with the exception of 45 and over, which decreased slightly (Table 2-2).

  The live birth rate for females under 15 reached 1.2 per 1,000 women 10-14 years of age in 1988. This was an increase of 9.1 percent over the 1987 rate of 1.1 (Table 2-2).

  In 1988, the 15-19 year-old live birth rate was 59.5, a 7.8 percent increase over the 1987 rate of 55.2. This was the highest number of births per 1,000 women ages 15 to 19 since 1970, when the birth rate reached 68.9 (Table 2-2).

  The same trend was apparent for 20-24 year-olds. After a two year decrease in 1983 and 1984, the live birth rate has risen for the fourth year in a row. The rate increased from 123.7 in 1987 to 129.8 in 1988, a 4.9 percent increase, compared to a 1.6 percent increase from 1986 to 1987. In 1988, 20-24 year-olds posted their highest birth rate since 1971 when it was 139.2 (Table 2-2).

  For women, ages 25-29, the live birth rate also continued to rise. In 1988, the live birth rate was 141.0 compared to 134.3 in 1987, a 5.0 percent difference. This is the tenth consecutive year the birth rate has increased for this age group (Table 2-2).

The live birth rate for 30-34 year-olds went from 85.0 in 1987 to 89.5 in 1988, up 5.3 percent (Table 2-2).

The live birth rate for 35-39 year-olds rose from 35.4 per 1,000 in 1987, to 38.3 in 1988, up 8.2 percent. The rate for this age group has consistently increased during the last thirteen years (Table 2-2).

Since 1975, the live birth rate for mothers in their thirties has risen dramatically. The 1988 rate of 89.5 for 30-34 year-olds was an increase of 59.8 percent over the 1975 rate of 56.0. The rate for 35-39 year-olds increased by 87.7 percent from 20.4 in 1975 to 38.3 in 1988 (Table 2-2).

For mothers ages 40 to 44, the live birth rate was 7.6 in 1988. This is a 7.0 percent increase over the 1987 rate of 7.1 (Table 2-2).

The birth rate for mothers ages 45 and over decreased from .05 in 1987 to .04 in 1988 (Table 2-2).

- Low Birthweight/ Prenatal Care..... Six percent of babies born to California residents were low birthweight (under 2500 grams). Over half, 54.5 percent, of the low birthweight births were premature (37 weeks or less gestation). In 1988, 2.1 percent of all mothers received no prenatal care; of those mothers, 16.7 percent had low birthweight babies. Most mothers (74.2 percent) received prenatal care starting in the first trimester; 5.4 percent of these mothers had low birthweight babies (Tables 2-16, 2-20, and 2-23).

- Birth Order..... California's birth rates increased for all birth orders from 1987 to 1988. The rates for the first, second, third, fourth, and fifth or higher live birth orders increased by 3.9, 4.2, 5.6, 7.8, and 7.9 percent, respectively (Table 2-3).

First live birth order rates increased over those in 1987 for women in each age group from under 15 to 44 years. The 40-44 year old age group posted the highest increase, 16.7 percent, followed by mothers under 15 at 9.1 percent. Among 35-39 year-olds the rate for first births increased by 105.0 percent from 1980 to 1988 and 215.4 from 1970 (Table 2-4).

Second and third live birth order rates increased for mothers ages 15 to 44 in 1988. Fourth live birth order rates increased for mothers ages 15-39 and remained the same for the under 15, 40-44, and 45 and over age groups in 1988 (Table 2-4).

Women in their 20's and 30's, showed an increase over the previous year in the fifth or more live birth order rate; the under 20 and 40-44 year-old groups remained the same, and 45 and over age group dropped from 0.3 in 1987 to 0.2 in 1988 (Table 2-4).

- Race/Ethnicity..... Of the 532,708 California resident live births in 1988, 413,844 were White, 53,427 were Black, 63,895 were of other race/ethnicities and 1,542 were not stated. In terms of percentages, the composition of California live births by race/ethnicity was (Table 2-9):

77.69%	White (Includes Hispanic)
10.03	Black
2.83	Filipino
2.07	Chinese
1.28	Other Asian
1.21	Vietnamese
1.02	American Indian
0.87	Japanese
0.80	Korean
0.76	Pacific Islander
0.47	Cambodian
0.43	Indian (India)
0.13	Other
0.13	Thai
0.01	Eskimo/Aleut
0.29	Not Stated

Spanish/Hispanic origin births numbered 182,910 in 1988 and comprised 34.3 percent of California's resident live births in 1988. Of these Spanish/ Hispanic births, 86.7 percent were Mexican, 0.8 percent were Puerto Rican, 0.4 percent were Cuban, and 12.0 percent were of other Spanish/Hispanic origin (Table 2-10).

- Marital Status..... An estimated 28.6 percent of all live births in 1988 were to unmarried women. Among Black women 61.4 percent of the live births were nonmarital, compared to 19.4 for White-Non-Hispanics, and 37.9 for White-Hispanics (Table 2-33).

  An estimated 64.9 percent of the live births to women under 20 were nonmarital. The percentage of nonmarital live births to women under 20 was 87.1 for Blacks, 63.5 for White-Hispanic, and 59.4 for White-Non-Hispanic (Table 2-32).

- Cesarean Sections... The percent of resident cesarean births fell from 23.5 in 1987 to 22.9 in 1988. The 2.6 percent decline was the first decrease in the percent of cesarean deliveries in California since 1970 (Table 2-34).

  Of the 532,708 live births in 1988, 122,199 were delivered by cesarean section. The percent of resident cesarean births in California has risen from 6.9 in 1970 to 22.9 of all live births in 1988. In the United States, cesarean deliveries rose from 5.2 percent in 1970 to 24.7 percent in 1988 (Table 2-34).

  California counties had cesarean birth percentages that ranged from a high of 30.7 in Shasta to a low of 12.5 in Modoc (Table 2-35).

- Age of Father..... "Live Births by Age of Father (Detailed Under Age 20), California Counties, 1988" is a new addition to the Vital Statistics of California, 1988 report.

In 1988, 4.0 percent or 21,394 of the 532,708 live births were attributed to men under age 20. The age of the father was not stated on 3.5 percent of the birth certificates.

Among the 38 counties with more than 1,000 live births, Madera had the highest percent of new fathers under age 20 (6.4), followed by Fresno (6.3), and Tulare (6.2). Marin (0.5) and San Mateo (1.8) had the lowest percentage of births attributed to men under age 20 (Table 2-37).

FETAL DEATHS..... In 1988, there were 3,527 reported fetal deaths in California, of which 2,550 (72.3 percent) were White, and 611 (17.3 percent) were Black. Of the reported fetal deaths in 1988, 1,187 (33.7 percent) were to mothers of Spanish/ Hispanic origin (Tables 3-1, 3-2).

In 1988, the ratio of fetal deaths to 1,000 live resident births was 6.6, a decrease of 5.7 percent from 7.0 in 1987. The number of reported fetal deaths in California moved up 0.7 percent from 3,504 in 1987 to 3,527 in 1988 (Table 1-1).

The Black fetal death ratio dropped to 11.4 in 1988 from 12.8 in 1987. The White fetal death ratio decreased to 6.2 in 1988 from 6.4 in 1987. Among mothers of Spanish/Hispanic origin, the fetal death ratio dropped to 6.5 in 1988 from 6.8 in 1987 (calculated using Tables 2-9, 2-10, 3-1, 3-2).

In 1988, 11.2 percent of all reported fetal deaths in California were to women under 20 years of age; approximately one-half (52.2) were to women in their twenties; 19.2 percent were to women ages 30-34; 10.7 percent were to women ages 35-39; 2.9 percent were to women in their forties; less than 1.0 percent were to women ages 50 and over; and 3.8 percent were to women with age not stated (Tables 3-1, 3-3).

INFANT DEATHS..... California's infant death rate, decreased from 9.0 in 1987 to 8.6 in 1988. The number of infant deaths increased by 29, from 4,530 in 1987 to 4,559 in 1988 (Table 4-1).

The neonatal death rate dropped from 5.5 in 1987 to 5.1 in 1988. The postneonatal rate moved down from 3.5 in 1987 to 3.4 in 1988 (Table 4-1).

The majority (60.0 percent) of California infants who died in 1988 were less than one month of age. Of the infants who died at less than one month of age, 46.1 percent died within 24 hours of birth (Table 4-2).

- Sex..... More than one-half (57.1 percent) of the 1988 infant deaths in California were male. Females comprised 42.9 percent of the infant deaths in 1988 (Table 4-2).

- Cause of Death..... Of the infant deaths in 1988, 23.3 percent were due to "Congenital Anomalies". "Sudden Infant Death Syndrome" (SIDS) was the cause of death for 725 resident infants in 1988. The "SIDS" death rate was 136.1 per 100,000 live births. "Certain Conditions Originating in the Perinatal Period" accounted for 42.8 percent of all resident infant deaths in 1988 (Table 4-4).

  There were six recorded "Acquired Immune Deficiency Syndrome" (AIDS) deaths among resident infants in 1988 (Table 5-11).

DEATHS..... The crude death rate in 1988 remained unchanged from the 7.6 per 1,000 population death rate of 1987. The number of deaths to California residents increased by 5,790, from 209,395 in 1987 to 215,185 in 1988. This was a 2.8 percent increase (Table 1-1).

- Sex..... California's male residents accounted for 52.3 percent of the 215,185 deaths; 47.7 percent of the total deaths were female. The 1988 male death rate

decreased 0.3 percent to 805.3 deaths per 100,000 population, while the female rate increased 1.2 percent to 715.9 (Tables 5-3, 5-4).

As in 1987, the number of male deaths in California was greater than the number of female deaths in all age groups except 75 years and over. The male death rate was also higher than the female death rate in all age groups (Tables 5-4, 5-3).

- Age-Specific Death Rates..... The overall age-specific death rate, per 100,000 population, increased from 757.0 in 1987 to 760.0 in 1988, a 0.4 percent difference. Age-specific death rates increased in the age groups: under 1, 5-14, and 25-44 and decreased in the remaining groups: 1-4, 15-24, and 45 and over. The 25-44 year-old age group posted the largest increase, 1.8 percent, in their rate. The 1-4 year-old age group experienced the largest decrease, 4.4 percent. (Table 5-3).

  The greatest gender differences in death rates were found among residents ages 15-24 and 25-44. Males ages 15-24 and 25-44 were, respectively, 3.3 and 2.7 times more likely to die in 1988 than were females of the same age (Table 5-3).

  Resident males ages 1-4 and 45 and over experienced a decrease in death rates in 1988. The death rate for 1-4 year old males decreased noticeably, 17.7 percent, to a rate of 47.4. The male death rates for under 1 and 5-44 age groups posted increases. Female death rates decreased in all age groups, except 1-4 and 75 and over. The female death rate for 1-4 year-olds was 46.5. This was a 15.4 percent increase over the previous year's rate (Table 5-3).

- Number and Percent of Deaths by Race/Ethnicity..... Of the 215,185 California resident deaths in 1988, Whites numbered 188,699; Blacks, 17,193; other race/ethnicities, 9,069; and not stated, 224. The

composition of the deaths by race/ethnicity, in percentages, were (Table 5-4):

87.69%	White (Includes Hispanic)
7.99	Black
1.14	Chinese
1.01	Filipino
0.69	Japanese
0.31	American Indian
0.29	Korean
0.22	Vietnamese
0.18	Pacific Islander
0.17	Other Asian
0.11	Indian (India)
0.05	Cambodian
0.03	Other
0.02	Thai
0.00	Eskimo/Aleut
0.10	Not Stated

In 1988, there were 19,213 Spanish/Hispanic deaths, comprising 8.9 percent of all California resident deaths. Of these Spanish/Hispanic deaths, 70.7 percent were Mexican, 2.3 percent were Puerto Rican, 2.3 percent were Cuban, and 24.8 percent were of other Spanish/Hispanic origin (Table 5-5).

- Ten Leading Causes of Death..... There were numerical increases in all of the ten leading causes of death from 1987 to 1988. Deaths from "Acquired Immune Deficiency Syndrome" (AIDS) increased 19.8 percent, from 2,651 deaths in 1987 to 3,177 in 1988, thereby moving into the ten leading causes for the first time. "Pneumonia and Influenza" rose in California by 13.5 percent, "Chronic Obstructive Pulmonary Disease and Allied Conditions" by 8.0 percent, and "Chronic Liver Disease and Cirrhosis" by 6.8 percent from 1987 to 1988. Of the violent causes of death, "Unintentional Injuries" and "Suicide" increased 1.9 and 3.1 percent, respectively in 1988. "Homicide" increased 3.0 percent to 3,054, yet dropped out of the leading ten causes (Table 5-1).

  Six of the ten leading causes of death showed an increase in their rate from 1987 to 1988. The "AIDS" rate increased

17.1 percent. The rate for "Pneumonia and Influenza" increased by 10.9 percent, "Chronic Obstructive Pulmonary Disease and Allied Conditions" by 5.5 percent, and "Chronic Liver Disease and Cirrhosis" by 4.3 percent. Although the four leading causes of death increased numerically in 1988, the actual rates decreased by 0.3 percent for "Diseases of the Heart", 1.6 percent for "Malignant Neoplasms", 0.6 percent for "Cerebrovascular Disease", and 0.4 percent for "Unintentional Injuries" (Table 5-1).

- Five Leading Causes of Death by Sex and Age..... "Certain Conditions Originating in the Perinatal Period" continued as the leading cause of death for males and females under the age of one year. Again, "Unintentional Injuries" was the leading cause of death in California for males ages 1-44 years and for females ages 1-34. "Malignant Neoplasms" was again the leading cause of death for females ages 35-74. "Diseases of the Heart" was the number one killer of males ages 45 and over, and females ages 75 and over (Table 5-2).

- Ten Leading Causes of Death by Race/Ethnicity

White..... The death rate for White residents increased by 0.7 percent from 1987 to 1988. Among this group, there were rate decreases in two of the ten leading causes of death: "Unintentional Injuries" down 1.7 percent, and "Malignant Neoplasms" down 1.1 percent. "Acquired Immume Deficiency Syndrome" (AIDS) posted the largest rate increase, 15.8 percent. This was followed by "Pneumonia and Influenza", 12.9 percent; "Chronic Obstructive Pulmonary Disease and Allied Conditions", 6.5 percent; and "Chronic Liver Disease and Cirrhosis", 4.5 percent (Table 5-1A).

Black..... Among Black residents the death rate increased 0.5 percent from 1987 to 1988. This group experienced rate decreases in five of the ten leading

causes of death. The categories to show the greatest rate decreases were "Homicide", 4.8 percent, and "Cerebrovascular Disease", 4.2 percent. "AIDS" posted the largest rate increase from 1987 to 1988, 24.5 percent; followed by "Chronic Obstructive Pulmonary Disease and Allied Conditions", 7.2 percent; and "Diseases of the Heart", 2.2 percent (Table 5-1B).

Hispanic..... Among Hispanics the death rate increased by 2.8 percent from 1987 to 1988. Rates increased 12.5 percent for "Pneumonia and Influenza", 8.8 percent for "Unintentional Injuries", 8.2 percent for "Chronic Liver Disease and Cirrhosis", and 8.1 percent for "Diabetes Mellitus". "Certain Conditions Originating in the Perinatal Period" posted the only decrease, down 1.3 percent (Table 5-1C).

Asian and Other.... The death rate for Asian and Other residents increased 5.0 percent from 1987 to 1988. "Homicide" posted the largest rate increase of 26.8 percent, putting it back into tenth place among the leading causes of death. "Chronic Liver Disease and Cirrhosis" increased by 25.5 percent; "Diabetes Mellitus", 16.2 percent; and "Suicide", 13.3 percent. The rate for "Unintentional Injuries" decreased by 8.0 percent (Table 5-1D).

- Five Leading Causes of Death by Sex, Age, and Race/Ethnicity..

White..... "Certain Conditions Originating in the Perinatal Period" was the leading cause of death for White males and females under the age of one year. The category of "Unintentional Injuries" was the leading cause of death for White males and females ages 1-34. In 1988, "Acquired Immune Deficiency Syndrome" (AIDS) became the leading cause of death for White males 35-44, accounting for 20.7 percent of the deaths in this age group. "Malignant Neoplasms" was the leading cause of death for White females

ages 35-74. "Diseases of the Heart" was the number one killer of White males ages 45 and over (Table 5-2A).

Black..... "Certain Conditions Originating in the Perinatal Period" was the leading cause of death for Black males and females under the age of one year. The category of "Unintentional Injuries" was the leading cause of death for Black males and females ages 1-14 and for Black females ages 25-34. "Homicide" was the number one killer of Black males and females ages 15-24, and Black males ages 25-34. "AIDS" became the leading cause of death for Black males ages 35-44, accounting for 16.2 percent of deaths in this age group. "Malignant Neoplasms" was the leading cause of death for Black females ages 35-54. "Diseases of the Heart" was the leading cause of death for Black males ages 45 and over, and Black females ages 55 and over (Table 5-2B).

Hispanic..... "Certain Conditions Originating in the Perinatal Period" was the leading cause of death for Hispanic males and females under one year. Among Hispanics, "Unintentional Injuries" was the leading cause of death for males ages 1-44 and females ages 1-34. "Malignant Neoplasms" was the leading cause of death for females ages 35-64. "Diseases of the Heart" was the leading cause of death for Hispanic men ages 45 and over, and females ages 65 and over (Table 5-2C).

Asian and Other.... "Certain Conditions Originating in the Perinatal Period" was the leading cause of death for Asian and Other males and females under the age of one year. In 1988 "Unintentional Injuries" was the leading cause of death for Asian and Other males ages 1-34 and for females ages 5-24. "Congenital Anomalies" was the leading cause of death for Asian and Other females ages 1-4. "Malignant Neoplasms" was the leading cause of death for Asian and Other females ages 25-74 and for males ages 35-64. "Diseases of the Heart" was the number one killer of Asian and Other males ages 65 and over, and females ages 75 and over (Table 5-2D).

- Deaths from AIDS.... There were 3,177 deaths to California residents from Acquired Immune Deficiency Syndrome (AIDS) in 1988 (Table 5-11).

  In 1988, 96.1 percent of AIDS deaths were male and 3.9 were female. White males accounted for 2,606 or 85.4 percent of the 3,052 male AIDS deaths. This was followed by Black males with 12.7 percent and all other races with 1.9 percent. White females comprised 67.2 percent of the 125 female AIDS deaths in 1988 and Black females accounted for 30.4 percent (Table 5-11).

  Among the 58 counties, Los Angeles posted 1,214 (38.2 percent) of the 3,177 AIDS deaths which occurred to California residents in 1988. San Francisco accounted for 796 (25.1 percent), followed by San Diego with 237 (7.5 percent), Alameda with 141 (4.4 percent), and Orange County with 125 (3.9 percent) AIDS deaths (Table 5-12).

  In 1988, AIDS was again the second leading cause of death for males ages 25-44 and the fifth for males ages 45-54 (Table 5-2).

  AIDS was the second leading cause of death for White males ages 25-34, accounting for 19.3 percent of the deaths in this age group. It was the third leading cause of death among White males ages 45-54 (Table 5-2A).

  For Black males ages 25-34, AIDS was the third leading cause of death, accounting for 17.6 percent of the deaths in this age group. It was fourth for ages 15-24 (Table 5-2B).

  AIDS was the third leading cause of death for Hispanic males ages 25-44 and the fifth for ages 45-54 (Table 5-2C).

  The fourth leading cause of death among Asian and Other males, ages 35-44, was AIDS. It was the fifth leading cause for Asian and Other males ages 25-34 (Table 5-2D).

Due to new classification numbers effective since 1987, AIDS mortality data is not comparable with data for years prior to 1987. See Chapter 6, "HIV Code Changes", for further details.

- Deaths from Malignant Neoplasms. The death rate by "All Malignant Neoplasms (Cancer) Sites" was 168.5 in 1988. Lake County posted the highest cancer death rate among the counties, 336.7. This was followed by Tehama with 291.4 and Amador with 289.6. Mono County's cancer death rate was the lowest at 84.5. Imperial and Merced counties followed with 140.2 each (Table 5-13).

  Among California residents, the cancer death rate was highest for cancer of the "Trachea, Bronchus, and Lung", 45.3 per 100,000 population. This was followed by "Other Digestive Organs and Peritoneum", 35.8. The lowest cancer death rate was for "Hodgkin's Disease", 0.5 (Table 5-13).

- Age-Adjusted Death Rates..... Table 5-14, "Death Rates by Age and Age-Adjusted Death Rates, California, 1980-1988", is a new addition to the annual Vital Statistics of California, 1988 report.

  The age-adjusted death rate for 1988 was 7.1 per 1,000 population. This was a decrease from the 7.2 rate from the prior year. For method of calculation, see Chapter 6, "Age-adjusted Death Rates" (Table 5-14).

1. REVIEW OF VITAL STATISTICS OF CALIFORNIA

Page

Table

1-1 Population, deaths, live births, infant deaths, fetal deaths, and maternal deaths: California, 1950-1988 3

1-2 Deaths, live births, fetal deaths, maternal deaths, and infant deaths by age: California counties, 1988 5

1-3 Total population and population density: California counties, July 1, 1970 and 1988 6

1-4 Intercensal estimates of total population: California counties, 1975, 1979-1987 8

1-5 Life expectancy at birth and average number of years of life remaining at age 65 by selected years and sex: California, 1919-1921, 1929-1931, 1939-1941, 1950, 1960, 1970, 1980, 1987, and 1988 10

Figure

1-A 1988 Vital Events in California 2

1-B Vital statistics rates/ratio: California, 1970-1988 4

1-C Population density by county: California, 1988 7

Figure 1-A
1988 VITAL EVENTS IN CALIFORNIA

On an average day in California, there were:



Note: Based on a 365-day year.

Source: State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

State of California, Department of Finance, *1988 Population Projections for California Counties*, Baseline 86, March 1989. Baseline 86 controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

Table 1—1

POPULATION, DEATHS, LIVE BIRTHS, INFANT DEATHS, FETAL DEATHS, AND MATERNAL DEATHS CALIFORNIA, 1950—1988

(By place of residence)

YEAR	POPULATION	DEATHS		LIVE BIRTHS		INFANT DEATHS		FETAL DEATHS		MATERNAL DEATHS	
		Number	Rate[1]	Number	Rate[1]	Number	Rate[2]	Number	Ratio[2]	Number	Rate[3]
1988	28,313,914	215,185	7.6	532,708	18.8	4,559	8.6	3,527	6.6	55	1.0
1987	27,662,955	209,395	7.6	503,376	18.2	4,530	9.0	3,504	7.0	28	0.6
1986	26,980,811	202,826	7.5	481,905	17.9	4,298	8.9	3,259	6.8	32	0.7
1985	26,365,100	201,815	7.7	470,816	17.9	4,475	9.5	3,171	6.7	36	0.8
1984	25,795,000	195,470	7.6	447,394	17.3	4,212	9.4	3,110	7.0	27	0.6
1983	25,311,100	188,018	7.4	435,722	17.2	4,226	9.7	3,049	7.0	37	0.8
1982	24,786,200	188,255	7.6	429,631	17.3	4,218	9.8	3,333	7.8	43	1.0
1981	24,265,400	184,732	7.6	420,418	17.3	4,276	10.2	3,481	8.3	38	0.9
1980	23,780,100	186,428	7.8	402,720	16.9	4,451	11.1	3,594	8.9	45	1.1
1979	23,255,000	177,214	7.6	379,187	16.3	4,278	11.3	3,372	8.9	43	1.1
1978	22,839,000	175,878	7.7	356,156	15.6	4,235	11.9	3,089	8.7	39	1.1
1977	22,350,000	170,441	7.6	347,576	15.6	4,192	12.1	3,051	8.8	38	1.1
1976	21,935,000	171,095	7.8	332,105	15.1	4,134	12.4	3,193	9.6	42	1.3
1975	21,537,000	170,797	7.9	317,318	14.7	4,256	13.4	3,031	9.6	47	1.5
1974	21,173,000	170,475	8.1	311,668	14.7	4,274	13.7	3,163	10.1	47	1.5
1973	20,868,000	172,798	8.3	297,834	14.3	4,351	14.6	3,039	10.2	47	1.6
1972	20,585,000	170,026	8.3	306,375	14.9	4,877	15.9	3,147	10.3	54	1.8
1971	20,346,000	169,349	8.3	329,826	16.2	5,440	16.5	3,542	10.7	52	1.6
1970	20,039,000	166,382	8.3	362,652	18.1	6,243	17.2	4,082	11.3	77	2.1
1969	19,744,700	165,917	8.4	352,937	17.9	6,466	18.3	4,110	11.6	72	2.0
1968	19,432,000	160,636	8.3	339,221	17.5	6,437	19.0	4,080	12.0	67	2.0
1967	19,174,700	156,592	8.2	336,584	17.6	6,582	19.6	4,030	12.0	95	2.8
1966	18,831,000	157,219	8.3	337,623	17.9	7,043	20.9	4,079	12.1	71	2.1
1965	18,464,000	152,677	8.3	355,074	19.2	7,845	22.1	4,514	12.7	104	2.9
1964	18,026,000	150,760	8.4	374,587	20.8	8,143	21.7	4,711	12.6	104	2.8
1963	17,530,000	147,592	8.4	380,505	21.7	8,488	22.3	4,770	12.5	108	2.8
1962	16,951,000	141,185	8.3	378,347	22.3	8,664	22.9	4,790	12.7	110	2.9
1961	16,412,000	137,169	8.4	381,198	23.2	8,871	23.3	4,897	12.8	100	2.6
1960	15,863,000	135,334	8.5	371,799	23.4	8,663	23.3	4,778	12.9	107	2.9
1959	15,288,000	128,208	8.4	358,682	23.5	8,470	23.6	4,714	13.1	106	3.0
1958	14,741,000	125,594	8.5	349,220	23.7	8,571	24.5	4,615	13.2	103	2.9
1957	14,177,000	123,940	8.7	350,525	24.7	8,704	24.8	4,617	13.2	127	3.6
1956	13,581,000	119,786	8.8	333,834	24.6	7,998	24.0	4,423	13.2	103	3.1
1955	13,004,000	114,419	8.8	313,164	24.1	7,400	23.6	4,409	14.1	117	3.7
1954	12,517,000	109,402	8.7	306,037	24.4	7,248	23.7	4,274	14.0	106	3.5
1953	12,101,000	109,513	9.0	296,944	24.5	7,278	24.5	4,289	14.4	130	4.4
1952	11,638,000	108,175	9.3	281,073	24.2	6,885	24.5	4,140	14.7	150	5.3
1951	11,130,000	103,770	9.3	260,259	23.4	6,377	24.5	3,812	14.6	132	5.1
1950	10,643,000	98,583	9.3	244,457	23.0	6,095	24.9	3,703	15.1	135	5.5

1 Per 1,000 population.
2 Per 1,000 live births.
3 Per 10,000 live births.

Note: Maternal deaths are those due to complications of pregnancy, childbirths, and the puerperium (*Ninth Revision International Classification of Diseases* codes 630—676). Infant deaths are those under one year of age. Fetal deaths are those of 20 weeks or more gestation (*Ninth Revision International Classification of Diseases* code 779.6).

Source: State of California, Department of Finance, *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2). *Population Estimates of California Counties, July 1, 1980 to July 1, 1985*, Report 85 E-2, February 1986. *Intercensal Estimates of Total Population, California Counties*, Report I and 70-80, March 1982. *Intercensal Estimates of Total Population, California Counties*, 1950—1969.

State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Figure 1-B

VITAL STATISTICS RATES/RATIO
CALIFORNIA, 1970-1988
(By place of residence)



1 Per 1,000 population.
2 Per 1,000 live births.
3 Per 10,000 live births.

Source: Table 1-1.

Table 1—2

DEATHS, LIVE BIRTHS, FETAL DEATHS, MATERNAL DEATHS, AND INFANT DEATHS BY AGE
CALIFORNIA COUNTIES, 1988
(By place of occurrence and by place of residence; infant deaths by place of residence)

County	DEATHS			LIVE BIRTHS			FETAL DEATHS			MATERNAL DEATHS		INFANT DEATHS BY AGE					
		Residence			Residence			Residence				Total		Neonatal		1—11 Months	
	Occurrence	Number	Rate	Occurrence	Number	Rate	Occurrence	Number	Ratio	Occurrence	Residence	Number	Rate	Number	Rate	Number	Rate
CALIFORNIA	216,351	215,185	7.6	533,428	532,708	18.8	3,534	3,527	6.6	56	55	4,559	8.6	2,736	5.1	1,823	3.4
Alameda	10,060	9,907	8.0	23,720	21,862	17.6	175	160	7.3	3	3	208	9.5	123	5.6	85	3.9
Alpine	7	11	9.0	1	12	9.9	0	0	—	0	0	0	—	0	—	0	—
Amador	243	267	9.5	195	234	8.4	2	3	a,b	0	0	2	a,b	2	a,b	0	—
Butte	2,035	1,901	10.9	2,875	2,492	14.3	30	26	10.4	0	0	21	8.4	10	4.0	11	4.4
Calaveras	204	289	9.3	86	336	10.8	2	5	b	0	0	3	a,b	1	a,b	2	a,b
Colusa	118	167	11.0	53	292	19.2	1	1	a,b	0	0	1	a,b	0	—	1	a,b
Contra Costa	5,511	5,606	7.3	9,541	12,065	15.8	59	79	6.5	1	1	87	7.2	34	2.8	53	4.4
Del Norte	189	202	10.1	346	342	17.1	4	5	b	0	0	5	b	1	a,b	4	a,b
El Dorado	734	854	7.1	1,374	1,752	14.5	4	5	2.9	0	0	16	9.1	9	5.1	7	4.0
Fresno	5,003	4,629	7.6	13,681	13,091	21.4	95	86	6.6	2	2	107	8.2	73	5.6	34	2.6
Glenn	129	240	10.3	6	428	18.3	0	4	a,b	0	0	4	a,b	1	a,b	3	a,b
Humboldt	1,069	1,101	9.5	1,865	1,765	15.3	16	16	9.1	0	0	31	17.6	17	9.6	14	7.9
Imperial	697	742	6.6	2,455	2,503	22.2	10	12	4.8	0	0	17	6.8	11	4.4	6	2.4
Inyo	200	207	11.5	365	213	11.8	8	7	b	0	0	0	—	0	—	0	—
Kern	3,727	3,884	7.5	10,660	11,076	21.4	73	74	6.7	2	3	128	11.6	91	8.2	37	3.3
Kings	566	627	6.7	2,285	2,028	21.6	11	11	5.4	0	0	18	8.9	6	3.0	12	5.9
Lake	603	765	14.9	299	721	14.0	2	6	b	0	0	13	b	3	a,b	10	b
Lassen	155	187	6.9	302	326	12.1	0	0	—	0	0	2	a,b	0	—	2	a,b
Los Angeles	66,148	64,709	7.5	180,184	175,293	20.4	1,298	1,258	7.2	24	23	1,612	9.2	984	5.6	628	3.6
Madera	505	652	7.9	846	1,530	18.5	5	14	9.2	0	0	13	8.5	10	6.5	3	a
Marin	1,750	1,774	7.7	1,863	2,796	12.2	12	24	8.6	0	0	13	4.6	9	3.2	4	a
Mariposa	78	133	9.1	54	169	11.6	0	6	b	0	1	0	—	0	—	0	—
Mendocino	763	760	10.0	1,182	1,160	15.2	11	9	7.8	0	0	7	6.0	4	a	3	a
Merced	1,040	1,166	6.8	3,479	3,769	22.0	22	23	6.1	1	0	31	8.2	17	4.5	14	3.7
Modoc	100	119	13.0	83	128	14.0	0	0	—	0	0	2	a,b	1	a,b	1	a,b
Mono	55	35	3.7	0	117	12.4	0	1	a,b	0	0	0	—	0	—	0	—
Monterey	2,126	2,256	6.5	6,813	7,160	20.6	33	37	5.2	0	1	73	10.2	38	5.3	35	4.9
Napa	1,185	1,039	9.8	1,253	1,372	12.9	7	5	3.6	0	0	6	4.4	2	a	4	a
Nevada	604	645	8.4	1,042	917	11.9	10	7	b	0	0	10	b	5	b	5	b
Orange	14,475	14,748	6.5	44,474	42,212	18.7	275	270	6.4	0	0	289	6.8	196	4.6	93	2.2
Placer	1,364	1,293	8.3	2,409	2,290	14.6	8	13	5.7	0	0	26	11.4	14	6.1	12	5.2
Plumas	143	170	8.5	201	195	9.8	2	4	a,b	0	0	0	—	0	—	0	—
Riverside	8,424	9,133	9.3	16,430	19,849	20.3	114	146	7.4	2	1	181	9.1	111	5.6	70	3.5
Sacramento	7,949	7,628	7.8	18,565	17,332	17.8	105	88	5.1	2	1	179	10.3	85	4.9	94	5.4
San Benito	187	240	7.0	462	692	20.1	3	3	a,b	0	0	7	b	5	b	2	a,b
San Bernardino	9,864	9,177	7.1	26,057	28,013	21.8	209	208	7.4	2	3	291	10.4	179	6.4	112	4.0
San Diego	17,087	16,636	7.0	45,298	44,152	18.6	284	274	6.2	6	5	314	7.1	192	4.3	122	2.8
San Francisco	8,701	8,453	11.5	14,596	10,032	13.7	132	76	7.6	1	2	83	8.3	49	4.9	34	3.4
San Joaquin	3,747	3,803	8.3	8,809	8,974	19.7	56	62	6.9	0	0	89	9.9	49	5.5	40	4.5
San Luis Obispo	1,593	1,665	8.0	2,473	2,807	13.5	14	14	5.0	0	0	17	6.1	11	3.9	6	2.1
San Mateo	4,853	4,831	7.7	6,183	9,858	15.7	38	65	6.6	2	3	57	5.8	33	3.3	24	2.4
Santa Barbara	2,683	2,677	7.8	6,219	5,884	17.1	43	39	6.6	0	0	40	6.8	25	4.2	15	2.5
Santa Clara	9,262	8,642	6.0	28,973	26,274	18.4	80	73	2.8	5	2	186	7.1	112	4.3	74	2.8
Santa Cruz	1,757	1,796	7.9	3,867	3,978	17.6	19	19	4.8	0	0	33	8.3	24	6.0	9	2.3
Shasta	1,435	1,415	10.1	2,231	2,180	15.6	13	17	7.8	0	0	24	11.0	11	5.0	13	6.0
Sierra	37	31	8.6	2	18	5.0	0	0	—	0	0	0	—	0	—	0	—
Siskiyou	404	437	10.1	461	596	13.8	1	4	a,b	0	0	5	b	1	a,b	4	a,b
Solano	1,916	1,925	6.1	5,320	5,748	18.4	32	37	6.4	0	0	47	8.2	21	3.7	26	4.5
Sonoma	3,284	3,310	9.0	5,298	5,474	15.0	42	41	7.5	0	0	51	9.3	26	4.7	25	4.6
Stanislaus	3,010	2,812	8.3	6,982	6,589	19.4	70	66	10.0	1	1	49	7.4	34	5.2	15	2.3
Sutter	453	572	9.3	2,153	1,084	17.6	10	10	9.2	0	0	9	8.3	6	5.5	3	a
Tehama	434	536	11.5	595	734	15.7	5	5	b	1	1	10	b	7	b	3	a,b
Trinity	100	132	9.5	104	151	10.8	2	2	a,b	0	0	1	a,b	0	—	1	a,b
Tulare	2,249	2,427	8.2	5,653	6,073	20.4	24	31	5.1	0	0	35	5.8	23	3.8	12	2.0
Tuolumne	370	473	10.2	662	565	12.2	7	3	a,b	0	0	2	a,b	0	—	2	a,b
Ventura	3,574	3,944	6.1	9,956	11,472	17.7	44	52	4.5	1	1	76	6.6	56	4.9	20	1.7
Yolo	828	917	6.8	1,710	2,215	16.4	9	14	6.3	0	1	16	7.2	9	4.1	7	3.2
Yuba	564	488	8.6	337	1,318	23.2	3	7	5.3	0	0	12	9.1	5	3.8	7	5.3

a Rates and ratios are not calculated for fewer than five events.
b Fetal death ratios and infant death rates are not calculated for counties reporting fewer than 1,000 births.

Note: Infant death rates and fetal death ratios are per 1,000 live births.
Death and live birth rates are per 1,000 estimated population.
Maternal deaths are those due to complications of pregnancy, childbirth, and the puerperium, Ninth Revision International Classification of Diseases 630—676. Infant deaths are those under one year. Neonatal deaths are those under 28 days. Fetal deaths of 20 weeks or more gestation are required by law to be registered.

Source: State of California, Department of Finance, *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Birth, Death, and Fetal Death Records.

Table 1—3

TOTAL POPULATION AND POPULATION DENSITY, CALIFORNIA COUNTIES, JULY 1, 1970 and 1988

COUNTY	1970 ESTIMATED POPULATION		1988 ESTIMATED POPULATION		PERCENT CHANGE IN DENSITY 1970 TO 1988
	Number	Density	Number	Density	
CALIFORNIA	20,039,000	128.0	28,313,914	180.8	41.3
Alameda	1,073,000	1,463.8	1,242,399	1,695.0	15.8
Alpine	500	0.7	1,216	1.7	143.2
Amador	11,900	20.1	27,965	47.2	135.0
Butte	102,500	61.6	174,556	105.0	70.3
Calaveras	13,700	13.3	31,193	30.4	127.7
Colusa	12,400	10.8	15,217	13.2	22.7
Contra Costa	557,500	759.5	764,282	1,041.3	37.1
Del Norte	14,600	14.6	19,952	19.9	36.7
El Dorado	44,100	25.7	120,879	70.5	174.1
Fresno	413,800	69.4	611,745	102.6	47.8
Glenn	17,500	13.3	23,379	17.8	33.8
Humboldt	100,200	28.0	115,566	32.3	15.3
Imperial	74,400	17.4	112,707	26.3	51.5
Inyo	15,600	1.5	18,012	1.8	15.5
Kern	331,100	40.6	518,322	63.6	56.5
Kings	66,700	47.8	94,060	67.4	41.0
Lake	19,800	15.8	51,381	40.9	159.5
Lassen	16,900	3.7	27,022	5.9	59.9
Los Angeles	7,055,800	1,737.9	8,604,269	2,119.3	21.9
Madera	41,700	19.4	82,536	38.5	97.9
Marin	207,000	398.1	229,855	442.0	11.0
Mariposa	6,100	4.2	14,555	10.0	138.6
Mendocino	51,300	14.6	76,109	21.7	48.4
Merced	105,000	53.0	171,233	86.4	63.1
Modoc	7,500	1.8	9,166	2.2	22.2
Mono	4,100	1.4	9,469	3.1	131.0
Monterey	247,800	74.5	348,109	104.7	40.5
Napa	79,400	104.7	106,304	140.2	33.9
Nevada	26,500	27.1	77,201	78.9	191.3
Orange	1,431,900	1,831.1	2,261,052	2,891.4	57.9
Placer	78,000	54.8	156,365	109.8	100.5
Plumas	11,700	4.6	19,992	7.8	70.9
Riverside	461,600	64.3	977,446	136.2	111.8
Sacramento	636,700	647.7	975,255	992.1	53.2
San Benito	18,400	13.2	34,459	24.7	87.3
San Bernardino	685,300	34.0	1,284,875	63.8	87.5
San Diego	1,367,200	321.3	2,370,129	557.0	73.4
San Francisco	713,200	15,848.9	733,302	16,295.6	2.8
San Joaquin	292,100	207.3	456,606	324.1	56.3
San Luis Obispo	106,600	32.1	207,276	62.5	94.4
San Mateo	557,100	1,227.1	628,468	1,384.3	12.8
Santa Barbara	265,800	97.1	343,128	125.3	29.1
Santa Clara	1,072,600	823.8	1,430,356	1,098.6	33.4
Santa Cruz	124,500	283.6	226,356	515.6	81.8
Shasta	78,000	20.5	139,625	36.8	79.0
Sierra	2,400	2.5	3,603	3.8	50.1
Siskiyou	33,200	5.3	43,266	6.9	30.3
Solano	172,500	208.6	313,082	378.6	81.5
Sonoma	206,500	130.8	365,825	231.7	77.2
Stanislaus	195,800	130.5	340,200	226.8	73.7
Sutter	42,100	69.4	61,716	101.7	46.6
Tehama	29,600	9.9	46,676	15.7	57.7
Trinity	7,600	2.4	13,923	4.4	83.2
Tulare	189,400	39.1	297,532	61.5	57.1
Tuolumne	22,300	9.8	46,339	20.4	107.8
Ventura	381,400	206.1	646,717	349.4	69.6
Yolo	92,700	89.7	134,964	130.5	45.6
Yuba	44,400	69.7	56,722	89.0	27.8

Note: Estimates are rounded independently and may not add to totals.
Number of persons per square mile of land area

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70-80*, March 1982 and *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

For land area, see State of California, Department of Finance, *California Statistical Abstract*, 1986.

Figure 1—C

POPULATION DENSITY BY COUNTY
CALIFORNIA, 1988

Source: Table 1–3.

Table 1—4

INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1975, 1979—1987

COUNTY	JULY 1, 1975	JULY 1, 1979	JULY 1, 1980	JULY 1, 1981	JULY 1, 1982
CALIFORNIA	21,537,000	23,255,000	23,780,100	24,265,400	24,786,200
Alameda	1,107,900	1,103,900	1,109,400	1,126,300	1,142,600
Alpine	800	1,100	1,100	1,200	1,200
Amador	15,200	18,700	19,500	20,300	20,900
Butte	120,700	138,500	144,800	148,900	153,100
Calaveras	15,500	19,900	21,000	22,100	23,600
Colusa	12,800	13,100	12,900	13,200	13,800
Contra Costa	586,600	644,700	658,700	668,700	682,100
Del Norte	16,200	17,700	18,300	18,700	18,500
El Dorado	59,400	80,900	86,700	90,400	94,500
Fresno	452,400	504,600	516,900	526,800	537,100
Glenn	19,300	21,000	21,500	22,100	22,300
Humboldt	106,600	108,000	108,900	110,700	110,400
Imperial	83,400	89,800	92,700	95,600	97,800
Inyo	17,600	18,100	17,900	18,000	18,500
Kern	361,800	393,400	406,400	420,000	434,800
Kings	69,400	73,300	74,200	76,100	77,900
Lake	26,100	34,700	36,900	39,100	41,000
Lassen	18,800	21,200	21,900	22,700	23,600
Los Angeles	7,190,300	7,387,600	7,498,200	7,590,800	7,729,800
Madera	48,700	60,300	63,900	67,200	69,300
Marin	219,500	222,900	223,000	224,600	225,900
Mariposa	8,400	10,600	11,200	11,700	12,100
Mendocino	58,000	65,200	67,000	68,300	69,600
Merced	118,900	131,600	135,600	139,800	142,900
Modoc	7,900	8,400	8,700	9,000	9,300
Mono	7,200	8,200	8,700	9,000	9,400
Monterey	270,900	286,500	292,300	300,100	306,200
Napa	90,600	98,400	99,300	99,800	101,600
Nevada	34,100	48,200	52,600	56,700	60,200
Orange	1,713,400	1,896,400	1,942,900	1,994,100	2,028,300
Placer	91,300	113,500	118,300	122,700	127,000
Plumas	14,100	16,700	17,400	17,900	18,400
Riverside	534,500	639,000	668,700	692,100	717,700
Sacramento	691,600	766,500	787,900	806,800	833,200
San Benito	21,400	24,400	25,200	25,900	26,900
San Bernardino	696,800	853,300	902,900	935,400	970,100
San Diego	1,594,100	1,831,300	1,874,500	1,928,900	1,977,700
San Francisco	695,400	678,100	680,900	688,800	700,200
San Joaquin	299,400	336,800	350,100	361,400	373,300
San Luis Obispo	130,700	151,200	156,800	162,600	168,000
San Mateo	582,000	585,900	587,900	590,700	595,200
Santa Barbara	281,100	295,700	299,700	304,300	310,800
Santa Clara	1,180,300	1,275,100	1,299,700	1,320,000	1,337,400
Santa Cruz	156,100	183,800	189,200	193,800	197,500
Shasta	92,400	112,900	116,700	120,800	122,600
Sierra	2,800	3,100	3,100	3,100	3,400
Siskiyou	35,400	38,800	40,000	41,000	41,700
Solano	188,000	224,400	237,400	246,300	255,200
Sonoma	247,100	291,900	301,400	308,800	315,100
Stanislaus	224,600	260,800	267,900	275,800	281,800
Sutter	46,400	51,700	52,600	54,000	55,500
Tehama	32,700	37,200	39,100	40,100	41,200
Trinity	9,800	11,700	12,000	12,500	12,600
Tulare	216,400	240,300	247,400	253,500	258,800
Tuolumne	26,600	33,000	34,200	35,400	36,600
Ventura	440,700	510,100	532,300	545,700	560,800
Yolo	101,700	111,600	113,900	115,000	117,900
Yuba	45,200	49,300	49,800	50,100	51,300

Table 1—4 (Continued)

INTERCENSAL ESTIMATES OF TOTAL POPULATION
CALIFORNIA COUNTIES, 1975, 1979—1987

COUNTY	JULY 1, 1983	JULY 1, 1984	JULY 1, 1985	JULY 1, 1986	JULY 1, 1987
CALIFORNIA	25,311,100	25,795,000	26,365,100	26,980,811	27,662,955
Alameda	1,162,000	1,181,600	1,197,000	1,211,994	1,227,397
Alpine	1,200	1,200	1,200	1,204	1,221
Amador	21,500	22,400	23,400	23,898	25,410
Butte	156,000	159,200	164,000	165,596	169,290
Calaveras	24,700	25,800	26,800	27,901	29,596
Colusa	14,100	14,100	14,700	15,041	14,795
Contra Costa	695,100	705,400	717,600	729,842	743,995
Del Norte	18,600	18,400	18,800	19,110	19,404
El Dorado	96,600	99,700	104,700	108,005	113,202
Fresno	550,700	565,500	576,200	583,999	596,802
Glenn	22,800	22,700	23,200	22,995	22,995
Humboldt	110,600	111,800	113,000	113,200	113,705
Imperial	100,300	102,400	106,000	108,304	109,192
Inyo	18,500	18,300	18,400	18,004	18,001
Kern	449,600	463,600	480,600	490,898	504,811
Kings	80,500	82,100	84,900	85,705	87,900
Lake	43,300	45,900	48,300	48,995	50,804
Lassen	23,900	24,300	24,600	24,897	26,505
Los Angeles	7,862,100	7,964,600	8,085,300	8,292,804	8,484,496
Madera	71,700	73,900	76,300	78,701	80,093
Marin	227,000	226,500	226,100	227,284	227,681
Mariposa	12,400	12,900	13,400	13,704	13,995
Mendocino	70,700	72,000	73,800	74,404	74,998
Merced	148,000	154,700	160,500	163,294	166,201
Modoc	9,500	9,700	9,500	9,404	9,301
Mono	9,500	9,200	9,300	9,202	9,198
Monterey	313,800	321,400	329,700	336,296	343,122
Napa	102,200	102,700	104,000	104,498	105,195
Nevada	62,500	65,200	68,300	70,894	73,801
Orange	2,064,100	2,091,200	2,127,900	2,171,199	2,216,806
Placer	129,800	134,300	138,400	142,793	148,394
Plumas	18,400	18,600	19,200	19,375	19,830
Riverside	745,200	780,800	820,600	864,604	915,398
Sacramento	855,300	873,600	893,800	916,700	947,401
San Benito	27,800	29,100	30,500	32,100	33,210
San Bernardino	1,004,200	1,039,500	1,086,400	1,138,004	1,201,999
San Diego	2,022,300	2,078,200	2,131,600	2,205,896	2,288,303
San Francisco	708,300	716,100	735,000	744,594	741,595
San Joaquin	386,000	399,200	416,700	430,995	444,297
San Luis Obispo	173,600	180,500	190,100	195,102	201,898
San Mateo	604,900	611,500	616,600	615,398	623,496
Santa Barbara	319,000	324,700	334,600	337,999	342,896
Santa Clara	1,363,000	1,381,700	1,400,100	1,403,298	1,421,604
Santa Cruz	202,400	206,700	214,300	218,102	222,901
Shasta	124,500	127,600	131,700	132,602	135,403
Sierra	3,400	3,400	3,500	3,393	3,396
Siskiyou	41,900	42,200	42,800	42,500	42,903
Solano	262,300	266,900	275,200	285,994	298,004
Sonoma	322,400	328,000	335,400	344,799	354,501
Stanislaus	290,500	296,800	304,900	315,099	326,803
Sutter	57,100	57,100	58,500	58,797	60,309
Tehama	42,200	43,200	44,300	44,691	45,899
Trinity	12,900	13,400	13,600	13,496	13,602
Tulare	266,200	272,700	280,500	285,696	291,502
Tuolumne	37,800	38,800	40,800	42,304	44,803
Ventura	574,700	588,100	600,200	615,405	628,094
Yolo	119,400	121,000	124,000	125,805	128,997
Yuba	52,100	52,900	54,300	53,998	55,705

Note: Estimates are rounded independently and may not add to totals.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties,* Report I and 70-80, March 1982; *Population Estimates for California Counties July 1, 1980 to July 1, 1985,* Report 85 E-2, February 1986; *1986 Population Projections for California Counties, Baseline 86,* November 1987; *1987 Population Projections for California Counties, Baseline 86,* February 1988. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 87 E-2).

Table 1—5

LIFE EXPECTANCY AT BIRTH AND AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT AGE 65 BY SELECTED YEARS AND SEX CALIFORNIA, 1919—1921, 1929—1931, 1939—1941, 1950, 1960, 1970, 1980, 1987 AND 1988

YEAR	AT BIRTH		AT 65 YEARS	
	Male	Female	Male	Female
1988	72.5	79.3	15.8	19.3
1987	72.4	79.3	15.7	19.3
1980	71.0	78.1	14.7	18.8
1970	68.4	75.7	13.7	17.8
1960	67.4	74.4	13.1	16.5
1950	65.9	73.0	13.0	16.1
1939—1941	61.9	68.3	12.0	14.5
1929—1931	58.6	63.7	12.0	14.0
1919—1921	54.5	58.4	12.4[a]	13.5[a]

a 1919—1920 data.

Source: Dublin, Lotka, Spiegelman, *Length of Life*, Table 77 interpolated for 45—65 years.

National Office of Vital Statistics, *Abridged Life Tables, United States, 1953, Vital Statistics—Special Reports*, Vol. 42, No. 10, October 14, 1953.

Schoen, Robert and Marion Collins, *Mortality by Cause: Life Tables for California 1950—1970*. California State Department of Public Health.

State of California, Department of Health Services, Birth and Death Records.

2. LIVE BIRTHS

Table		Page
	RATES	
2-1	Number and percent of women of childbearing age by age group: California and United States, 1986-1988	17
2-2	General fertility rate, total fertility rate, and age-specific live birth rates: California and United States, 1970-1988	18
2-3	General fertility rate and live birth rates by live birth order: California and United States, 1970-1988	20
2-4	General fertility rate and age-specific live birth rates by live birth order: California, 1970, 1980, and 1984-1988	22
2-5	General fertility rates and age-specific live birth rates by age of mother: California counties, 1988	23
	SELECTED COUNTY DATA	
2-6	Live births by age of mother: California counties, 1988	24
2-7	Live births by month of birth: California counties, 1988	25
2-8	Live births by type of hospital: California counties, 1988 (by place of occurrence)	26
2-9	Live births by race/ethnicity of child and sex: California counties, 1988	27
2-10	Live births by Spanish/Hispanic origin of mother and sex: California counties, 1988	37

Table | Page

AGE OF MOTHER

2-11 Live births by race/ethnicity of child and age of mother: California counties, 1988 47

2-12 Live births by Spanish/Hispanic origin of mother and age of mother: California counties, 1988 67

2-13 Live births by race/ethnicity of child, previous live births, and age of mother: California, 1988 72

2-14 Live births by Spanish/Hispanic origin of mother, previous live births, and age of mother: California, 1988 74

2-15 Age-specific live birth rates by age of mother (by individual years for teens): California counties, 1988 75

BIRTHWEIGHT

2-16 Live births by birthweight, weeks of gestation, and race/ethnicity of child: California, 1988 77

2-17 Live births by birthweight, weeks of gestation, and Spanish/Hispanic origin of mother: California, 1988 79

2-18 Live births by race/ethnicity of child, birthweight, and age of mother: California, 1988 80

2-19 Live births by Spanish/Hispanic origin of mother, birthweight, and age of mother: California, 1988 82

Table | Page

PRENATAL CARE

2-20 Live births by month prenatal care began and age of mother: California, 1988 83

2-21 Live births by race/ethnicity of child, trimester prenatal care began, and age of mother: California, 1988 84

2-22 Live births by Spanish/Hispanic origin of mother, trimester prenatal care began, and age of mother: California, 1988 86

2-23 Live births by birthweight, trimester prenatal care began, and race/ethnicity of child: California, 1988 87

2-24 Live births by birthweight, trimester prenatal care began, and Spanish/Hispanic origin of mother: California, 1988 89

PLURALITY/ANOMALIES

2-25 Live births by plurality of delivery, sex, and race/ethnicity of child: California, 1988 90

2-26 Live births by plurality of delivery, sex, and Spanish/Hispanic origin of mother: California, 1988 91

2-27 Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex, and race/ethnicity of child: California, 1988 92

2-28 Live births with one or more congenital anomalies and congenital anomalies reported by type, by sex, and Spanish/Hispanic origin of mother: California, 1988 98

Table

Page

ESTIMATED MARITAL STATUS

2-29 Number of live births by estimated marital status and age of mother (detailed under age 20): California, selected years, 1966-1988 104

2-30 Number of live births by estimated marital status, race of mother and age of mother: California, selected years, 1966-1988 105

2-31 Estimated live births to unmarried women as a percent of total live births, by race of mother and age of mother: California, selected years, 1966-1988 106

2-32 Total live births and estimated live births to unmarried women by race, Spanish/Hispanic origin, and age of mother, and live birth order: California, 1988 107

2-33 Total live births and estimated number and percent of live births to unmarried women by race and Spanish/Hispanic origin of mother: California counties, 1988 109

OTHER

2-34 Number and percent of live births delivered by cesarean section: California and United States, 1970-1988 110

2-35 Number and percent of live births delivered by cesarean section: California counties, 1988 112

2-36 Most popular baby names: California, 1988 113

2-37 Live births by age of father (detailed under age 20): California counties, 1988 114

Page

Figure

2-A Age-specific live birth rates: California, 1970-1988 and United States, 1970-1987 19

2-B Live birth rates by live birth order: California, 1970-88 and United States, 1970-1987 21

2-C Age-specific live birth rates: California counties, 1988 (Mothers ages 15-19) 76

2-D Percent of live births delivered by cesarean section: California and United States, 1970-1988 111

NOTES

Table 2—1

NUMBER AND PERCENT OF WOMEN OF CHILDBEARING AGE BY AGE GROUP CALIFORNIA AND UNITED STATES, 1986—1988

AGE GROUP	CALIFORNIA		UNITED STATES	
	Number	Percent	Number	Percent
1988				
Total, 15—44	6,667,597	100.0	58,192,000	100.0
15—19	970,875	14.6	8,923,000	15.3
20—24	1,072,943	16.1	9,578,000	16.5
25—29	1,179,553	17.7	10,926,000	18.8
30—34	1,290,247	19.4	10,896,000	18.7
35—39	1,170,927	17.6	9,660,000	16.6
40—44	983,052	14.7	8,209,000	14.1
Median Age	30.5		29.8	
1987				
Total, 15—44	6,571,043	100.0	57,964,000	100.0
15—19	971,588	14.8	9,047,000	15.6
20—24	1,098,995	16.7	9,878,000	17.0
25—29	1,177,621	17.9	10,971,000	18.9
30—34	1,264,296	19.2	10,674,000	18.4
35—39	1,137,032	17.3	9,465,000	16.3
40—44	921,511	14.0	7,928,000	13.7
Median Age	30.2		29.6	
1986				
Total, 15—44	6,443,165	100.0	57,487,000	100.0
15—19	973,143	15.1	9,128,000	15.9
20—24	1,111,305	17.2	10,185,000	17.7
25—29	1,185,821	18.4	10,984,000	19.1
30—34	1,216,555	18.9	10,407,000	18.1
35—39	1,114,406	17.3	9,467,000	16.5
40—44	841,935	13.1	7,316,000	12.7
Median Age	29.8		29.3	

Note: Population figures are as of July 1. Percents are rounded independently and may not add to totals.

Source: U.S. Department of Commerce, Bureau of the Census, *Current Population Reports, Population Estimates and Projections*, Series P-25, No. 1000.

State of California, Department of Finance, *1988 Population Projections for California Counties, Baseline 86*, March 1989; *1987 Population Projections for California Counties, Baseline 86*, February 1988; *1986 Population Projections for California Counties, Baseline 86*, November 1987. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2 and 87 E-2).

Table 2--2

GENERAL FERTILITY RATE, TOTAL FERTILITY RATE, AND AGE-SPECIFIC LIVE BIRTH RATES CALIFORNIA AND UNITED STATES, 1970—1988

(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	TOTAL FERTILITY RATE[2]	AGE-SPECIFIC BIRTH RATE[3] BY AGE OF MOTHER							
			Under 15	15—19	20—24	25—29	30—34	35—39	40—44	45 and Over
CALIFORNIA										
1988	79.9	2,337	1.2	59.5	129.8	141.0	89.5	38.3	7.6	0.4
1987	76.6	2,212	1.1	55.2	123.7	134.3	85.0	35.4	7.1	0.5
1986	74.8	2,128	1.1	53.2	121.8	128.5	81.2	33.0	6.4	0.4
1985	74.6	2,095	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
1984	72.4	2,010	1.1	51.1	118.9	119.[illegible]	75.3	30.2	5.9	0.4
1983	71.7	1,973	1.0	51.4	119.2	11[illegible]	73.1	29.0	5.6	0.3
1982	72.0	1,963	1.0	52.8	120.6	114.9	70.2	27.4	5.4	0.4
1981	71.9	1,942	1.0	53.7	119.7	113.9	68.5	25.9	5.4	0.3
1980	70.4	1,892	0.9	52.5	116.3	111.3	67.4	24.7	5.1	0.3
1979	68.9	1,848	0.9	52.2	113.1	109.0	65.7	23.4	4.9	0.3
1978	66.6	1,780	0.9	51.2	108.8	106.0	62.3	21.9	4.6	0.2
1977	67.2	1,792	0.9	51.3	110.9	107.6	61.0	21.6	4.7	0.3
1976	66.1	1,765	0.9	51.0	110.5	105.5	58.8	21.5	4.5	0.3
1975	65.1	1,750	0.9	51.0	110.7	105.8	56.0	20.4	4.6	0.3
1974	65.9	1,784	0.8	51.4	114.7	107.7	56.2	21.1	4.6	0.3
1973	64.8	1,765	0.8	51.4	114.8	105.1	54.8	20.8	4.9	0.3
1972	68.4	1,874	0.8	54.5	122.9	110.2	58.2	22.3	5.5	0.3
1971	75.4	2,078	0.8	58.0	139.2	121.8	63.3	25.7	6.4	0.3
1970	84.7	2,353	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
UNITED STATES										
1988	67.3	----	----	----	----	----	----	----	----	----
1987	65.7	1,871.0	1.3	51.1	108.9	110.8	71.3	26.2	4.4	0.2
1986	65.4	1,836.0	1.3	50.6	108.2	109.2	69.3	24.3	4.1	0.2
1985[a]	66.1	1,842.5	1.2	51.3	108.9	110.5	68.5	23.9	4.0	0.2
1984[a]	65.4	1,805.5	1.2	50.9	107.3	108.3	66.5	22.8	3.9	0.2
1983[a]	65.8	1,802.5	1.1	51.7	108.3	108.7	64.6	22.1	3.8	0.2
1982[a]	67.3	1,828.5	1.1	52.9	111.3	111.0	64.2	21.1	3.9	0.2
1981[a]	67.4	1,815.0	1.1	52.7	111.8	112.0	61.4	20.0	3.8	0.2
1980[a]	68.4	1,839.5	1.1	53.0	115.1	112.9	61.9	19.8	3.9	0.2
1979[a]	67.2	1,808.0	1.2	52.3	112.8	111.4	60.3	19.5	3.9	0.2
1978[a]	65.5	1,760.0	1.2	51.5	109.9	108.5	57.8	19.0	3.9	0.2
1977[a]	66.8	1,789.5	1.2	52.8	112.9	111.0	56.4	19.2	4.2	0.2
1976[a]	65.0	1,738.0	1.2	52.8	110.3	106.2	53.6	19.0	4.3	0.2
1975[a]	66.0	1,774.0	1.3	55.6	113.0	108.2	52.3	19.5	4.6	0.3
1974[a]	67.8	1,835.0	1.2	57.5	117.7	111.5	53.8	20.2	4.8	0.3
1973[a]	68.8	1,879.0	1.2	59.3	119.7	112.2	55.6	22.1	5.4	0.3
1972[a]	73.1	2,010.0	1.2	61.7	130.2	117.7	59.8	24.8	6.2	0.4
1971[b]	81.6	2,266.5	1.1	64.5	150.1	134.1	67.2	28.7	7.1	0.4
1970[b]	87.9	2,480.0	1.2	68.3	167.8	145.1	73.3	31.7	8.1	0.5

1 The general fertility rate is the total number of live births per 1,000 women of childbearing age (15—44 years).

2 The total fertility rate is the sum of each age-specific live birth rate multiplied by the number of years in the age group (five years in this case).

3 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10—14 years of age, and for women over 44, using the female population 45—49 years of age.

a Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.
b Based on a 50 percent sample of births.

Source: U.S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1987, Vol. 37, No. 3 Supplement, June 29, 1989.

U.S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Annual Summary of Births, Marriages, Divorces, and Deaths: United States, 1988, Vol. 37, No. 13, July 26, 1989.

State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70—80*, March 1982; *Population Projections for California Counties, Baseline 83*, October 1983; *California Projected 1985 Population by Age and Sex*, run date 12/11/86; *1986 Population Projections for California Counties, Baseline 86*, November 1987; *1987 Population Projections for California Counties, Baseline 86*, February 1988; *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Birth Records.

Figure 2-A

AGE-SPECIFIC LIVE BIRTH RATES
CALIFORNIA, 1970-1988 AND UNITED STATES, 1970-1987
(By place of residence)



Note Rate per 1,000 population
Source Table 2-2

Table 2—3

GENERAL FERTILITY RATE AND LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA AND UNITED STATES, 1970—1988
(By place of residence)

YEAR	GENERAL FERTILITY RATE[1]	LIVE BIRTH ORDER				
		First	Second	Third	Fourth	Fifth or Higher
CALIFORNIA						
1988	79.9	32.1	25.0	13.2	5.5	4.1
1987	76.6	31.1	24.0	12.5	5.2	3.9
1986	74.8	30.5	23.6	12.0	4.9	3.7
1985	74.6	30.4	24.0	11.8	4.8	3.6
1984	72.4	29.8	23.4	11.3	4.5	3.5
1983	71.7	30.1	22.8	11.0	4.4	3.5
1982	72.0	30.9	22.7	10.8	4.3	3.4
1981	71.9	31.3	22.4	10.5	4.2	3.5
1980	70.4	31.1	21.6	10.2	4.0	3.4
1979	68.9	30.3	21.3	9.9	4.0	3.4
1978	66.6	29.4	20.6	9.4	3.8	3.3
1977	67.2	29.4	21.0	9.5	3.8	3.5
1976	66.1	28.7	20.8	9.2	3.7	3.7
1975	65.1	28.3	20.6	8.8	3.7	3.7
1974	65.9	28.6	20.8	8.8	3.8	4.0
1973	64.8	28.1	20.1	8.6	3.9	4.1
1972	68.4	29.2	20.8	9.4	4.4	4.7
1971	75.4	30.8	21.9	11.0	5.4	6.2
1970	84.7	34.2	23.8	12.7	6.5	7.5
UNITED STATES						
1988	67.3	----	----	----	----	----
1987	65.7	27.2	21.6	10.5	3.9	2.5
1986	65.4	27.2	21.6	10.3	3.8	2.5
1985	66.2	27.6	22.0	10.4	3.8	2.5
1984[a]	65.4	27.4	21.7	10.1	3.7	2.6
1983[a]	65.8	27.8	21.5	10.1	3.7	2.6
1982[a]	67.3	28.6	22.0	10.2	3.8	2.6
1981[a]	67.4	29.0	21.6	10.2	3.8	2.8
1980[a]	68.4	29.5	21.8	10.3	3.9	2.9
1979[a]	67.2	28.6	21.6	10.1	3.8	2.9
1978[a]	65.5	27.8	21.1	9.8	3.8	2.9
1977[a]	66.8	28.2	21.6	10.0	3.8	3.2
1976[a]	65.0	27.5	20.8	9.5	3.8	3.4
1975[a]	66.0	28.1	20.9	9.4	3.9	3.7
1974[a]	67.8	28.7	21.4	9.5	4.1	4.2
1973[a]	68.8	28.6	21.0	9.8	4.5	4.9
1972[a]	73.1	29.8	21.4	10.6	5.3	6.0
1971[b]	81.6	32.0	23.1	12.5	6.4	7.6
1970[b]	87.9	34.2	24.2	13.6	7.2	8.8

1 The general fertility rate is the total number of live births per 1,000 women of childbearing age (15—44 years).

a Based on 100 percent of births in selected states and on a 50 percent sample of births in all other states.
b Based on a 50 percent sample of births.

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order before rates were calculated.

Rates are per 1,000 women aged 15—44 years.

Source: U.S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Advance Report of Final Natality Statistics, 1987, Vol. 37, No. 3 Supplement, June 29, 1989.

U.S. Department of Health and Human Services, National Center for Health Statistics, *Monthly Vital Statistics Report*, Annual Summary of Births, Marriages, Divorces, and Deaths: United States, 1988, Vol. 37, No. 13, July 26, 1989.

State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70—80*, March 1982; *Population Projections for California Counties, Baseline 83*, October 1983; *California Projected 1985 Population by Age and Sex*, run date 12/11/86; *1986 Population Projections for California Counties, Baseline 86*, November 1987; *1987 Population Projections for California Counties, Baseline 86*, February 1988; *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Birth Records.

Figure 2-B

LIVE BIRTH RATES BY LIVE BIRTH ORDER
CALIFORNIA, 1970-1988 AND UNITED STATES, 1970-1987
(By place of residence)



Note: Rate per 1,000 women of childbearing age.
Source: Table 2-3.

Table 2—4

GENERAL FERTILITY RATE AND AGE-SPECIFIC LIVE BIRTH RATES BY LIVE BIRTH ORDER CALIFORNIA, 1970, 1980, AND 1984—1988

(By place of residence)

YEAR AND BIRTH ORDER	GENERAL FERTILITY RATE[1]	AGE OF MOTHER							
		Under 15	15—19	20—24	25—29	30—34	35—39	40—44	45 and Over
1988	79.9	1.2	59.5	129.8	141.0	89.5	38.3	7.6	0.4
First Live Birth	32.1	1.2	46.6	62.7	49.6	23.9	8.2	1.4	a
Second	25.0	a	10.9	43.5	47.9	29.6	11.1	1.7	a
Third	13.2	a	1.8	17.0	27.1	19.2	8.3	1.4	a
Fourth	5.5	—	0.3	4.9	10.7	9.4	4.8	1.0	0.1
Fifth or More	4.1	—	a	1.7	5.7	7.4	5.9	2.0	0.2
1987	76.6	1.1	55.2	123.7	134.3	85.0	35.4	7.1	0.5
First Live Birth	31.1	1.1	43.2	60.8	47.2	22.9	7.8	1.2	a
Second	24.0	a	10.0	41.0	46.0	28.1	10.1	1.6	a
Third	12.5	—	1.7	15.9	25.7	18.2	7.6	1.3	a
Fourth	5.2	—	0.2	4.4	10.0	8.7	4.4	1.0	0.1
Fifth or More	3.9	—	a	1.5	5.4	7.0	5.6	2.0	0.3
1986	74.8	1.1	53.2	121.8	128.5	81.2	33.0	6.4	0.4
First Live Birth	30.5	1.1	41.7	60.1	45.0	21.8	6.9	1.0	a
Second	23.6	a	9.7	40.7	44.6	27.1	9.4	1.3	0.1
Third	12.0	c	1.6	15.3	24.4	17.3	7.1	1.1	a
Fourth	4.9	—	0.2	4.3	9.4	8.3	4.2	0.8	a
Fifth or More	3.7	—	a	1.4	5.0	6.8	5.5	2.1	0.3
1985	74.6	1.0	52.5	121.2	126.0	79.7	32.1	6.1	0.4
First Live Birth	30.4	1.0	40.9	59.6	43.9	20.9	6.6	0.9	a
Second	24.0	a	9.8	41.3	44.5	26.9	9.1	1.2	a
Third	11.8	a	1.6	14.9	23.6	16.8	6.9	1.1	a
Fourth	4.8	—	0.2	4.1	9.1	8.3	4.2	0.8	a
Fifth or More	3.6	—	a	1.3	4.8	6.8	5.4	2.2	0.2
1984	72.4	1.1	51.1	118.9	119.2	75.3	30.2	5.9	0.4
First Live Birth	29.8	1.0	39.7	58.2	42.0	19.6	6.1	0.8	a
Second	23.4	a	9.6	41.1	42.2	25.5	8.4	1.0	a
Third	11.3	a	1.6	14.6	22.1	16.0	6.4	1.0	a
Fourth	4.5	—	0.2	3.8	8.4	7.8	3.8	0.8	a
Fifth or More	3.5	—	a	1.2	4.5	6.5	5.5	2.2	0.3
1980	70.4	0.9	52.5	116.3	111.3	67.4	24.7	5.1	0.3
First Live Birth	31.1	0.8	41.6	60.3	39.8	16.7	4.0	0.6	a
Second	21.6	a	9.4	38.6	38.9	21.8	5.6	0.6	a
Third	10.2	—	1.3	13.1	20.4	14.6	5.2	0.7	a
Fourth	4.1	—	0.2	3.3	7.7	7.4	3.7	0.8	a
Fifth or More	3.4	—	a	1.1	4.5	7.0	6.2	2.4	0.2
1970	84.7	0.8	68.9	157.5	135.5	70.8	29.5	7.2	0.4
First Live Birth	34.2	0.8	55.1	74.2	33.9	9.3	2.6	0.5	a
Second	23.8	a	11.8	55.1	43.2	15.0	3.9	0.7	a
Third	12.7	—	1.7	19.8	30.8	16.1	5.1	0.9	a
Fourth	6.5	—	0.3	6.0	15.2	12.3	5.0	1.1	0.1
Fifth or More	7.5	—	a	2.4	12.4	18.1	12.9	4.0	0.3

1 The general fertility rate is the total number of live births per 1,000 women of childbearing age (15—44 years).

a Represents a rate more than zero but less than 0.05.

— Represents zero events.

Note: Live births with unknown birth order were distributed proportionally to live births with known birth order, before rates were calculated.

Rates are per 1,000 women in a specified age group. For women under 15, the rate is calculated using the female population 10—14 years of age, and for women over 44, using the female population 45—49 years of age.

Source: State of California, Department of Finance, *Preliminary Intercensal Estimates of Total Population, California Counties, Report I 70—80*, March 1982; *Population Projections for California Counties, Baseline 83*, October 1983; *California Projected 1985 Population by Age and Sex*, run date 12/11/86; *1986 Population Projections for California Counties, Baseline 86*, November 1987; *1987 Population Projections for California Counties, Baseline 86*, February 1988; *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Birth Records.

Table 2—5
GENERAL FERTILITY RATES AND AGE-SPECIFIC LIVE BIRTH RATES BY AGE OF MOTHER
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY	GENERAL FERTILITY RATE[1]	AGE-SPECIFIC BIRTH RATE[2] BY AGE OF MOTHER							
		Under 15	15—19	20—24	25—29	30—34	35—39	40—44	45 and Over
CALIFORNIA	79.9	1.2	59.5	129.8	141.0	89.5	38.3	7.6	0.4
Alameda	71.0	1.2	43.5	91.0	134.5	94.6	41.8	[illegible]	0.4
Alpine	39.0	—	a	a	a	a	a		—
Amador	44.7	—	30.8	80.9	69.5	68.8	23.8		—
Butte	60.6	—	45.6	74.8	145.5	66.3	27.7	[illegible]	a
Calaveras	49.6	—	31.3	84.1	99.0	55.3	26.8		a
Colusa	101.1	a	59.7	170.2	148.4	114.8	69.9	a	—
Contra Costa	65.5	0.9	39.4	94.7	109.5	96.0	38.9	6.1	0.2
Del Norte	83.2	—	102.2	182.2	127.0	61.0	26.5	—	—
El Dorado	60.3	a	36.1	98.3	119.2	81.2	28.0	5.6	—
Fresno	93.7	2.0	86.1	149.8	161.9	89.1	38.9	9.7	1.5
Glenn	89.1	a	58.3	178.4	146.8	92.1	38.3	a	—
Humboldt	63.4	a	47.1	94.8	140.0	61.5	31.6	7.5	a
Imperial	99.0	1.7	80.4	154.9	154.7	104.2	40.2	8.5	a
Inyo	59.9	—	48.5	92.0	114.1	69.4	30.2	a	—
Kern	96.6	2.0	91.6	186.1	148.7	83.4	32.7	6.7	0.4
Kings	105.3	1.7	104.7	195.0	146.9	81.9	37.6	7.8	a
Lake	68.0	a	82.3	133.9	131.7	69.3	20.6	3.7	a
Lassen	58.7	a	43.0	137.3	96.9	60.5	12.4	a	—
Los Angeles	89.5	1.4	70.6	154.6	153.5	96.2	44.1	9.2	0.4
Madera	82.7	1.8	84.2	151.8	130.5	81.9	28.0	7.9	a
Marin	47.3	—	14.3	51.5	62.7	83.6	48.7	9.8	—
Mariposa	53.9	—	45.8	81.7	101.9	56.6	23.1	a	—
Mendocino	66.6	a	55.2	140.0	122.4	69.9	27.7	5.1	a
Merced	103.7	1.5	93.2	196.8	144.2	86.0	45.0	8.2	2.3
Modoc	66.6	a	78.4	97.6	167.3	34.2	21.2	a	—
Mono	52.0	—	a	86.6	77.8	65.1	39.0	a	a
Monterey	84.6	1.3	64.9	146.3	138.0	83.8	34.6	6.7	1.1
Napa	54.6	—	29.4	88.7	99.0	72.3	27.8	7.0	a
Nevada	49.9	—	40.6	68.9	85.5	82.7	29.0	3.9	—
Orange	76.6	0.7	44.7	117.5	138.3	95.3	38.4	6.8	0.3
Placer	62.8	—	35.7	88.8	111.9	95.1	33.8	4.0	a
Plumas	44.7	—	19.1	76.3	84.9	66.5	17.2	—	—
Riverside	88.9	1.4	70.2	152.6	161.8	87.8	32.4	6.5	0.4
Sacramento	73.5	1.3	61.0	118.7	129.3	77.0	31.4	5.0	0.3
San Benito	82.4	a	62.2	143.5	133.0	88.5	38.5	4.9	a
San Bernardino	89.8	1.2	75.3	160.8	163.6	84.2	28.2	5.3	0.3
San Diego	78.5	1.0	51.8	127.3	143.1	83.9	36.3	7.2	0.4
San Francisco	61.5	2.0	46.7	88.6	138.0	76.9	34.8	9.4	0.3
San Joaquin	82.6	1.2	72.0	159.3	145.0	80.0	31.5	6.7	1.6
San Luis Obispo	57.5	1.1	35.0	65.7	137.8	73.4	31.8	4.0	a
San Mateo	67.2	0.6	34.0	85.0	112.8	101.4	45.5	7.1	0.3
Santa Barbara	70.2	0.9	45.0	83.5	141.3	86.9	38.8	7.8	0.8
Santa Clara	71.9	1.0	41.2	93.8	129.0	95.5	40.8	7.1	0.2
Santa Cruz	68.2	a	48.7	111.1	122.7	82.4	38.4	8.5	a
Shasta	67.0	1.1	57.7	130.2	108.4	68.5	25.2	3.4	a
Sierra	23.4	—	a	52.6	a	a	a	—	—
Siskiyou	64.5	—	58.2	114.9	116.5	70.6	25.4	4.1	—
Solano	74.9	1.6	56.9	118.1	134.3	79.3	31.3	4.2	a
Sonoma	60.1	0.8	34.0	87.6	113.7	86.6	32.4	6.9	—
Stanislaus	82.6	1.1	76.2	146.7	138.9	79.5	27.9	5.7	0.7
Sutter	79.2	—	64.4	148.9	126.9	75.1	28.6	3.5	a
Tehama	74.2	a	61.2	150.5	122.6	58.0	21.8	6.2	a
Trinity	49.4	—	48.7	94.9	81.1	52.5	26.0	a	—
Tulare	86.9	1.7	90.4	167.7	122.9	73.1	30.8	6.6	1.1
Tuolumne	57.2	—	50.7	117.1	93.7	58.9	23.1	4.5	—
Ventura	73.7	0.7	43.2	111.6	130.1	96.9	38.7	6.6	0.3
Yolo	62.6	a	37.6	76.1	172.3	63.9	34.0	7.1	a
Yuba	98.8	2.6	81.1	208.0	144.0	67.6	30.3	9.8	a

1 The general fertility rate is the total number of live births per 1,000 women of childbearing age (15—44 years).

2 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group. For women under 15, the rate is calculated using the female population 10—14 years of age, and for women over 44, using the female population 45—49 years of age. Unknown age was discounted.

a Rates not calculated for fewer than five live births.

— Represents zero births.

Source: *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect latest Department of Finance population estimates (Report 88 E-2).

State of California Department of Health Services, Birth Records.

TABLE 2-6

LIVE BIRTHS BY AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
ALAMEDA	21,862	45	101	238	341	547	665	4,892	6,912	5,374	2,306	422	14	1	4
ALPINE	12	-	-	1	1	-	1	4	3	1	1	-	-	-	-
AMADOR	234	-	-	-	6	8	10	66	65	55	23	1	-	-	-
BUTTE	2,492	-	23	39	55	89	113	708	742	502	188	29	3	1	-
CALAVERAS	336	-	2	3	5	13	9	100	110	57	33	3	1	-	-
COLUSA	292	1	3	2	4	9	10	88	84	56	32	3	-	-	-
CONTRA COSTA	12,065	21	44	100	188	272	381	2,482	3,923	3,185	1,271	192	4	1	1
DEL NORTE	342	-	2	6	16	12	28	121	88	49	20	-	-	-	-
EL DORADO	1,752	2	3	12	26	40	53	391	552	477	169	27	-	-	-
FRESNO	13,091	45	144	252	420	472	637	3,806	3,900	2,304	904	182	16	5	4
GLENN	428	1	1	7	8	14	16	137	128	80	32	4	-	-	-
HUMBOLDT	1,765	2	9	20	38	47	82	481	546	344	165	29	2	-	-
IMPERIAL	2,503	8	13	40	78	100	126	740	762	460	148	26	2	-	-
INYO	213	-	1	6	4	6	11	54	67	42	19	3	-	-	-
KERN	11,076	38	95	185	355	461	607	3,453	3,307	1,888	583	99	5	-	-
KINGS	2,028	6	21	32	66	80	116	712	580	295	98	19	3	-	-
LAKE	721	1	-	7	33	27	48	206	209	137	45	7	1	-	-
LASSEN	326	1	-	1	9	9	20	112	98	61	12	3	-	-	-
LOS ANGELES	175,293	417	1,111	2,375	3,789	5,386	7,076	45,907	53,109	37,757	15,536	2,692	92	4	42
MADERA	1,530	6	16	27	55	78	85	470	418	263	90	21	1	-	-
MARIN	2,796	-	1	6	9	31	33	350	755	929	563	118	-	-	1
MARIPOSA	169	-	2	-	3	5	11	42	55	35	12	4	-	-	-
MENDOCINO	1,160	4	7	17	25	42	50	352	342	208	96	16	1	-	-
MERCED	3,769	11	31	60	99	140	203	1,247	1,077	613	245	35	8	-	-
MODOC	128	1	-	5	3	2	14	37	46	11	7	2	-	-	-
MONO	117	-	-	-	-	-	2	24	35	35	17	3	1	-	-
MONTEREY	7,160	14	48	94	167	217	351	2,169	2,183	1,351	487	69	8	-	2
NAPA	1,372	-	6	11	13	40	43	348	434	327	120	29	1	-	-
NEVADA	917	-	6	5	12	22	47	196	248	252	116	13	-	-	-
ORANGE	42,212	48	164	384	650	959	1,389	10,259	13,999	10,151	3,581	567	15	4	42
PLACER	2,290	-	7	15	23	57	82	524	767	573	215	25	2	-	-
PLUMAS	195	-	-	1	4	4	3	53	63	53	14	-	-	-	-
RIVERSIDE	19,849	43	128	279	498	717	870	5,812	6,469	3,605	1,207	204	11	-	6
SACRAMENTO	17,332	40	96	254	399	594	703	4,681	5,576	3,528	1,287	164	4	3	3
SAN BENITO	692	1	5	10	17	21	34	204	220	122	51	6	1	-	-
SAN BERNARDINO	28,013	55	164	415	717	1,040	1,388	8,490	8,977	5,051	1,475	226	9	-	6
SAN DIEGO	44,152	69	173	428	800	1,167	1,783	12,216	13,992	9,457	3,479	546	20	3	19
SAN FRANCISCO	10,032	28	38	92	140	208	259	1,850	2,929	2,827	1,384	269	6	-	2
SAN JOAQUIN	8,974	20	68	137	247	323	441	2,631	2,703	1,640	636	107	13	6	2
SAN LUIS OBISPO	2,807	6	6	31	61	81	101	629	893	702	269	27	1	-	-
SAN MATEO	9,858	10	38	67	105	164	214	1,778	3,185	2,885	1,229	176	5	-	2
SANTA BARBARA	5,884	9	34	65	123	167	257	1,362	1,883	1,380	512	84	7	-	1
SANTA CLARA	26,274	42	105	223	390	631	779	5,731	8,867	6,631	2,481	382	10	-	2
SANTA CRUZ	3,978	3	17	43	65	107	141	928	1,130	1,008	457	76	3	-	-
SHASTA	2,180	5	15	23	65	81	112	708	626	388	139	17	1	-	-
SIERRA	18	-	-	-	1	-	-	5	4	4	4	-	-	-	-
SISKIYOU	596	-	3	7	22	21	30	170	177	116	44	6	-	-	-
SOLANO	5,748	16	24	67	128	183	253	1,604	1,921	1,114	392	45	1	-	-
SONOMA	5,474	9	18	33	89	123	178	1,243	1,741	1,369	565	106	-	-	-
STANISLAUS	6,589	13	38	94	202	258	374	1,955	2,078	1,138	369	64	5	1	-
SUTTER	1,084	-	3	9	29	40	56	355	341	185	58	7	1	-	-
TEHAMA	734	4	4	7	21	18	45	255	239	95	35	9	2	-	-
TRINITY	151	-	-	2	4	9	7	45	39	27	16	2	-	-	-
TULARE	6,073	20	70	122	201	277	376	1,981	1,706	916	335	61	7	1	-
TUOLUMNE	565	-	4	4	11	20	29	168	165	114	43	7	-	-	-
VENTURA	11,472	15	49	111	181	327	399	2,837	3,731	2,647	1,010	154	6	-	5
YOLO	2,215	3	18	21	49	73	92	589	686	465	185	30	3	-	1
YUBA	1,318	5	14	19	34	47	66	480	403	176	54	16	4	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-7

LIVE BIRTHS BY MONTH OF BIRTH

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL LIVE BIRTHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	532,708	41,535	40,054	43,604	43,097	45,143	44,250	45,486	47,697	47,759	45,980	43,822	44,281
ALAMEDA	21,862	1,747	1,710	1,823	1,804	1,944	1,839	1,881	1,896	1,910	1,849	1,783	1,674
ALPINE	12	2	2	2	-	1	1	-	1	1	1	1	-
AMADOR	234	15	17	27	19	20	21	15	18	15	21	19	27
BUTTE	2,492	203	205	211	192	223	224	213	237	194	184	186	220
CALAVERAS	336	29	30	26	28	23	23	29	29	30	37	28	24
COLUSA	292	23	20	27	22	21	28	15	29	28	30	29	20
CONTRA COSTA	12,065	967	922	989	946	1,048	1,038	1,012	1,085	1,104	1,020	956	978
DEL NORTE	342	21	26	34	28	35	26	23	34	33	27	25	30
EL DORADO	1,752	139	142	141	128	143	153	180	138	167	142	149	130
FRESNO	13,091	970	937	1,066	1,099	1,057	1,115	1,146	1,195	1,255	1,065	1,078	1,108
GLENN	428	34	26	30	38	33	31	37	32	42	38	45	42
HUMBOLDT	1,765	139	133	139	143	144	148	162	162	135	157	138	165
IMPERIAL	2,503	211	178	191	188	211	173	231	212	224	230	220	234
INYO	213	16	19	14	15	20	21	12	20	27	13	20	16
KERN	11,076	873	864	859	914	931	953	918	986	998	914	925	941
KINGS	2,028	166	136	159	167	176	170	164	183	179	173	165	190
LAKE	721	52	51	69	42	54	63	78	66	66	54	54	60
LASSEN	326	24	26	39	27	23	39	26	22	23	25	28	24
LOS ANGELES	175,293	13,913	13,332	14,357	14,108	14,701	14,298	15,085	15,612	15,803	15,334	14,485	14,265
MADERA	1,530	91	130	125	144	113	145	130	132	141	127	122	130
MARIN	2,796	232	213	229	243	235	236	240	245	235	231	214	243
MARIPOSA	169	11	14	11	10	12	15	13	17	13	20	19	14
MENDOCINO	1,160	98	86	104	86	101	111	103	104	110	77	101	79
MERCED	3,769	277	283	292	325	310	324	350	333	361	313	301	300
MODOC	128	7	9	9	14	8	8	13	12	13	15	13	7
MONO	117	15	12	7	11	11	11	9	4	16	7	7	7
MONTEREY	7,160	569	552	555	619	593	615	562	603	628	656	583	625
NAPA	1,372	103	100	121	113	113	119	101	134	116	107	120	125
NEVADA	917	68	61	92	97	79	75	84	78	95	74	57	57
ORANGE	42,212	3,254	3,116	3,423	3,369	3,624	3,499	3,578	3,835	3,637	3,611	3,599	3,667
PLACER	2,290	187	157	196	204	189	204	197	192	207	189	191	177
PLUMAS	195	13	11	21	17	16	20	14	20	16	18	20	9
RIVERSIDE	19,849	1,437	1,487	1,560	1,559	1,660	1,684	1,709	1,835	1,787	1,779	1,671	1,681
SACRAMENTO	17,332	1,357	1,271	1,459	1,416	1,457	1,480	1,521	1,539	1,574	1,505	1,318	1,435
SAN BENITO	692	51	56	62	54	57	51	60	46	74	54	60	67
SAN BERNARDINO	28,013	2,126	2,056	2,243	2,214	2,341	2,312	2,367	2,621	2,561	2,432	2,327	2,413
SAN DIEGO	44,152	3,405	3,284	3,616	3,538	3,741	3,616	3,693	3,972	4,102	3,883	3,662	3,640
SAN FRANCISCO	10,032	775	834	834	815	851	791	864	859	842	870	872	825
SAN JOAQUIN	8,974	722	695	776	722	762	734	744	788	777	761	729	764
SAN LUIS OBISPO	2,807	234	200	246	215	249	210	237	257	221	248	255	235
SAN MATEO	9,858	783	722	779	787	860	820	880	896	902	799	779	851
SANTA BARBARA	5,884	451	430	481	478	498	530	482	529	505	557	465	478
SANTA CLARA	26,274	2,056	1,895	2,118	2,239	2,314	2,164	2,232	2,340	2,345	2,243	2,122	2,206
SANTA CRUZ	3,978	321	314	334	341	315	330	343	363	384	334	294	305
SHASTA	2,180	154	167	180	186	179	194	204	194	192	169	198	173
SIERRA	18	-	2	2	-	3	-	1	2	2	4	-	2
SISKIYOU	596	52	44	47	40	60	48	59	59	40	55	46	46
SOLANO	5,748	424	438	500	480	476	485	491	502	518	471	447	516
SONOMA	5,474	403	425	479	459	451	500	462	473	478	444	445	455
STANISLAUS	6,589	469	479	550	519	600	543	586	596	573	574	539	561
SUTTER	1,084	89	89	94	87	85	95	72	91	93	91	82	116
TEHAMA	734	48	55	59	67	78	61	65	68	49	55	64	65
TRINITY	151	6	15	13	7	12	15	12	12	18	16	15	10
TULARE	6,073	473	419	488	460	543	503	497	585	589	508	477	531
TUOLUMNE	565	42	46	42	49	47	41	53	47	36	56	55	51
VENTURA	11,472	904	818	973	913	986	995	947	1,043	971	1,010	957	955
YOLO	2,215	186	190	178	187	183	209	160	193	190	182	158	199
YUBA	1,318	98	103	103	105	123	93	124	121	124	109	102	113

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-8

LIVE BIRTHS BY TYPE OF HOSPITAL
CALIFORNIA COUNTIES, 1988
(BY PLACE OF OCCURRENCE)

COUNTY	TOTAL	IN HOSPITAL					NOT IN HOSPITAL
		TOTAL	COUNTY	PRIVATE	OTHER *	UNKNOWN	
CALIFORNIA	533,428	529,149	69,233	380,672	76,039	3,205	4,279
ALAMEDA	23,720	23,543	2,383	16,640	4,512	8	177
ALPINE	1	-	-	-	-	-	1
AMADOR	195	195	195	-	-	-	-
BUTTE	2,875	2,838	-	2,838	-	-	37
CALAVERAS	86	82	-	-	82	-	4
COLUSA	53	51	51	-	-	-	2
CONTRA COSTA	9,541	9,464	1,394	5,728	2,340	2	77
DEL NORTE	346	313	-	-	313	-	33
EL DORADO	1,374	1,353	-	1,353	-	-	21
FRESNO	13,681	13,492	3,224	9,242	1,025	1	189
GLENN	6	3	3	-	-	-	3
HUMBOLDT	1,865	1,811	-	1,809	-	2	54
IMPERIAL	2,455	2,424	-	-	2,424	-	31
INYO	365	364	-	-	364	-	1
KERN	10,660	10,596	3,963	5,352	293	988	64
KINGS	2,285	2,278	-	1,743	534	1	7
LAKE	299	290	-	2	287	1	9
LASSEN	302	289	289	-	-	-	13
LOS ANGELES	180,184	179,340	34,070	136,885	8,155	230	844
MADERA	846	829	-	827	2	-	17
MARIN	1,863	1,810	-	161	1,647	2	53
MARIPOSA	54	52	-	-	52	-	2
MENDOCINO	1,182	1,132	-	833	299	-	50
MERCED	3,479	3,437	1,742	1,233	462	-	42
MODOC	83	80	80	-	-	-	3
MONO	-	-	-	-	-	-	-
MONTEREY	6,833	6,780	1,918	1,850	3,012	-	53
NAPA	1,253	1,235	-	1,234	-	1	18
NEVADA	1,062	1,026	-	655	371	-	36
ORANGE	44,474	44,203	-	38,245	5,026	932	271
PLACER	2,409	2,392	-	2,391	-	1	17
PLUMAS	201	194	-	39	155	-	7
RIVERSIDE	16,430	16,243	2,978	9,352	3,898	15	187
SACRAMENTO	18,565	18,416	-	16,035	2,378	3	149
SAN BENITO	462	460	-	-	460	-	2
SAN BERNARDINO	26,057	25,838	2,340	21,285	1,794	419	219
SAN DIEGO	45,298	44,933	-	23,600	21,271	62	365
SAN FRANCISCO	14,596	14,507	1,994	10,916	1,597	-	89
SAN JOAQUIN	8,809	8,702	2,315	6,386	-	1	107
SAN LUIS OBISPO	2,473	2,435	957	1,076	402	-	38
SAN MATEO	6,183	6,090	3	4,712	1,293	82	93
SANTA BARBARA	6,219	6,129	-	5,450	418	261	90
SANTA CLARA	28,973	28,787	3,097	22,002	3,613	75	186
SANTA CRUZ	3,867	3,705	-	3,705	-	-	162
SHASTA	2,231	2,196	-	2,109	-	87	35
SIERRA	2	-	-	-	-	-	2
SISKIYOU	461	437	-	435	-	2	24
SOLANO	5,320	5,291	-	4,263	1,027	1	29
SONOMA	5,298	5,160	3,360	1,251	549	-	138
STANISLAUS	6,982	6,935	1	6,736	197	1	47
SUTTER	2,153	2,147	-	2,127	-	20	6
TEHAMA	595	589	-	589	-	-	6
TRINITY	104	102	96	-	-	6	2
TULARE	5,653	5,607	-	800	4,807	-	46
TUOLUMNE	662	642	-	642	-	-	20
VENTURA	9,956	9,907	2,780	6,453	674	-	49
YOLO	1,710	1,689	-	1,688	-	1	21
YUBA	337	306	-	-	306	-	31

* OTHER INCLUDES FEDERAL, STATE, CITY, AND DISTRICT OWNERSHIP.

NOTE: BIRTHS OCCURRING IN ALPINE COUNTY EQUAL 1. BIRTHS TO ALPINE COUNTY RESIDENTS EQUAL 12.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-9

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL RACES	532,708	21,862	12	234	2,492	336	292
FEMALE	260,152	10,711	5	121	1,224	166	145
MALE	272,556	11,151	7	113	1,268	170	147
AMERICAN INDIAN	5,444	168	7	10	70	9	5
FEMALE	2,691	83	2	1	44	5	3
MALE	2,753	85	5	9	26	4	2
BLACK	53,427	5,272	-	1	86	2	4
FEMALE	26,281	2,608	-	-	40	2	2
MALE	27,146	2,664	-	1	46	-	2
CAMBODIAN	2,510	151	-	-	-	-	-
FEMALE	1,174	68	-	-	-	-	-
MALE	1,336	83	-	-	-	-	-
CHINESE	11,018	1,059	-	-	9	-	-
FEMALE	5,278	519	-	-	4	-	-
MALE	5,740	540	-	-	5	-	-
ESKIMO/ALEUT	35	1	-	-	-	-	-
FEMALE	20	1	-	-	-	-	-
MALE	15	-	-	-	-	-	-
FILIPINO	15,057	1,003	-	1	6	1	-
FEMALE	7,141	492	-	1	1	1	-
MALE	7,916	511	-	-	5	-	-
INDIAN (INDIA)	2,314	112	-	-	1	-	4
FEMALE	1,129	49	-	-	-	-	3
MALE	1,185	63	-	-	1	-	1
JAPANESE	4,613	194	-	2	9	1	-
FEMALE	2,265	96	-	2	4	-	-
MALE	2,348	98	-	-	5	1	-
KOREAN	4,251	168	-	-	2	-	-
FEMALE	2,097	76	-	-	1	-	-
MALE	2,154	92	-	-	1	-	-
PACIFIC ISLANDER	4,058	227	-	-	8	2	1
FEMALE	1,973	117	-	-	6	1	1
MALE	2,085	110	-	-	2	1	-
THAI	668	12	-	-	-	-	-
FEMALE	315	5	-	-	-	-	-
MALE	353	7	-	-	-	-	-
VIETNAMESE	6,459	357	-	-	4	-	-
FEMALE	3,163	185	-	-	1	-	-
MALE	3,296	172	-	-	3	-	-
WHITE	413,844	12,446	5	219	2,207	317	278
FEMALE	202,224	6,060	3	117	1,081	155	136
MALE	211,620	6,386	2	102	1,126	162	142
OTHER ASIAN	6,799	594	-	1	87	1	-
FEMALE	3,313	312	-	-	41	1	-
MALE	3,486	282	-	1	46	-	-
OTHER	669	16	-	-	3	-	-
FEMALE	316	8	-	-	1	-	-
MALE	353	8	-	-	2	-	-
NOT STATED	1,542	82	-	-	-	3	-
FEMALE	772	32	-	-	-	1	-
MALE	770	50	-	-	-	2	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL RACES	532,708	12,065	342	1,752	13,091	428	1,765
FEMALE	260,152	5,901	165	860	6,375	210	888
MALE	272,556	6,164	177	892	6,716	218	877
AMERICAN INDIAN	5,444	87	46	24	137	9	219
FEMALE	2,691	41	20	8	75	4	114
MALE	2,753	46	26	16	62	5	105
BLACK	53,427	1,674	2	15	965	1	25
FEMALE	26,281	873	-	4	444	1	13
MALE	27,146	801	2	11	521	-	12
CAMBODIAN	2,510	7	-	-	135	-	-
FEMALE	1,174	4	-	-	70	-	-
MALE	1,336	3	-	-	65	-	-
CHINESE	11,018	328	-	4	76	1	4
FEMALE	5,278	154	-	1	34	-	2
MALE	5,740	174	-	3	42	1	2
ESKIMO/ALEUT	35	2	1	-	1	-	-
FEMALE	20	1	1	-	1	-	-
MALE	15	1	-	-	-	-	-
FILIPINO	15,057	411	-	31	84	1	6
FEMALE	7,141	190	-	12	32	1	4
MALE	7,916	221	-	19	52	-	2
INDIAN (INDIA)	2,314	76	-	4	77	-	-
FEMALE	1,129	49	-	2	37	-	-
MALE	1,185	27	-	2	40	-	-
JAPANESE	4,613	104	2	16	65	-	6
FEMALE	2,265	53	1	5	39	-	2
MALE	2,348	51	1	11	26	-	4
KOREAN	4,251	69	-	3	8	-	-
FEMALE	2,097	39	-	2	3	-	-
MALE	2,154	30	-	1	5	-	-
PACIFIC ISLANDER	4,058	91	1	4	20	-	9
FEMALE	1,973	40	1	1	8	-	4
MALE	2,085	51	-	3	12	-	5
THAI	668	9	-	-	5	-	1
FEMALE	315	5	-	-	1	-	-
MALE	353	4	-	-	4	-	1
VIETNAMESE	6,459	71	1	-	41	-	-
FEMALE	3,163	34	1	-	18	-	-
MALE	3,296	37	-	-	23	-	-
WHITE	413,844	8,829	267	1,646	10,325	408	1,435
FEMALE	202,224	4,269	134	823	5,014	203	721
MALE	211,620	4,560	133	823	5,311	205	714
OTHER ASIAN	6,799	265	21	4	1,144	8	59
FEMALE	3,313	129	6	1	592	1	28
MALE	3,486	136	15	3	552	7	31
OTHER	669	11	-	-	5	-	1
FEMALE	316	4	-	-	4	-	-
MALE	353	7	-	-	1	-	1
NOT STATED	1,542	31	1	1	3	-	-
FEMALE	772	16	1	1	3	-	-
MALE	770	15	-	-	-	-	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL RACES	532,708	2,503	213	11,076	2,028	721	326
FEMALE	260,152	1,231	100	5,444	996	355	154
MALE	272,556	1,272	113	5,632	1,032	366	172
AMERICAN INDIAN	5,444	40	40	141	22	35	23
FEMALE	2,691	26	22	65	8	22	13
MALE	2,753	14	18	76	14	13	10
BLACK	53,427	70	1	917	158	22	3
FEMALE	26,281	33	-	487	77	10	1
MALE	27,146	37	1	430	81	12	2
CAMBODIAN	2,510	-	-	7	-	-	-
FEMALE	1,174	-	-	-	-	-	-
MALE	1,336	-	-	7	-	-	-
CHINESE	11,018	5	-	32	8	1	1
FEMALE	5,278	1	-	19	5	-	-
MALE	5,740	4	-	13	3	1	1
ESKIMO/ALEUT	35	-	-	-	-	-	-
FEMALE	20	-	-	-	-	-	-
MALE	15	-	-	-	-	-	-
FILIPINO	15,057	15	2	232	56	4	1
FEMALE	7,141	7	1	109	25	2	-
MALE	7,916	8	1	123	31	2	1
INDIAN (INDIA)	2,314	1	1	32	-	3	-
FEMALE	1,129	1	1	16	-	1	-
MALE	1,185	-	-	16	-	2	-
JAPANESE	4,613	2	-	25	7	1	-
FEMALE	2,265	1	-	12	4	1	-
MALE	2,348	1	-	13	3	-	-
KOREAN	4,251	2	-	22	5	-	1
FEMALE	2,097	1	-	7	3	-	1
MALE	2,154	1	-	15	2	-	-
PACIFIC ISLANDER	4,058	3	-	23	7	1	1
FEMALE	1,973	2	-	11	3	-	1
MALE	2,085	1	-	12	4	1	-
THAI	668	-	-	5	-	1	-
FEMALE	315	-	-	4	-	-	-
MALE	353	-	-	1	-	1	-
VIETNAMESE	6,459	1	-	14	1	-	-
FEMALE	3,163	1	-	8	1	-	-
MALE	3,296	-	-	6	-	-	-
WHITE	413,844	2,349	169	9,589	1,752	649	295
FEMALE	202,224	1,152	76	4,685	863	316	137
MALE	211,620	1,197	93	4,904	889	333	158
OTHER ASIAN	6,799	12	-	30	11	1	1
FEMALE	3,313	6	-	17	6	1	1
MALE	3,486	6	-	13	5	-	-
OTHER	669	1	-	4	1	-	-
FEMALE	316	-	-	2	1	-	-
MALE	353	1	-	2	-	-	-
NOT STATED	1,542	2	-	3	-	3	-
FEMALE	772	-	-	2	-	2	-
MALE	770	2	-	1	-	1	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL RACES	532,708	175,293	1,530	2,796	169	1,160	3,769
FEMALE	260,152	85,683	748	1,318	78	530	1,842
MALE	272,556	89,610	782	1,478	91	630	1,927
AMERICAN INDIAN	5,444	843	27	9	13	106	31
FEMALE	2,691	405	11	5	6	51	18
MALE	2,753	438	16	4	7	55	13
BLACK	53,427	23,636	60	117	-	12	218
FEMALE	26,281	11,590	28	49	-	5	108
MALE	27,146	12,046	32	68	-	7	110
CAMBODIAN	2,510	991	-	5	-	-	1
FEMALE	1,174	446	-	4	-	-	-
MALE	1,336	545	-	1	-	-	1
CHINESE	11,018	3,960	4	50	-	6	7
FEMALE	5,278	1,891	2	25	-	2	3
MALE	5,740	2,069	2	25	-	4	4
ESKIMO/ALEUT	35	7	1	-	-	-	-
FEMALE	20	4	-	-	-	-	-
MALE	15	3	1	-	-	-	-
FILIPINO	15,057	4,539	8	30	1	5	31
FEMALE	7,141	2,191	3	11	1	2	13
MALE	7,916	2,348	5	19	-	3	18
INDIAN (INDIA)	2,314	590	3	16	-	4	32
FEMALE	1,129	293	-	11	-	2	21
MALE	1,185	297	3	5	-	2	11
JAPANESE	4,613	1,661	3	38	1	4	11
FEMALE	2,265	801	1	22	-	3	5
MALE	2,348	860	2	16	1	1	6
KOREAN	4,251	2,340	1	9	-	-	5
FEMALE	2,097	1,138	1	6	-	-	3
MALE	2,154	1,202	-	3	-	-	2
PACIFIC ISLANDER	4,058	1,083	2	9	1	5	6
FEMALE	1,973	522	1	6	-	2	3
MALE	2,085	561	1	3	1	3	3
THAI	668	409	-	6	-	-	3
FEMALE	315	191	-	3	-	-	3
MALE	353	218	-	3	-	-	-
VIETNAMESE	6,459	1,484	-	15	-	-	6
FEMALE	3,163	709	-	7	-	-	1
MALE	3,296	775	-	8	-	-	5
WHITE	413,844	132,394	1,416	2,453	153	1,003	2,947
FEMALE	202,224	64,852	699	1,155	71	457	1,421
MALE	211,620	67,542	717	1,298	82	546	1,526
OTHER ASIAN	6,799	907	4	11	-	-	465
FEMALE	3,313	427	2	3	-	-	240
MALE	3,486	480	2	8	-	-	225
OTHER	669	239	-	-	-	-	3
FEMALE	316	114	-	-	-	-	2
MALE	353	125	-	-	-	-	1
NOT STATED	1,542	210	1	28	-	15	3
FEMALE	772	109	-	11	-	6	1
MALE	770	101	1	17	-	9	2

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL RACES	532,708	128	117	7,160	1,372	917	42,212
FEMALE	260,152	67	47	3,496	658	447	20,556
MALE	272,556	61	70	3,664	714	47(	21,656
AMERICAN INDIAN	5,444	8	9	55	17	20	206
FEMALE	2,691	5	4	21	8	12	92
MALE	2,753	3	5	34	9	8	114
BLACK	53,427	-	-	613	19	2	1,100
FEMALE	26,281	-	-	304	9	-	512
MALE	27,146	-	-	309	10	2	588
CAMBODIAN	2,510	-	-	-	1	-	136
FEMALE	1,174	-	-	-	-	-	72
MALE	1,336	-	-	-	1	-	64
CHINESE	11,018	-	-	36	4	3	617
FEMALE	5,278	-	-	20	2	2	304
MALE	5,740	-	-	16	2	1	313
ESKIMO/ALEUT	35	-	-	-	-	-	2
FEMALE	20	-	-	-	-	-	2
MALE	15	-	-	-	-	-	-
FILIPINO	15,057	-	-	219	10	3	674
FEMALE	7,141	-	-	103	6	3	298
MALE	7,916	-	-	116	4	-	376
INDIAN (INDIA)	2,314	-	-	14	2	1	216
FEMALE	1,129	-	-	6	2	1	111
MALE	1,185	-	-	8	-	-	105
JAPANESE	4,613	-	2	63	8	4	456
FEMALE	2,265	-	1	31	5	2	235
MALE	2,348	-	1	32	3	2	221
KOREAN	4,251	-	-	91	3	-	542
FEMALE	2,097	-	-	45	-	-	275
MALE	2,154	-	-	46	3	-	267
PACIFIC ISLANDER	4,058	1	-	73	11	1	361
FEMALE	1,973	1	-	29	5	1	186
MALE	2,085	-	-	44	6	-	175
THAI	668	-	-	6	-	-	51
FEMALE	315	-	-	2	-	-	23
MALE	353	-	-	4	-	-	28
VIETNAMESE	6,459	-	-	35	1	-	1,477
FEMALE	3,163	-	-	13	1	-	726
MALE	3,296	-	-	22	-	-	751
WHITE	413,844	119	106	5,781	1,291	883	35,897
FEMALE	202,224	61	42	2,835	616	426	17,474
MALE	211,620	58	64	2,946	675	457	18,423
OTHER ASIAN	6,799	-	-	14	-	-	315
FEMALE	3,313	-	-	5	-	-	154
MALE	3,486	-	-	9	-	-	161
OTHER	669	-	-	4	2	-	65
FEMALE	316	-	-	4	2	-	37
MALE	353	-	-	-	-	-	28
NOT STATED	1,542	-	-	156	3	-	97
FEMALE	772	-	-	78	2	-	55
MALE	770	-	-	78	1	-	42

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL RACES	532,708	2,290	195	19,849	17,332	692	28,013
FEMALE	260,152	1,120	87	9,688	8,453	337	13,856
MALE	272,556	1,170	108	10,161	8,879	355	14,157
AMERICAN INDIAN	5,444	41	12	273	240	10	372
FEMALE	2,691	18	5	127	104	5	200
MALE	2,753	23	7	146	136	5	172
BLACK	53,427	18	6	1,463	2,559	3	2,990
FEMALE	26,281	11	2	740	1,290	2	1,431
MALE	27,146	7	4	723	1,269	1	1,559
CAMBODIAN	2,510	-	-	16	25	-	34
FEMALE	1,174	-	-	5	10	-	17
MALE	1,336	-	-	11	15	-	17
CHINESE	11,018	8	-	64	325	2	84
FEMALE	5,278	2	-	31	167	-	29
MALE	5,740	6	-	33	158	2	55
ESKIMO/ALEUT	35	-	-	1	4	-	1
FEMALE	20	-	-	-	2	-	-
MALE	15	-	-	1	2	-	1
FILIPINO	15,057	13	-	193	361	6	338
FEMALE	7,141	6	-	78	187	1	171
MALE	7,916	7	-	115	174	5	167
INDIAN (INDIA)	2,314	5	-	37	79	1	63
FEMALE	1,129	2	-	14	33	-	31
MALE	1,185	3	-	23	46	1	32
JAPANESE	4,613	23	1	70	202	5	144
FEMALE	2,265	9	-	37	98	1	73
MALE	2,348	14	1	33	104	4	71
KOREAN	4,251	4	-	42	69	-	118
FEMALE	2,097	1	-	25	38	-	51
MALE	2,154	3	-	17	31	-	67
PACIFIC ISLANDER	4,058	7	-	112	141	1	192
FEMALE	1,973	2	-	55	66	-	95
MALE	2,085	5	-	57	75	1	97
THAI	668	1	-	17	15	1	24
FEMALE	315	1	-	8	8	-	9
MALE	353	-	-	9	7	1	15
VIETNAMESE	6,459	3	-	70	300	-	141
FEMALE	3,163	1	-	35	152	-	72
MALE	3,296	2	-	35	148	-	69
WHITE	413,844	2,153	176	17,334	12,421	647	23,310
FEMALE	202,224	1,061	80	8,444	6,019	319	11,577
MALE	211,620	1,092	96	8,890	6,402	328	11,733
OTHER ASIAN	6,799	9	-	98	538	3	85
FEMALE	3,313	5	-	57	252	1	38
MALE	3,486	4	-	41	286	2	47
OTHER	669	4	-	17	46	-	24
FEMALE	316	1	-	10	22	-	11
MALE	353	3	-	7	24	-	13
NOT STATED	1,542	1	-	42	7	13	93
FEMALE	772	-	-	22	5	8	51
MALE	770	1	-	20	2	5	42

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL RACES	532,708	44,152	10,032	8,974	2,807	9,858	5,884
FEMALE	260,152	21,657	4,809	4,358	1,352	4,843	2,896
MALE	272,556	22,495	5,223	4,616	1,455	5,015	2,988
AMERICAN INDIAN	5,444	762	33	107	54	65	60
FEMALE	2,691	414	14	46	20	30	31
MALE	2,753	348	19	61	34	35	29
BLACK	53,427	4,427	1,687	728	84	706	241
FEMALE	26,281	2,196	830	351	39	347	120
MALE	27,146	2,231	857	377	45	359	121
CAMBODIAN	2,510	138	58	451	-	2	3
FEMALE	1,174	61	28	226	-	2	1
MALE	1,336	77	30	225	-	-	2
CHINESE	11,018	308	1,921	79	17	565	42
FEMALE	5,278	144	915	41	8	273	22
MALE	5,740	164	1,006	38	9	292	20
ESKIMO/ALEUT	35	4	1	1	-	1	1
FEMALE	20	2	1	-	-	1	-
MALE	15	2	-	1	-	-	1
FILIPINO	15,057	2,078	868	339	46	915	129
FEMALE	7,141	971	385	166	20	422	66
MALE	7,916	1,107	483	193	26	493	63
INDIAN (INDIA)	2,314	58	52	42	3	110	10
FEMALE	1,129	27	26	20	-	55	7
MALE	1,185	31	26	22	3	55	3
JAPANESE	4,613	392	146	33	19	149	49
FEMALE	2,265	193	53	15	7	81	25
MALE	2,348	199	93	18	12	68	24
KOREAN	4,251	131	95	11	7	60	17
FEMALE	2,097	69	42	6	4	36	10
MALE	2,154	62	53	5	3	24	7
PACIFIC ISLANDER	4,058	542	147	35	8	334	20
FEMALE	1,973	260	69	18	2	163	13
MALE	2,085	282	78	17	6	171	7
THAI	668	25	9	4	-	10	2
FEMALE	315	13	5	2	-	6	1
MALE	353	12	4	2	-	4	1
VIETNAMESE	6,459	450	236	245	2	18	11
FEMALE	3,163	221	120	122	1	11	7
MALE	3,296	229	116	123	1	7	4
WHITE	413,844	34,423	4,467	6,426	2,556	6,662	5,233
FEMALE	202,224	16,910	2,165	3,128	1,245	3,286	2,560
MALE	211,620	17,513	2,302	3,298	1,311	3,376	2,673
OTHER ASIAN	6,799	357	52	405	9	78	56
FEMALE	3,313	155	25	198	5	48	27
MALE	3,486	202	27	207	4	30	29
OTHER	669	21	28	38	-	25	2
FEMALE	316	7	12	17	-	11	1
MALE	353	14	16	21	-	14	1
NOT STATED	1,542	36	232	10	2	158	8
FEMALE	772	14	119	2	1	71	5
MALE	770	22	113	8	1	87	3

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL RACES	532,708	26,274	3,978	2,180	18	596	5,748
FEMALE	260,152	12,809	1,865	1,017	8	286	2,842
MALE	272,556	13,465	2,113	1,163	10	310	2,906
AMERICAN INDIAN	5,444	233	32	67	1	48	69
FEMALE	2,691	118	14	25	1	26	29
MALE	2,753	115	18	42	-	22	40
BLACK	53,427	1,426	70	27	-	16	974
FEMALE	26,281	685	29	17	-	9	485
MALE	27,146	741	41	10	-	7	489
CAMBODIAN	2,510	149	2	2	-	-	1
FEMALE	1,174	60	1	1	-	-	-
MALE	1,336	89	1	1	-	-	1
CHINESE	11,018	1,108	19	-	-	-	59
FEMALE	5,278	517	11	-	-	-	25
MALE	5,740	591	8	-	-	-	34
ESKIMO/ALEUT	35	-	-	1	-	-	1
FEMALE	20	-	-	1	-	-	1
MALE	15	-	-	-	-	-	-
FILIPINO	15,057	1,368	56	8	-	1	458
FEMALE	7,141	671	33	5	-	-	225
MALE	7,916	697	23	3	-	1	233
INDIAN (INDIA)	2,314	378	10	4	-	-	26
FEMALE	1,129	183	3	3	-	-	10
MALE	1,185	195	7	1	-	-	16
JAPANESE	4,613	397	37	5	-	1	81
FEMALE	2,265	210	15	2	-	1	42
MALE	2,348	187	22	3	-	-	39
KOREAN	4,251	302	6	1	-	-	23
FEMALE	2,097	145	2	1	-	-	12
MALE	2,154	157	4	-	-	-	11
PACIFIC ISLANDER	4,058	267	8	4	-	2	98
FEMALE	1,973	136	3	2	-	1	51
MALE	2,085	131	5	2	-	1	47
THAI	668	26	1	-	-	-	4
FEMALE	315	11	-	-	-	-	4
MALE	353	15	1	-	-	-	-
VIETNAMESE	6,459	1,343	6	-	-	-	13
FEMALE	3,163	658	4	-	-	-	8
MALE	3,296	685	2	-	-	-	5
WHITE	413,844	18,855	3,699	2,006	17	522	3,865
FEMALE	202,224	9,222	1,730	929	7	247	1,913
MALE	211,620	9,633	1,969	1,077	10	275	1,952
OTHER ASIAN	6,799	283	10	55	-	6	59
FEMALE	3,313	131	4	31	-	2	31
MALE	3,486	152	6	24	-	4	28
OTHER	669	49	1	-	-	-	7
FEMALE	316	21	1	-	-	-	2
MALE	353	28	-	-	-	-	5
NOT STATED	1,542	90	21	-	-	-	10
FEMALE	772	41	15	-	-	-	4
MALE	770	49	6	-	-	-	6

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL RACES	532,708	5,474	6,589	1,084	734	151	6,073
FEMALE	260,152	2,642	3,216	522	361	69	2,933
MALE	272,556	2,832	3,373	562	373	82	3,140
AMERICAN INDIAN	5,444	119	80	14	34	18	67
FEMALE	2,691	57	36	7	23	9	35
MALE	2,753	62	44	7	11	9	32
BLACK	53,427	156	158	22	9	1	151
FEMALE	26,281	82	76	13	4	-	63
MALE	27,146	74	82	9	5	1	88
CAMBODIAN	2,510	29	154	-	-	-	2
FEMALE	1,174	12	81	-	-	-	1
MALE	1,336	17	73	-	-	-	1
CHINESE	11,018	50	33	2	-	-	13
FEMALE	5,278	33	16	1	-	-	7
MALE	5,740	17	17	1	-	-	6
ESKIMO/ALEUT	35	2	-	-	-	-	-
FEMALE	20	2	-	-	-	-	-
MALE	15	-	-	-	-	-	-
FILIPINO	15,057	56	39	5	4	-	92
FEMALE	7,141	28	14	3	1	-	46
MALE	7,916	28	25	2	3	-	46
INDIAN (INDIA)	2,314	14	82	81	-	-	9
FEMALE	1,129	8	42	27	-	-	4
MALE	1,185	6	40	54	-	-	5
JAPANESE	4,613	41	19	1	2	-	12
FEMALE	2,265	20	12	1	1	-	4
MALE	2,348	21	7	-	1	-	8
KOREAN	4,251	14	6	2	-	-	4
FEMALE	2,097	7	3	2	-	-	4
MALE	2,154	7	3	-	-	-	-
PACIFIC ISLANDER	4,058	36	38	3	3	-	16
FEMALE	1,973	20	18	1	1	-	8
MALE	2,085	16	20	2	2	-	8
THAI	668	4	1	-	-	-	-
FEMALE	315	1	-	-	-	-	-
MALE	353	3	1	-	-	-	-
VIETNAMESE	6,459	18	28	-	-	-	2
FEMALE	3,163	9	13	-	-	-	1
MALE	3,296	9	15	-	-	-	1
WHITE	413,844	4,874	5,785	910	681	131	5,501
FEMALE	202,224	2,340	2,829	448	331	60	2,672
MALE	211,620	2,534	2,956	462	350	71	2,829
OTHER ASIAN	6,799	41	147	36	1	-	201
FEMALE	3,313	13	66	15	-	-	86
MALE	3,486	28	81	21	1	-	115
OTHER	669	3	12	8	-	-	3
FEMALE	316	1	7	4	-	-	2
MALE	353	2	5	4	-	-	1
NOT STATED	1,542	17	7	-	-	1	-
FEMALE	772	9	3	-	-	-	-
MALE	770	8	4	-	-	1	-

TABLE 2-9 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL RACES	532,708	565	11,472	2,215	1,318		
FEMALE	260,152	263	5,643	1,060	639		
MALE	272,556	302	5,829	1,155	679		
AMERICAN INDIAN	5,444	24	93	43	37		
FEMALE	2,691	13	47	24	19		
MALE	2,753	11	46	19	18		
BLACK	53,427	4	358	73	75		
FEMALE	26,281	2	181	39	37		
MALE	27,146	2	177	34	38		
CAMBODIAN	2,510	-	3	7	-		
FEMALE	1,174	-	2	2	-		
MALE	1,336	-	1	5	-		
CHINESE	11,018	-	76	25	3		
FEMALE	5,278	-	37	8	1		
MALE	5,740	-	39	17	2		
ESKIMO/ALEUT	35	-	1	-	1		
FEMALE	20	-	-	-	-		
MALE	15	-	1	-	1		
FILIPINO	15,057	2	247	27	14		
FEMALE	7,141	1	116	10	6		
MALE	7,916	1	131	17	8		
INDIAN (INDIA)	2,314	-	32	20	9		
FEMALE	1,129	-	14	9	5		
MALE	1,185	-	18	11	4		
JAPANESE	4,613	3	75	16	5		
FEMALE	2,265	1	33	4	1		
MALE	2,348	2	42	12	4		
KOREAN	4,251	-	48	12	8		
FEMALE	2,097	-	25	9	4		
MALE	2,154	-	23	3	4		
PACIFIC ISLANDER	4,058	3	66	10	14		
FEMALE	1,973	2	26	3	6		
MALE	2,085	1	40	7	8		
THAI	668	-	13	2	1		
FEMALE	315	-	8	-	1		
MALE	353	-	5	2	-		
VIETNAMESE	6,459	1	59	4	1		
FEMALE	3,163	-	19	2	1		
MALE	3,296	1	40	2	-		
WHITE	413,844	526	10,167	1,887	982		
FEMALE	202,224	243	5,011	915	479		
MALE	211,620	283	5,156	972	503		
OTHER ASIAN	6,799	1	78	68	168		
FEMALE	3,313	1	41	29	79		
MALE	3,486	-	37	39	89		
OTHER	669	1	8	17	-		
FEMALE	316	-	3	4	-		
MALE	353	1	5	13	-		
NOT STATED	1,542	-	148	4	-		
FEMALE	772	-	80	2	-		
MALE	770	-	68	2	-		

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-10

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	ALAMEDA	ALPINE	AMADOR	BUTTE	CALAVERAS	COLUSA
ALL ORIGINS	532,708	21,862	12	234	2,492	336	292
FEMALE	260,152	10,711	5	121	1,224	166	145
MALE	272,556	11,151	7	113	1,268	170	147
CUBAN	802	14	-	-	1	-	-
FEMALE	395	5	-	-	-	-	-
MALE	407	9	-	-	1	-	-
MEXICAN	158,583	2,752	-	8	227	14	111
FEMALE	77,810	1,332	-	5	111	5	60
MALE	80,773	1,420	-	3	116	9	51
PUERTO RICAN	1,551	91	-	-	2	-	-
FEMALE	764	49	-	-	1	-	-
MALE	787	42	-	-	1	-	-
OTHER SPANISH/HISPANIC	21,974	368	-	2	3	-	-
FEMALE	10,681	174	-	1	1	-	-
MALE	11,293	194	-	1	2	-	-
NOT SPANISH/HISPANIC	347,098	18,547	12	224	2,254	316	180
FEMALE	169,137	9,113	5	115	1,109	159	85
MALE	177,961	9,434	7	109	1,145	157	95
NOT STATED	2,700	90	-	-	5	6	1
FEMALE	1,365	38	-	-	2	2	-
MALE	1,335	52	-	-	3	4	1

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO	GLENN	HUMBOLDT
ALL ORIGINS	532,708	12,065	342	1,752	13,091	428	1,765
FEMALE	260,152	5,901	165	860	6,375	210	888
MALE	272,556	6,164	177	892	6,716	218	877
CUBAN	802	3	-	-	-	-	-
FEMALE	395	1	-	-	-	-	-
MALE	407	2	-	-	-	-	-
MEXICAN	158,583	1,309	34	147	5,509	106	59
FEMALE	77,810	618	17	84	2,668	49	34
MALE	80,773	691	17	63	2,841	57	25
PUERTO RICAN	1,551	41	-	2	14	-	-
FEMALE	764	14	-	1	8	-	-
MALE	787	27	-	1	6	-	-
OTHER SPANISH/HISPANIC	21,974	163	-	7	111	-	3
FEMALE	10,681	81	-	1	50	-	2
MALE	11,293	82	-	6	61	-	1
NOT SPANISH/HISPANIC	347,098	10,507	296	1,593	7,449	322	1,694
FEMALE	169,137	5,164	141	773	3,641	161	845
MALE	177,961	5,343	155	820	3,808	161	849
NOT STATED	2,700	42	12	3	8	-	9
FEMALE	1,365	23	7	1	8	-	7
MALE	1,335	19	5	2	-	-	2

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	IMPERIAL	INYO	KERN	KINGS	LAKE	LASSEN
ALL ORIGINS	532,708	2,503	213	11,076	2,028	721	326
FEMALE	260,152	1,231	100	5,444	996	355	154
MALE	272,556	1,272	113	5,632	1,032	366	172
CUBAN	802	-	-	3	1	-	1
FEMALE	395	-	-	1	1	-	1
MALE	407	-	-	2	-	-	-
MEXICAN	158,583	1,916	13	3,732	781	75	22
FEMALE	77,810	952	3	1,810	392	39	8
MALE	80,773	964	10	1,922	389	36	14
PUERTO RICAN	1,551	-	-	30	2	-	1
FEMALE	764	-	-	15	1	-	1
MALE	787	-	-	15	1	-	-
OTHER SPANISH/HISPANIC	21,974	5	-	114	7	7	1
FEMALE	10,681	3	-	55	3	1	-
MALE	11,293	2	-	59	4	6	1
NOT SPANISH/HISPANIC	347,098	581	200	7,072	1,233	635	300
FEMALE	169,137	275	97	3,501	597	313	143
MALE	177,961	306	103	3,571	636	322	157
NOT STATED	2,700	1	-	125	4	4	1
FEMALE	1,365	1	-	62	2	2	1
MALE	1,335	-	-	63	2	2	-

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	LOS ANGELES	MADERA	MARIN	MARIPOSA	MENDOCINO	MERCED
ALL ORIGINS	532,708	175,293	1,530	2,796	169	1,160	3,769
FEMALE	260,152	85,683	748	1,318	78	530	1,842
MALE	272,556	89,610	782	1,478	91	630	1,927
CUBAN	802	556	-	2	-	-	2
FEMALE	395	269	-	-	-	-	2
MALE	407	287	-	2	-	-	-
MEXICAN	158,583	69,012	734	149	7	146	1,346
FEMALE	77,810	33,909	354	80	4	69	648
MALE	80,773	35,103	380	69	3	77	698
PUERTO RICAN	1,551	543	4	1	-	-	10
FEMALE	764	265	4	-	-	-	7
MALE	787	278	-	1	-	-	3
OTHER SPANISH/HISPANIC	21,974	16,307	8	100	3	2	33
FEMALE	10,681	7,955	3	55	-	1	17
MALE	11,293	8,352	5	45	3	1	16
NOT SPANISH/HISPANIC	347,098	88,499	780	2,495	159	991	2,373
FEMALE	169,137	43,088	384	1,160	74	453	1,165
MALE	177,961	45,411	396	1,335	85	538	1,208
NOT STATED	2,700	376	4	49	-	21	5
FEMALE	1,365	197	3	23	-	7	3
MALE	1,335	179	1	26	-	14	2

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	MODOC	MONO	MONTEREY	NAPA	NEVADA	ORANGE
ALL ORIGINS	532,708	128	117	7,160	1,372	917	42,212
FEMALE	260,152	67	47	3,496	658	447	20,556
MALE	272,556	61	70	3,664	714	470	21,656
CUBAN	802	-	-	7	2	-	52
FEMALE	395	-	-	2	1	-	24
MALE	407	-	-	5	1	-	28
MEXICAN	158,583	16	10	2,971	279	55	12,604
FEMALE	77,810	7	4	1,472	122	29	6,178
MALE	80,773	9	6	1,499	157	26	6,426
PUERTO RICAN	1,551	-	-	43	1	1	67
FEMALE	764	-	-	14	1	-	40
MALE	787	-	-	29	-	1	27
OTHER SPANISH/HISPANIC	21,974	1	-	103	8	2	1,091
FEMALE	10,681	1	-	51	4	-	515
MALE	11,293	-	-	52	4	2	576
NOT SPANISH/HISPANIC	347,098	92	107	3,873	1,078	857	28,241
FEMALE	169,137	51	43	1,878	527	417	13,712
MALE	177,961	41	64	1,995	551	440	14,529
NOT STATED	2,700	19	-	163	4	2	157
FEMALE	1,365	8	-	79	3	1	87
MALE	1,335	11	-	84	1	1	70

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	PLACER	PLUMAS	RIVERSIDE	SACRAMENTO	SAN BENITO	SAN BERNARDINO
ALL ORIGINS	532,709	2,290	195	19,849	17,332	692	28,013
FEMALE	260,152	1,120	87	9,688	8,453	337	13,856
MALE	272,556	1,170	108	10,161	8,879	355	14,157
CUBAN	802	-	-	28	4	-	41
FEMALE	395	-	-	16	1	-	26
MALE	407	-	-	12	3	-	15
MEXICAN	158,583	187	13	6,184	2,107	395	7,416
FEMALE	77,810	85	9	2,984	1,014	197	3,703
MALE	80,773	102	4	3,200	1,093	196	3,713
PUERTO RICAN	1,551	4	-	57	49	1	107
FEMALE	764	3	-	29	22	-	50
MALE	787	1	-	28	27	1	57
OTHER SPANISH/HISPANIC	21,974	5	-	271	99	3	413
FEMALE	10,681	2	-	135	52	2	205
MALE	11,293	3	-	136	47	1	208
NOT SPANISH/HISPANIC	347,098	2,086	182	13,101	15,048	278	19,905
FEMALE	169,137	1,028	78	6,415	7,351	129	9,803
MALE	177,961	1,058	104	6,686	7,697	149	10,102
NOT STATED	2,700	8	-	208	25	15	131
FEMALE	1,365	2	-	109	13	9	69
MALE	1,335	6	-	99	12	6	62

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SAN DIEGO	SAN FRANCISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA
ALL ORIGINS	532,708	44,152	10,032	8,974	2,807	9,858	5,884
FEMALE	260,152	21,657	4,809	4,358	1,352	4,843	2,896
MALE	272,556	22,495	5,223	4,616	1,455	5,015	2,988
CUBAN	802	29	7	1	-	6	2
FEMALE	395	15	3	1	-	4	1
MALE	407	14	4	-	-	2	1
MEXICAN	158,583	11,694	1,006	2,274	471	1,549	2,205
FEMALE	77,810	5,813	496	1,096	234	776	1,100
MALE	80,773	5,881	510	1,178	237	773	1,105
PUERTO RICAN	1,551	170	41	28	3	40	18
FEMALE	764	76	20	14	1	20	13
MALE	787	94	21	14	2	20	5
OTHER SPANISH/HISPANIC	21,974	392	858	45	15	544	73
FEMALE	10,681	195	404	16	9	277	25
MALE	11,293	197	454	29	6	267	48
NOT SPANISH/HISPANIC	347,098	31,700	7,791	6,615	2,305	7,511	3,576
FEMALE	169,137	15,482	3,722	3,226	1,101	3,671	1,751
MALE	177,961	16,218	4,069	3,389	1,204	3,840	1,825
NOT STATED	2,700	167	329	11	13	208	10
FEMALE	1,365	76	164	5	7	95	6
MALE	1,335	91	165	6	6	113	4

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA	SISKIYOU	SOLANO
ALL ORIGINS	532,708	26,274	3,978	2,180	18	596	5,748
FEMALE	260,152	12,809	1,865	1,017	8	286	2,842
MALE	272,556	13,465	2,113	1,163	10	310	2,906
CUBAN	802	17	1	-	-	-	8
FEMALE	395	9	-	-	-	-	4
MALE	407	8	1	-	-	-	4
MEXICAN	158,583	6,532	1,408	86	-	42	626
FEMALE	77,810	3,253	667	40	-	21	297
MALE	80,773	3,279	741	46	-	21	329
PUERTO RICAN	1,551	105	8	1	-	1	17
FEMALE	764	61	3	-	-	-	9
MALE	787	44	5	1	-	1	8
OTHER SPANISH/HISPANIC	21,974	459	27	2	-	1	43
FEMALE	10,681	201	15	1	-	1	22
MALE	11,293	258	12	1	-	-	21
NOT SPANISH/HISPANIC	347,098	19,034	2,510	2,088	18	445	5,033
FEMALE	169,137	9,217	1,164	973	8	207	2,503
MALE	177,961	9,817	1,346	1,115	10	238	2,530
NOT STATED	2,700	127	24	3	-	107	21
FEMALE	1,365	68	16	3	-	57	7
MALE	1,335	59	8	-	-	50	14

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE
ALL ORIGINS	532,708	5,474	6,589	1,084	734	151	6,073
FEMALE	260,152	2,642	3,216	522	361	69	2,933
MALE	272,556	2,832	3,373	562	373	82	3,140
CUBAN	802	1	3	-	-	-	1
FEMALE	395	1	1	-	-	-	-
MALE	407	-	2	-	-	-	1
MEXICAN	158,583	699	1,663	203	109	5	3,069
FEMALE	77,810	335	798	106	48	-	1,471
MALE	80,773	364	865	97	61	5	1,598
PUERTO RICAN	1,551	5	12	-	-	1	9
FEMALE	764	3	4	-	-	-	4
MALE	787	2	8	-	-	1	5
OTHER SPANISH/HISPANIC	21,974	40	28	2	2	-	23
FEMALE	10,681	23	10	1	1	-	11
MALE	11,293	17	18	1	1	-	12
NOT SPANISH/HISPANIC	347,098	4,720	4,869	877	621	144	2,965
FEMALE	169,137	2,276	2,396	414	311	69	1,443
MALE	177,961	2,444	2,473	463	310	75	1,522
NOT STATED	2,700	9	14	2	2	1	6
FEMALE	1,365	4	7	1	1	-	4
MALE	1,335	5	7	1	1	1	2

TABLE 2-10 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX
CALIFORNIA COUNTIES, 1988
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND SEX	CALIFORNIA	TUOLUMNE	VENTURA	YOLO	YUBA		
ALL ORIGINS	532,708	565	11,472	2,215	1,318		
FEMALE	260,152	263	5,643	1,060	639		
MALE	272,556	302	5,829	1,155	679		
CUBAN	802	-	8	-	1		
FEMALE	395	-	5	-	1		
MALE	407	-	3	-	-		
MEXICAN	158,583	30	3,830	536	100		
FEMALE	77,810	9	1,897	250	48		
MALE	80,773	21	1,933	286	52		
PUERTO RICAN	1,551	-	17	3	1		
FEMALE	764	-	9	1	1		
MALE	787	-	8	2	-		
OTHER SPANISH/HISPANIC	21,974	1	159	11	9		
FEMALE	10,681	1	86	6	6		
MALE	11,293	-	73	5	3		
NOT SPANISH/HISPANIC	347,098	532	7,321	1,658	1,205		
FEMALE	169,137	252	3,577	798	583		
MALE	177,961	280	3,744	860	622		
NOT STATED	2,700	2	137	7	2		
FEMALE	1,365	1	69	5	-		
MALE	1,335	1	68	2	2		

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-11

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
AMERICAN INDIAN	5,444	21	48	109	171	252	290	1,687	1,594	913	298	56	2	-	3
BLACK	53,427	284	645	1,234	1,918	2,652	3,165	16,653	14,932	8,539	2,953	425	11	-	16
CAMBODIAN	2,510	5	8	29	43	80	99	622	607	549	314	135	14	4	1
CHINESE	11,018	1	2	10	16	20	27	773	3,533	4,540	1,879	208	8	-	1
ESKIMO/ALEUT	35	-	-	1	2	2	1	14	7	6	2	-	-	-	-
FILIPINO	15,057	14	38	86	168	258	347	2,857	4,543	4,326	2,027	378	13	2	-
INDIAN (INDIA)	2,314	-	1	1	11	16	26	499	919	516	189	34	1	-	1
JAPANESE	4,613	-	4	10	26	36	47	516	1,417	1,520	730	105	2	-	-
KOREAN	4,251	-	1	6	4	13	16	430	2,047	1,350	330	51	1	-	2
PACIFIC ISLANDER	4,058	10	17	55	94	159	174	1,248	1,298	673	278	46	6	-	-
THAI	668	-	-	3	6	13	17	87	169	215	126	31	1	-	-
VIETNAMESE	6,459	2	12	36	61	85	128	1,181	2,174	1,789	844	137	9	-	1
WHITE	413,844	709	2,130	4,803	8,413	12,067	16,666	110,563	130,430	88,280	33,909	5,605	187	6	76
OTHER ASIAN	6,799	40	75	114	145	195	252	1,731	1,947	1,358	700	179	44	18	1
OTHER	669	-	3	3	4	7	11	141	255	170	61	14	-	-	-
NOT STATED	1,542	2	9	14	22	31	43	236	416	471	224	30	1	-	43
ALAMEDA	21,862	45	101	238	341	547	665	4,892	6,912	5,374	2,306	422	14	1	4
AMERICAN INDIAN	168	1	-	2	2	6	5	55	48	36	8	4	-	-	1
BLACK	5,272	36	69	130	191	295	275	1,574	1,443	843	363	52	-	-	1
CAMBODIAN	151	1	-	2	3	4	9	47	33	26	18	7	-	1	-
CHINESE	1,059	-	1	1	-	-	4	82	316	456	175	23	1	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	1,003	-	2	6	7	15	25	181	310	292	143	21	1	-	-
INDIAN (INDIA)	112	-	-	-	-	1	-	26	39	33	9	4	-	-	-
JAPANESE	194	-	-	-	1	-	2	12	42	90	38	9	-	-	-
KOREAN	168	-	-	-	-	2	1	14	89	50	11	1	-	-	-
PACIFIC ISLANDER	227	-	2	2	3	8	7	66	79	43	14	3	-	-	-
THAI	12	-	-	-	-	-	-	3	2	3	3	1	-	-	-
VIETNAMESE	357	-	-	2	7	7	3	68	115	102	45	7	1	-	-
WHITE	12,446	5	26	89	118	198	318	2,612	4,150	3,229	1,406	283	10	-	2
OTHER ASIAN	594	2	1	4	9	11	13	131	217	142	58	5	1	-	-
OTHER	16	-	-	-	-	-	-	5	6	5	-	-	-	-	-
NOT STATED	82	-	-	-	-	-	3	15	23	24	15	2	-	-	-
ALPINE	12	-	-	1	1	-	1	4	3	1	1	-	-	-	-
AMERICAN INDIAN	7	-	-	1	1	-	-	3	1	1	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	5	-	-	-	-	-	1	1	2	-	1	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
AMADOR	234	-	-	-	6	8	10	66	65	55	23	1	-	-	-
AMERICAN INDIAN	10	-	-	-	-	1	-	4	3	2	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	219	-	-	-	6	7	10	62	61	50	22	1	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,492	-	23	39	55	89	113	708	742	502	188	29	3	1	-
AMERICAN INDIAN	70	-	-	2	2	5	3	25	19	11	2	1	-	-	-
BLACK	86	-	2	2	1	3	3	27	27	19	2	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	9	-	-	-	-	-	-	1	3	3	2	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	1	-	-	4	-	1	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	9	-	-	1	-	-	-	1	5	-	2	-	-	-	-
KOREAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	-	-	2	3	3	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	1	1	-	-	-	1	1	-	-	-
WHITE	2,207	-	16	32	51	75	102	625	662	451	168	24	1	-	-
OTHER ASIAN	87	-	5	2	1	4	3	27	17	13	9	3	2	1	-
OTHER	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALAVERAS	336	-	2	3	5	13	9	100	110	57	33	3	1	-	-
AMERICAN INDIAN	9	-	-	1	1	1	1	1	4	-	-	-	-	-	-
BLACK	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	317	-	2	2	4	12	8	99	104	52	30	3	1	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
COLUSA	292	1	3	2	4	9	10	88	84	56	32	3	-	-	-
AMERICAN INDIAN	5	1	-	-	-	1	-	2	1	-	-	-	-	-	-
BLACK	4	-	-	-	-	1	-	1	1	-	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	278	-	3	2	4	7	10	85	80	53	31	3	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	12,065	21	44	100	188	272	381	2,482	3,923	3,185	1,271	192	4	1	1
AMERICAN INDIAN	87	-	-	1	2	-	10	26	31	8	8	1	-	-	-
BLACK	1,674	8	19	41	69	97	107	476	453	277	110	16	1	-	-
CAMBODIAN	7	-	-	-	-	-	1	1	5	-	-	-	-	-	-
CHINESE	328	-	-	-	-	-	-	11	85	156	71	5	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FILIPINO	411	-	2	1	5	4	12	71	129	127	49	11	-	-	-
INDIAN (INDIA)	76	-	-	-	-	1	1	11	30	20	9	4	-	-	-
JAPANESE	104	-	-	-	1	1	-	8	30	40	23	1	-	-	-
KOREAN	69	-	-	-	-	-	1	4	38	21	4	1	-	-	-
PACIFIC ISLANDER	91	1	-	-	2	1	1	26	31	18	10	1	-	-	-
THAI	9	-	-	-	1	-	-	5	-	2	1	-	-	-	-
VIETNAMESE	71	-	-	1	1	1	-	17	23	15	11	2	-	-	-
WHITE	8,829	10	22	48	99	164	232	1,763	2,970	2,425	949	143	3	-	1
OTHER ASIAN	265	2	1	8	7	3	14	56	84	60	22	7	-	1	-
OTHER	11	-	-	-	-	-	1	1	4	5	-	-	-	-	-
NOT STATED	31	-	-	-	1	-	1	5	9	11	4	-	-	-	-
DEL NORTE	342	-	2	6	16	12	28	121	88	49	20	-	-	-	-
AMERICAN INDIAN	46	-	2	2	4	2	5	21	4	4	2	-	-	-	-
BLACK	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	267	-	-	4	8	9	22	95	76	37	16	-	-	-	-
OTHER ASIAN	21	-	-	-	3	-	1	4	5	6	2	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
EL DORADO	1,752	2	3	12	26	40	53	391	552	477	169	27	-	-	-
AMERICAN INDIAN	24	-	-	-	1	1	-	13	5	2	-	2	-	-	-
BLACK	15	-	-	-	-	-	-	4	6	5	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	31	-	-	1	1	-	2	5	10	3	6	3	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
JAPANESE	16	-	-	-	-	-	1	5	1	5	4	-	-	-	-
KOREAN	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,646	2	3	11	24	39	49	360	525	55	156	22	-	-	-
OTHER ASIAN	4	-	-	-	-	-	1	1	-	-	2	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FRESNO	13,091	45	144	252	420	472	637	3,806	3,900	2,304	904	182	16	5	4
AMERICAN INDIAN	137	1	3	4	10	10	10	40	36	15	5	3	-	-	-
BLACK	965	7	18	37	45	47	73	323	257	111	39	8	-	-	-
CAMBODIAN	135	-	-	3	-	3	6	18	37	36	19	13	-	-	-
CHINESE	76	-	-	1	-	-	-	7	26	29	12	1	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	84	-	-	2	-	2	2	15	28	26	7	2	-	-	-
INDIAN (INDIA)	77	-	1	-	-	-	2	16	42	11	4	1	-	-	-
JAPANESE	65	-	-	-	-	-	-	8	15	27	11	4	-	-	-
KOREAN	8	-	-	-	-	1	-	1	4	2	-	-	-	-	-
PACIFIC ISLANDER	20	-	-	1	-	2	1	7	5	3	1	-	-	-	-
THAI	5	-	-	-	-	1	-	1	1	2	-	-	-	-	-
VIETNAMESE	41	-	2	-	2	-	2	12	10	7	5	-	-	-	1
WHITE	10,325	29	101	183	328	360	494	3,004	3,179	1,857	682	105	1	-	2
OTHER ASIAN	1,144	8	19	20	33	46	47	353	257	176	119	45	15	5	1
OTHER	5	-	-	1	2	-	-	1	-	1	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
GLENN	428	1	1	7	8	14	16	137	128	80	32	4	-	-	-
AMERICAN INDIAN	9	-	-	1	1	-	-	2	3	2	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	408	1	-	6	7	14	16	132	122	75	31	4	-	-	-
OTHER ASIAN	8	-	1	-	-	-	-	3	1	2	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,765	2	9	20	38	47	82	481	546	344	165	29	2	-	-
AMERICAN INDIAN	219	1	4	5	8	9	17	68	57	36	11	3	-	-	-
BLACK	25	-	-	1	-	1	1	10	7	4	-	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	-	-	-	3	1	-	1	1	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	2	1	2	1	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	9	-	-	-	1	-	-	4	-	4	-	-	-	-	-
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,435	1	4	13	26	36	64	378	459	285	146	22	1	-	-
OTHER ASIAN	59	-	1	1	3	1	-	13	19	12	6	2	1	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMPERIAL	2,503	8	13	40	78	100	126	740	762	460	148	26	2	-	-
AMERICAN INDIAN	40	1	1	3	2	1	2	10	15	3	1	1	-	-	-
BLACK	70	-	2	3	-	3	3	27	16	12	4	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	15	-	-	-	-	2	2	3	4	3	1	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
KOREAN	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	2,349	7	10	34	75	93	118	697	720	433	135	25	2	-	-
OTHER ASIAN	12	-	-	-	-	1	1	3	3	3	1	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
INYO	213	-	1	6	4	6	11	54	67	42	19	3	-	-	-
AMERICAN INDIAN	40	-	-	1	1	3	3	13	8	6	5	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	169	-	1	5	3	3	8	41	35	36	14	3	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
KERN	11,076	38	95	185	355	461	607	3,453	3,307	1,888	583	99	5	-	-
AMERICAN INDIAN	141	-	3	1	3	7	7	47	44	26	2	1	-	-	-
BLACK	917	6	24	22	46	63	65	293	223	125	42	8	-	-	-
CAMBODIAN	7	-	-	-	-	-	-	1	4	1	1	-	-	-	-
CHINESE	32	-	-	-	-	-	-	2	14	10	6	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	232	-	1	4	6	9	7	63	65	53	18	6	-	-	-
INDIAN (INDIA)	32	-	-	1	-	1	-	4	10	8	1	-	-	-	-
JAPANESE	25	-	-	1	-	-	-	2	12	7	1	-	-	-	-
KOREAN	23	-	-	1	2	-	1	9	5	2	3	-	-	-	-
PACIFIC ISLANDER	5	-	-	1	-	-	-	2	2	-	-	-	-	-	-
THAI	14	-	-	-	-	1	-	1	7	3	-	2	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	9,589	32	66	155	298	379	527	3,010	2,890	1,641	505	81	5	-	-
OTHER ASIAN	30	-	1	-	-	1	-	7	13	7	-	1	-	-	-
OTHER	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
KINGS	2,028	6	21	32	66	80	116	712	580	295	98	19	3	-	-
AMERICAN INDIAN	22	1	2	1	2	1	-	7	6	1	1	-	-	-	-
BLACK	158	1	3	5	11	9	5	57	42	20	4	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	-	-	-	-	-	1	2	4	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	56	-	-	-	1	-	2	14	17	13	7	2	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	7	-	-	-	-	-	-	2	3	-	2	-	-	-	-
KOREAN	5	-	-	-	-	-	-	1	3	1	-	-	-	-	-
PACIFIC ISLANDER	7	-	-	-	-	1	3	1	1	-	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	1,752	4	16	25	52	69	105	626	501	254	81	16	3	-	-
OTHER ASIAN	11	-	-	1	-	-	-	1	2	5	2	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	721	1	-	7	33	27	48	206	209	137	45	7	1	-	-
AMERICAN INDIAN	35	-	-	1	3	1	2	9	11	6	2	-	-	-	-
BLACK	22	-	-	-	1	-	2	6	4	7	2	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	649	1	-	6	28	26	43	187	193	120	37	7	1	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
LASSEN	326	1	-	1	9	9	20	112	98	61	12	3	-	-	-
AMERICAN INDIAN	23	-	-	-	2	1	2	10	2	3	3	-	-	-	-
BLACK	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	295	1	-	1	7	8	18	99	92	57	9	3	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES	175,293	417	1,111	2,375	3,789	5,386	7,076	45,907	53,109	37,737	15,536	2,692	92	4	42
AMERICAN INDIAN	843	2	4	7	25	31	33	246	267	163	53	10	-	-	2
BLACK	23,636	125	284	543	836	1,124	1,424	7,152	6,603	3,903	1,420	210	6	-	6
CAMBODIAN	991	1	5	15	11	33	41	259	259	216	110	37	2	2	-
CHINESE	3,960	-	-	3	4	7	9	265	1,282	1,633	677	78	1	-	1
ESKIMO/ALEUT	7	-	-	-	-	1	-	2	2	2	-	-	-	-	-
FILIPINO	4,539	3	7	20	31	65	76	692	1,278	1,487	737	140	3	-	-
INDIAN (INDIA)	590	-	-	-	3	3	4	106	224	178	63	8	1	-	-
JAPANESE	1,661	-	3	1	6	7	14	135	488	669	289	47	2	-	-
KOREAN	2,340	-	-	4	-	4	5	184	1,123	799	189	29	1	-	2
PACIFIC ISLANDER	1,083	-	4	18	27	45	46	333	321	184	90	12	3	-	-
THAI	409	-	-	-	2	4	7	39	106	143	86	21	1	-	-
VIETNAMESE	1,484	1	2	4	18	18	27	261	485	444	186	35	3	-	-
WHITE	132,394	284	798	1,752	2,812	4,032	5,366	35,997	40,191	27,581	11,459	2,030	68	2	22
OTHER ASIAN	907	1	2	5	9	7	16	154	340	231	118	24	-	-	-
OTHER	239	-	1	1	2	2	4	47	85	65	28	4	-	-	-
NOT STATED	210	-	1	2	3	3	4	35	55	59	31	7	1	-	9
MADERA	1,530	6	16	27	55	78	85	470	418	263	90	21	1	-	-
AMERICAN INDIAN	27	-	1	-	3	3	1	7	8	3	1	-	-	-	-
BLACK	60	-	1	2	2	4	5	18	12	13	2	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	4	-	-	1	-	-	-	-	1	2	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	8	-	1	1	1	-	1	2	2	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
JAPANESE	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,416	6	13	23	46	71	78	438	392	243	85	20	1	-	-
OTHER ASIAN	4	-	-	-	1	-	-	2	1	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MARIN	2,796	-	1	6	9	31	33	350	755	929	563	118	-	-	1
AMERICAN INDIAN	9	-	-	-	-	-	-	3	1	2	2	1	-	-	-
BLACK	117	-	-	2	1	6	4	27	38	26	10	3	-	-	-
CAMBODIAN	5	-	-	-	-	-	-	3	1	1	-	-	-	-	-
CHINESE	50	-	-	-	-	-	-	5	8	24	11	2	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	30	-	-	-	-	-	-	5	8	11	3	3	-	-	-
INDIAN (INDIA)	16	-	-	-	-	-	-	2	6	6	2	-	-	-	-
JAPANESE	38	-	-	-	-	-	1	3	13	14	6	1	-	-	-
KOREAN	9	-	-	-	-	-	-	-	6	3	-	-	-	-	-
PACIFIC ISLANDER	9	-	-	-	-	-	-	3	4	1	1	-	-	-	-
THAI	6	-	-	-	-	-	-	-	3	2	1	-	-	-	-
VIETNAMESE	15	-	-	-	-	-	2	4	5	2	2	-	-	-	-
WHITE	2,453	-	1	4	8	25	26	293	650	824	514	107	-	-	1
OTHER ASIAN	11	-	-	-	-	-	-	1	3	3	4	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	28	-	-	-	-	-	-	1	9	10	7	1	-	-	-
MARIPOSA	169	-	2	-	3	5	11	42	55	35	12	4	-	-	-
AMERICAN INDIAN	13	-	-	-	-	1	1	8	2	1	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	153	-	2	-	3	4	9	33	52	34	12	4	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	1,160	4	7	17	25	42	50	352	342	208	96	16	1	-	-
AMERICAN INDIAN	106	1	2	4	5	9	4	35	23	13	8	2	-	-	-
BLACK	12	-	-	-	-	-	-	6	3	2	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	6	-	-	-	-	-	-	-	5	-	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	1	-	3	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	-	-	2	1	-	1	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	5	-	-	-	-	-	1	1	1	2	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,003	3	5	13	20	33	45	302	304	182	83	12	1	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	15	-	-	-	-	-	-	3	3	5	3	1	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,769	11	31	60	99	140	203	1,247	1,077	613	245	35	8	-	-
AMERICAN INDIAN	31	-	-	1	2	2	-	8	12	6	-	-	-	-	-
BLACK	218	1	4	4	7	8	19	79	57	31	7	1	-	-	-
CAMBODIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CHINESE	7	-	-	-	1	-	-	1	3	2	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	31	-	2	1	-	1	1	8	10	5	2	1	-	-	-
INDIAN (INDIA)	32	-	-	-	-	-	-	8	15	8	1	-	-	-	-
JAPANESE	11	-	-	-	-	-	-	3	2	4	2	-	-	-	-
KOREAN	5	-	-	-	-	-	-	2	1	2	-	-	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	3	2	1	-	-	-	-	-
THAI	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-
VIETNAMESE	6	-	-	-	1	1	-	2	1	-	1	-	-	-	-
WHITE	2,947	6	18	40	79	111	158	999	864	470	181	18	3	-	-
OTHER ASIAN	465	4	7	14	8	16	25	134	104	83	50	15	5	-	-
OTHER	3	-	-	-	-	1	-	-	2	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
MODOC	128	1	-	5	3	2	14	37	46	11	7	2	-	-	-
AMERICAN INDIAN	8	-	-	-	-	1	-	2	3	2	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	119	1	-	5	3	1	14	35	42	9	7	2	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONO	117	-	-	-	-	-	2	24	35	35	17	3	1	-	-
AMERICAN INDIAN	9	-	-	-	-	-	1	1	5	2	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	106	-	-	-	-	-	1	23	30	33	15	3	1	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MONTEREY	7,160	14	48	94	167	217	351	2,169	2,183	1,351	487	69	8	-	2
AMERICAN INDIAN	55	-	1	1	2	2	4	24	11	8	2	-	-	-	-
BLACK	613	-	4	4	15	20	29	229	219	76	15	2	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	36	-	-	-	-	-	-	3	4	16	11	2	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	219	1	1	3	7	8	9	61	56	55	16	2	-	-	-
INDIAN (INDIA)	14	-	-	-	-	-	-	3	4	5	2	-	-	-	-
JAPANESE	63	-	-	-	-	-	-	5	18	26	14	-	-	-	-
KOREAN	91	-	-	-	1	-	2	23	43	20	2	-	-	-	-
PACIFIC ISLANDER	73	1	1	1	3	1	4	22	24	12	4	-	-	-	-
THAI	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-
VIETNAMESE	35	-	-	-	-	1	2	10	10	8	4	-	-	-	-
WHITE	5,781	11	40	82	134	179	290	1,756	1,741	1,082	396	60	8	-	2
OTHER ASIAN	14	-	-	-	1	-	-	3	4	4	2	-	-	-	-
OTHER	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
NOT STATED	156	1	1	3	4	6	11	28	43	37	19	3	-	-	-
NAPA	1,372	-	6	11	13	40	43	348	434	327	120	29	1	-	-
AMERICAN INDIAN	17	-	-	-	-	-	1	6	6	3	1	-	-	-	-
BLACK	19	-	1	-	-	-	-	4	6	7	1	-	-	-	-
CAMBODIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CHINESE	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	10	-	-	-	-	-	-	1	3	3	1	2	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
JAPANESE	8	-	-	-	-	1	-	2	3	2	-	-	-	-	-
KOREAN	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
PACIFIC ISLANDER	11	-	-	-	-	2	2	2	4	1	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	1,291	-	5	11	13	36	40	331	411	301	116	26	1	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-
NEVADA	917	-	6	5	12	22	47	196	248	252	116	13	-	-	-
AMERICAN INDIAN	20	-	1	-	-	1	2	4	6	6	-	-	-	-	-
BLACK	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
JAPANESE	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	883	-	5	5	12	20	44	188	239	243	114	13	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
ORANGE	42,212	48	164	384	650	959	1,389	10,259	13,999	10,151	3,581	587	15	4	42
AMERICAN INDIAN	206	-	2	3	7	8	8	50	67	46	14	1	-	-	-
BLACK	1,100	4	9	10	41	43	42	347	326	200	69	9	-	-	-
CAMBODIAN	136	-	1	2	2	5	3	29	33	34	11	15	-	1	-
CHINESE	617	-	-	-	2	1	1	27	208	263	104	10	1	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
FILIPINO	674	1	-	3	8	14	10	98	216	202	105	17	-	-	-
INDIAN (INDIA)	216	-	-	-	1	2	1	49	83	61	15	3	-	-	1
JAPANESE	456	-	-	1	3	3	3	40	175	167	60	4	-	-	-
KOREAN	542	-	1	1	1	-	1	67	250	168	46	7	-	-	-
PACIFIC ISLANDER	361	-	1	4	6	11	15	118	120	57	22	5	2	-	-
THAI	51	-	-	1	-	1	1	6	10	20	7	5	-	-	-
VIETNAMESE	1,477	-	2	11	7	17	22	275	502	604	197	38	2	-	-
WHITE	35,897	42	147	344	571	839	1,278	9,045	11,867	8,396	2,886	448	8	3	23
OTHER ASIAN	315	1	1	4	1	11	2	88	95	77	29	4	2	-	-
OTHER	65	-	-	-	-	-	1	9	27	20	7	1	-	-	-
NOT STATED	97	-	-	-	-	4	1	10	20	35	9	-	-	-	18
PLACER	2,290	-	7	15	23	57	82	524	767	573	215	25	2	-	-
AMERICAN INDIAN	41	-	-	-	2	2	4	12	12	5	3	1	-	-	-
BLACK	18	-	1	-	-	-	-	1	6	9	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	8	-	-	-	-	-	-	-	2	4	1	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	13	-	-	-	-	1	-	1	4	5	2	-	-	-	-
INDIAN (INDIA)	5	-	-	-	-	-	-	2	3	-	-	-	-	-	-
JAPANESE	23	-	-	-	-	1	1	2	6	10	3	-	-	-	-
KOREAN	4	-	-	-	-	-	-	-	3	-	-	1	-	-	-
PACIFIC ISLANDER	7	-	-	-	-	-	1	3	2	1	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-
WHITE	2,153	-	6	14	20	53	76	501	722	533	204	22	2	-	-
OTHER ASIAN	9	-	-	-	1	-	-	1	2	4	1	-	-	-	-
OTHER	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PLUMAS	195	-	-	1	4	4	3	53	63	53	14	-	-	-	-
AMERICAN INDIAN	12	-	-	-	-	1	-	6	4	1	-	-	-	-	-
BLACK	6	-	-	-	-	-	-	2	2	1	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	176	-	-	1	4	3	3	45	57	51	12	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
RIVERSIDE	19,849	43	128	279	498	717	870	5,812	6,469	3,605	1,207	204	11	-	6
AMERICAN INDIAN	273	-	3	7	9	14	23	86	76	38	16	1	-	-	-
BLACK	1,463	9	6	39	55	71	89	480	395	243	70	5	-	-	1
CAMBODIAN	16	-	1	-	-	1	-	3	2	5	4	-	-	-	-
CHINESE	64	-	-	-	-	-	-	5	20	24	15	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	193	2	1	1	3	4	4	29	64	49	25	10	1	-	-
INDIAN (INDIA)	37	-	-	-	-	1	-	10	14	9	2	1	-	-	-
JAPANESE	70	-	-	1	-	1	4	15	27	15	6	1	-	-	-
KOREAN	42	-	-	-	-	-	-	9	22	9	2	-	-	-	-
PACIFIC ISLANDER	112	1	-	1	4	8	4	34	37	17	5	1	-	-	-
THAI	17	-	-	-	-	1	1	5	6	3	1	-	-	-	-
VIETNAMESE	70	-	1	-	4	1	4	14	21	17	3	4	1	-	-
WHITE	17,334	31	115	225	423	611	735	5,079	5,741	3,146	1,045	174	8	-	1
OTHER ASIAN	98	-	-	5	-	3	5	25	26	18	9	6	1	-	-
OTHER	17	-	-	-	-	-	-	4	8	4	-	1	-	-	-
NOT STATED	42	-	1	-	-	1	1	13	10	8	4	-	-	-	4
SACRAMENTO	17,332	40	96	254	399	594	703	4,681	5,576	3,528	1,287	164	4	3	3
AMERICAN INDIAN	240	-	2	10	5	16	16	77	64	32	14	4	-	-	-
BLACK	2,559	16	34	83	115	158	176	781	691	374	116	14	-	-	1
CAMBODIAN	25	-	-	-	1	-	1	2	10	7	3	1	-	-	-
CHINESE	325	-	-	-	2	3	3	34	91	129	58	4	1	-	-
ESKIMO/ALEUT	4	-	-	1	-	-	-	2	-	-	1	-	-	-	-
FILIPINO	361	1	1	1	6	10	11	104	104	86	34	3	-	-	-
INDIAN (INDIA)	79	-	-	-	1	-	1	21	26	22	7	1	-	-	-
JAPANESE	202	-	-	1	1	4	3	36	49	74	32	2	-	-	-
KOREAN	69	-	-	-	-	1	1	8	31	22	4	2	-	-	-
PACIFIC ISLANDER	141	-	-	1	2	5	5	42	59	16	9	2	-	-	-
THAI	15	-	-	-	1	-	3	2	2	-	5	-	-	-	-
VIETNAMESE	300	-	1	1	3	5	10	59	90	78	48	4	1	-	-
WHITE	12,421	15	44	148	241	359	445	3,353	4,208	2,590	900	114	2	-	2
OTHER ASIAN	538	8	14	8	21	31	27	141	130	88	54	13	-	3	-
OTHER	46	-	-	-	-	2	-	16	21	6	1	-	-	-	-
NOT STATED	7	-	-	-	-	-	1	3	-	2	1	-	-	-	-
SAN BENITO	692	1	5	10	17	21	34	204	220	122	51	6	1	-	-
AMERICAN INDIAN	10	-	-	-	1	-	-	2	3	2	2	-	-	-	-
BLACK	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	6	-	-	-	1	-	-	1	2	1	1	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	-	-	4	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	647	1	5	10	14	21	34	195	203	112	45	6	1	-	-
OTHER ASIAN	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	13	-	-	-	1	-	-	3	4	2	3	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	28,013	55	164	415	717	1,040	1,388	8,490	8,977	5,051	1,475	226	9	-	6
AMERICAN INDIAN	372	2	3	11	10	23	18	123	110	56	15	1	-	-	-
BLACK	2,990	16	37	56	106	156	169	987	861	457	127	16	1	-	1
CAMBODIAN	34	-	-	-	2	-	-	10	6	6	6	3	1	-	-
CHINESE	84	1	-	2	-	-	2	10	30	31	7	1	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FILIPINO	338	-	-	-	6	6	14	89	95	95	26	7	-	-	-
INDIAN (INDIA)	63	-	-	-	-	-	-	11	25	22	5	-	-	-	-
JAPANESE	144	-	-	1	1	2	1	38	49	39	11	2	-	-	-
KOREAN	118	-	-	1	-	1	1	23	52	32	7	1	-	-	-
PACIFIC ISLANDER	192	1	2	2	3	10	6	61	60	30	16	1	-	-	-
THAI	24	-	-	-	1	2	2	5	4	4	6	-	-	-	-
VIETNAMESE	141	-	-	2	1	2	7	24	58	29	15	3	-	-	-
WHITE	23,310	35	119	338	584	832	1,156	7,056	7,570	4,207	1,216	187	7	-	3
OTHER ASIAN	85	-	-	-	1	1	6	20	27	17	10	3	-	-	-
OTHER	24	-	-	-	-	-	-	8	7	8	1	-	-	-	-
NOT STATED	93	-	3	2	2	4	6	25	23	18	7	1	-	-	2
SAN DIEGO	44,152	69	173	428	800	1,167	1,783	12,216	13,992	9,457	3,479	546	20	3	19
AMERICAN INDIAN	762	3	2	7	15	23	30	234	233	156	51	8	-	-	-
BLACK	4,427	19	47	97	136	185	266	1,608	1,261	601	172	30	1	-	4
CAMBODIAN	138	-	-	-	4	2	5	27	30	42	18	7	3	-	-
CHINESE	308	-	-	-	1	2	2	28	94	112	60	9	-	-	-
ESKIMO/ALEUT	4	-	-	-	1	-	-	-	1	2	-	-	-	-	-
FILIPINO	2,078	-	7	17	32	29	64	449	650	527	257	41	3	2	-
INDIAN (INDIA)	58	-	-	-	-	-	-	7	24	20	6	1	-	-	-
JAPANESE	392	-	-	1	5	6	5	79	140	109	39	8	-	-	-
KOREAN	131	-	-	-	1	-	1	15	69	31	12	2	-	-	-
PACIFIC ISLANDER	542	2	4	6	9	17	28	177	171	89	30	8	1	-	-
THAI	25	-	-	-	1	-	1	9	4	7	1	2	-	-	-
VIETNAMESE	450	-	1	3	7	8	11	85	130	121	68	15	1	-	-
WHITE	34,423	44	109	290	584	881	1,352	9,380	11,066	7,568	2,735	399	9	-	6
OTHER ASIAN	357	1	3	7	4	14	18	110	101	57	24	15	2	1	-
OTHER	21	-	-	-	-	-	-	5	9	5	2	-	-	-	-
NOT STATED	36	-	-	-	-	-	-	3	9	10	4	1	-	-	9
SAN FRANCISCO	10,032	28	38	92	140	208	259	1,850	2,929	2,827	1,384	269	8	-	2
AMERICAN INDIAN	33	-	-	2	-	-	2	10	9	6	4	-	-	-	-
BLACK	1,687	15	23	32	59	86	107	511	444	299	94	16	-	-	1
CAMBODIAN	58	-	-	-	2	1	4	12	14	12	8	5	-	-	-
CHINESE	1,921	-	-	1	2	1	2	181	663	727	305	36	3	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	868	-	1	4	6	20	17	170	254	257	107	31	1	-	-
INDIAN (INDIA)	52	-	-	-	-	-	-	16	15	11	7	3	-	-	-
JAPANESE	146	-	-	-	1	1	-	8	30	58	43	5	-	-	-
KOREAN	95	-	-	-	-	-	-	11	49	29	6	-	-	-	-
PACIFIC ISLANDER	147	3	1	5	8	10	6	49	30	22	11	2	-	-	-
THAI	9	-	-	-	-	-	-	1	4	3	1	-	-	-	-
VIETNAMESE	236	-	1	1	1	3	5	35	83	64	38	5	-	-	-
WHITE	4,467	9	11	44	56	77	107	800	1,262	1,229	710	159	2	-	1
OTHER ASIAN	52	-	-	-	2	4	2	9	10	17	6	2	-	-	-
OTHER	28	-	-	-	-	-	1	6	11	7	2	1	-	-	-
NOT STATED	232	1	1	3	3	5	6	30	51	86	42	4	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN JOAQUIN	8,974	20	68	137	247	323	441	2,631	2,703	1,640	636	107	13	6	2
AMERICAN INDIAN	107	-	1	7	1	6	8	30	34	16	3	1	-	-	-
BLACK	728	3	13	23	30	36	52	238	191	105	33	4	-	-	-
CAMBODIAN	451	2	1	3	6	19	20	105	92	95	71	30	6	-	1
CHINESE	79	-	-	-	-	2	1	11	24	28	12	1	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	359	1	4	3	11	14	15	84	102	83	35	7	-	-	-
INDIAN (INDIA)	42	-	-	-	-	-	1	11	16	9	4	1	-	-	-
JAPANESE	33	-	-	-	1	-	-	4	14	11	2	1	-	-	-
KOREAN	11	-	-	-	-	2	-	3	2	2	2	-	-	-	-
PACIFIC ISLANDER	35	-	-	-	3	5	1	7	10	8	1	-	-	-	-
THAI	4	-	-	1	-	1	-	1	1	-	-	-	-	-	-
VIETNAMESE	245	-	1	2	-	4	8	54	87	63	19	7	-	-	-
WHITE	6,426	9	41	84	181	224	312	1,953	2,028	1,147	399	43	3	1	1
OTHER ASIAN	405	5	6	14	14	10	22	117	83	63	52	10	4	5	-
OTHER	38	-	1	-	-	-	1	11	15	6	3	1	-	-	-
NOT STATED	10	-	-	-	-	-	-	2	4	3	-	1	-	-	-
SAN LUIS OBISPO	2,807	6	6	31	61	81	101	629	893	702	269	27	1	-	-
AMERICAN INDIAN	54	2	1	3	3	3	1	16	13	7	3	1	-	-	-
BLACK	84	-	-	1	2	8	4	33	17	15	4	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	17	-	-	-	-	-	-	5	4	3	5	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	46	-	-	-	-	1	2	12	18	8	5	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
JAPANESE	19	-	-	-	-	-	-	6	6	6	1	-	-	-	-
KOREAN	7	-	-	-	-	-	-	3	3	1	-	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	2	-	1	3	2	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
WHITE	2,556	4	5	27	54	68	93	549	821	659	249	26	1	-	-
OTHER ASIAN	9	-	-	-	-	-	-	-	6	2	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
SAN MATEO	9,858	10	38	67	105	164	214	1,778	3,185	2,885	1,229	176	5	-	2
AMERICAN INDIAN	65	-	-	-	-	-	3	22	23	12	5	-	-	-	-
BLACK	706	2	11	22	26	31	32	192	203	131	53	3	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
CHINESE	565	-	-	-	-	2	-	19	195	246	96	7	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	915	-	1	3	8	12	14	177	283	261	129	26	1	-	-
INDIAN (INDIA)	110	-	-	-	-	4	3	24	46	23	9	1	-	-	-
JAPANESE	149	-	-	-	-	1	-	5	43	68	26	6	-	-	-
KOREAN	60	-	-	-	-	-	-	11	28	16	4	1	-	-	-
PACIFIC ISLANDER	334	-	-	3	5	6	13	100	116	54	30	7	-	-	-
THAI	10	-	-	-	-	-	-	-	2	5	1	2	-	-	-
VIETNAMESE	18	-	-	-	-	-	1	3	5	4	5	-	-	-	-
WHITE	6,662	8	26	37	64	106	141	1,190	2,152	1,971	840	121	4	-	2
OTHER ASIAN	78	-	-	-	-	-	2	12	25	27	12	-	-	-	-
OTHER	25	-	-	-	-	1	-	3	11	8	2	-	-	-	-
NOT STATED	158	-	-	2	2	1	5	18	52	59	17	2	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SANTA BARBARA	5,884	9	34	65	123	167	257	1,362	1,883	1,380	512	84	7	-	1
AMERICAN INDIAN	60	-	-	1	2	1	6	17	21	6	6	-	-	-	-
BLACK	241	-	2	7	5	9	17	82	62	42	14	1	-	-	-
CAMBODIAN	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-
CHINESE	42	-	-	-	-	1	-	1	12	19	9	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	129	-	1	1	5	3	1	27	34	35	18	3	1	-	-
INDIAN (INDIA)	10	-	-	-	-	-	-	2	5	2	-	1	-	-	-
JAPANESE	49	-	-	-	-	2	1	12	13	15	6	-	-	-	-
KOREAN	17	-	-	-	-	-	-	1	11	5	-	-	-	-	-
PACIFIC ISLANDER	20	-	-	-	1	-	1	8	6	4	1	-	-	-	-
THAI	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	11	-	-	-	-	1	-	3	5	2	-	-	-	-	-
WHITE	5,233	9	29	54	109	145	228	1,195	1,695	1,236	449	77	6	-	1
OTHER ASIAN	56	-	2	2	1	4	2	11	18	8	7	1	-	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
NOT STATED	8	-	-	-	-	1	1	-	1	4	1	-	-	-	-
SANTA CLARA	26,274	42	105	223	390	631	779	5,731	8,867	6,631	2,481	382	10	-	2
AMERICAN INDIAN	233	2	4	4	7	17	8	68	64	47	9	1	2	-	1
BLACK	1,426	3	7	21	40	69	66	422	448	272	69	8	-	-	-
CAMBODIAN	149	-	-	1	5	7	2	49	41	26	12	5	1	-	-
CHINESE	1,108	-	-	-	2	1	-	45	341	502	194	22	1	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1,368	3	4	2	11	20	27	262	463	377	176	22	1	-	-
INDIAN (INDIA)	378	-	-	-	2	-	4	59	189	104	16	4	-	-	-
JAPANESE	397	-	-	-	2	2	-	27	135	156	66	9	-	-	-
KOREAN	302	-	-	-	-	-	1	25	156	88	28	4	-	-	-
PACIFIC ISLANDER	267	-	-	6	4	9	9	81	96	47	13	2	-	-	-
THAI	26	-	-	-	-	1	-	-	10	11	4	-	-	-	-
VIETNAMESE	1,343	1	-	6	7	14	21	229	488	386	178	13	-	-	-
WHITE	18,855	33	88	179	304	483	631	4,380	6,293	4,516	1,656	286	5	-	1
OTHER ASIAN	283	-	-	4	6	7	8	64	96	60	36	2	-	-	-
OTHER	49	-	-	-	-	1	-	10	16	13	7	2	-	-	-
NOT STATED	90	-	2	-	-	-	2	10	31	26	17	2	-	-	-
SANTA CRUZ	3,978	3	17	43	65	107	141	928	1,130	1,008	457	76	3	-	-
AMERICAN INDIAN	32	1	-	2	1	1	1	5	6	10	5	-	-	-	-
BLACK	70	-	-	-	2	2	8	18	18	13	8	1	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CHINESE	19	-	-	-	-	-	-	2	6	8	2	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	56	-	-	-	1	1	2	13	14	17	7	1	-	-	-
INDIAN (INDIA)	10	-	-	-	-	-	-	2	4	3	1	-	-	-	-
JAPANESE	37	-	-	-	-	-	2	2	7	13	12	1	-	-	-
KOREAN	6	-	-	-	-	-	-	-	2	2	2	-	-	-	-
PACIFIC ISLANDER	8	-	-	-	-	-	1	2	3	1	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	6	-	-	-	-	-	-	2	2	1	1	-	-	-	-
WHITE	3,699	2	17	40	60	103	127	875	1,054	934	413	71	3	-	-
OTHER ASIAN	10	-	-	-	-	-	-	3	5	1	-	1	-	-	-
OTHER	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	21	-	-	1	1	-	-	3	8	4	4	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SHASTA	2,180	5	15	23	65	81	112	708	626	388	139	17	1	-	-
AMERICAN INDIAN	67	-	1	1	4	6	4	21	15	11	3	1	-	-	-
BLACK	27	-	-	2	1	1	2	11	8	1	1	-	-	-	-
CAMBODIAN	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FILIPINO	8	-	-	-	-	-	-	3	2	2	1	-	-	-	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-
JAPANESE	5	-	-	-	-	-	1	2	1	1	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,006	4	13	19	58	72	102	647	579	364	132	15	1	-	-
OTHER ASIAN	55	1	1	1	2	2	3	21	15	7	1	1	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	18	-	-	-	1	-	-	5	4	4	4	-	-	-	-
AMERICAN INDIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	17	-	-	-	1	-	-	4	4	4	4	-	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	596	-	3	7	22	21	30	170	177	116	44	6	-	-	-
AMERICAN INDIAN	48	-	-	1	1	-	4	13	19	8	1	1	-	-	-
BLACK	16	-	1	-	2	2	-	6	4	-	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	522	-	2	6	19	18	26	151	149	104	42	5	-	-	-
OTHER ASIAN	6	-	-	-	-	-	-	-	3	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,748	16	24	67	128	183	253	1,604	1,921	1,114	392	45	1	-	-
AMERICAN INDIAN	69	-	-	1	2	1	2	17	35	8	2	1	-	-	-
BLACK	974	10	12	23	37	60	59	306	277	140	44	6	-	-	-
CAMBODIAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
CHINESE	59	-	1	1	-	-	2	8	20	18	9	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FILIPINO	458	1	-	4	5	7	12	94	144	123	58	9	1	-	-
INDIAN (INDIA)	26	-	-	-	2	1	-	7	8	4	4	-	-	-	-
JAPANESE	81	-	1	2	1	1	2	17	27	18	11	1	-	-	-
KOREAN	23	-	-	-	-	-	-	5	9	8	1	-	-	-	-
PACIFIC ISLANDER	98	1	1	2	7	10	7	31	25	13	1	-	-	-	-
THAI	4	-	-	-	-	2	-	1	1	-	-	-	-	-	-
VIETNAMESE	13	-	-	2	-	-	-	3	3	5	-	-	-	-	-
WHITE	3,863	3	9	30	70	100	165	1,102	1,347	757	256	26	-	-	-
OTHER ASIAN	59	1	-	2	3	1	3	9	20	15	4	1	-	-	-
OTHER	7	-	-	-	-	-	-	-	3	3	-	1	-	-	-
NOT STATED	10	-	-	-	-	-	-	4	2	2	2	-	-	-	-
SONOMA	5,474	9	18	33	89	123	178	1,243	1,741	1,369	565	106	-	-	-
AMERICAN INDIAN	119	1	1	2	6	7	6	36	36	15	9	-	-	-	-
BLACK	156	1	-	4	4	7	8	51	46	27	7	1	-	-	-
CAMBODIAN	29	1	-	-	1	-	3	11	1	3	7	2	-	-	-
CHINESE	50	-	-	-	-	-	-	1	18	20	10	1	-	-	-
ESKIMO/ALEUT	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FILIPINO	56	-	-	-	2	2	2	12	16	16	6	-	-	-	-
INDIAN (INDIA)	14	-	-	-	1	1	-	4	4	4	-	-	-	-	-
JAPANESE	41	-	-	-	-	1	3	5	11	18	2	1	-	-	-
KOREAN	14	-	-	-	-	-	-	3	4	5	2	-	-	-	-
PACIFIC ISLANDER	36	-	1	-	-	1	-	4	21	6	2	1	-	-	-
THAI	4	-	-	-	-	-	-	2	-	2	-	-	-	-	-
VIETNAMESE	18	-	1	-	2	-	-	5	9	-	1	-	-	-	-
WHITE	4,874	5	15	27	73	103	154	1,090	1,557	1,243	509	98	-	-	-
OTHER ASIAN	41	1	-	-	-	1	2	15	13	5	3	1	-	-	-
OTHER	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-
NOT STATED	17	-	-	-	-	-	-	2	3	5	7	-	-	-	-
STANISLAUS	6,589	13	38	94	202	258	374	1,955	2,078	1,138	369	64	5	1	-
AMERICAN INDIAN	80	-	2	2	3	3	8	30	19	9	2	2	-	-	-
BLACK	158	-	2	4	7	5	14	41	51	26	5	3	-	-	-
CAMBODIAN	154	-	-	3	3	5	4	37	35	34	24	8	1	-	-
CHINESE	33	-	-	-	-	-	-	5	10	10	7	1	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	39	-	-	1	1	-	3	6	16	5	6	1	-	-	-
INDIAN (INDIA)	82	-	-	-	1	1	3	38	27	11	1	-	-	-	-
JAPANESE	19	-	-	-	-	-	-	3	6	7	3	-	-	-	-
KOREAN	6	-	-	-	1	-	-	-	2	3	-	-	-	-	-
PACIFIC ISLANDER	38	-	-	1	-	2	3	11	13	7	1	-	-	-	-
THAI	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	28	-	-	-	-	-	-	7	7	8	6	-	-	-	-
WHITE	5,785	11	34	81	181	236	333	1,736	1,836	989	300	46	2	-	-
OTHER ASIAN	147	2	-	1	4	5	5	37	50	26	12	2	2	1	-
OTHER	12	-	-	1	-	-	-	3	5	2	-	-	-	-	-
NOT STATED	7	-	-	-	1	1	-	1	1	1	1	1	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SUTTER	1,084	-	3	9	29	40	56	355	341	185	58	7	1	-	-
AMERICAN INDIAN	14	-	-	-	1	2	2	5	2	1	1	-	-	-	-
BLACK	22	-	-	1	-	2	2	8	5	4	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	5	-	-	-	-	-	-	4	-	1	-	-	-	-	-
INDIAN (INDIA)	81	-	-	-	-	1	3	37	24	10	6	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	910	-	3	8	27	34	46	280	298	157	49	7	1	-	-
OTHER ASIAN	36	-	-	-	-	-	1	15	10	8	2	-	-	-	-
OTHER	8	-	-	-	-	-	1	2	2	3	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	734	4	4	7	21	18	45	255	239	95	35	9	2	-	-
AMERICAN INDIAN	34	1	1	1	-	-	-	13	10	6	2	-	-	-	-
BLACK	9	-	-	-	-	-	-	5	3	-	1	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	4	-	-	-	-	-	-	1	3	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	681	3	3	6	21	18	44	235	220	89	31	9	2	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	151	-	-	2	4	9	7	45	39	27	16	2	-	-	-
AMERICAN INDIAN	18	-	-	-	2	2	1	6	6	-	1	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	131	-	-	2	2	7	6	39	33	25	15	2	-	-	-
OTHER ASIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17		19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
TULARE	6,073	20	70	122	201	277	376	1,981	1,706	916	335	61	7	1	-
AMERICAN INDIAN	67	-	-	3	3	5	5	24	16	10	1	-	-	-	-
BLACK	151	-	2	6	12	12	20	45	37	9	6	1	1	-	-
CAMBODIAN	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
CHINESE	13	-	-	-	-	-	-	1	3	8	1	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	92	1	-	3	3	1	6	27	26	17	6	2	-	-	-
INDIAN (INDIA)	9	-	-	-	-	-	-	2	4	2	1	-	-	-	-
JAPANESE	12	-	-	-	1	-	-	2	4	4	1	-	-	-	-
KOREAN	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
PACIFIC ISLANDER	16	-	-	-	-	-	1	5	6	3	1	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WHITE	5,501	19	60	103	177	253	337	1,808	1,562	825	301	53	3	-	-
OTHER ASIAN	201	-	8	7	4	6	7	63	44	37	16	5	3	1	-
OTHER	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUOLUMNE	565	-	4	4	11	20	29	168	165	114	43	7	-	-	-
AMERICAN INDIAN	24	-	-	-	1	1	-	4	10	5	1	2	-	-	-
BLACK	4	-	-	-	-	-	1	1	-	1	-	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
INDIAN (INDIA)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
KOREAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
THAI	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	526	-	4	4	10	19	28	159	153	104	41	4	-	-	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	11,472	15	49	111	181	327	399	2,837	3,731	2,647	1,010	154	6	-	5
AMERICAN INDIAN	93	-	-	1	1	3	7	32	28	15	5	1	-	-	-
BLACK	358	2	4	6	9	20	12	105	111	62	24	2	1	-	-
CAMBODIAN	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
CHINESE	76	-	-	-	-	-	-	6	20	34	13	3	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	247	-	2	1	-	4	4	47	90	71	24	4	-	-	-
INDIAN (INDIA)	32	-	-	1	-	-	2	2	8	13	5	1	-	-	-
JAPANESE	75	-	-	-	-	-	2	16	22	30	5	-	-	-	-
KOREAN	48	-	-	-	-	1	2	9	19	12	4	1	-	-	-
PACIFIC ISLANDER	66	-	-	-	2	3	3	16	20	15	6	1	-	-	-
THAI	13	-	-	-	-	-	-	1	4	5	3	-	-	-	-
VIETNAMESE	59	-	-	-	-	-	2	5	21	22	8	1	-	-	-
WHITE	10,167	13	43	100	166	293	362	2,560	3,312	2,294	880	135	5	-	4
OTHER ASIAN	78	-	-	1	1	1	2	17	27	21	7	1	-	-	-
OTHER	8	-	-	-	-	-	-	-	3	2	2	1	-	-	1
NOT STATED	148	-	-	1	2	2	1	18	46	50	24	3	-	-	-

TABLE 2-11 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND RACE/ETHNICITY	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
YOLO	2,215	3	18	21	49	73	92	589	686	465	185	30	3	-	1
AMERICAN INDIAN	43	-	1	1	2	3	8	13	7	8	-	-	-	-	-
BLACK	73	-	2	-	3	4	3	24	20	11	6	-	-	-	-
CAMBODIAN	7	-	-	-	-	-	-	2	1	-	2	2	-	-	-
CHINESE	25	-	-	-	1	-	-	2	12	8	2	-	-	-	-
ESKIMO/ALEUT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	27	-	-	3	-	1	-	8	7	5	3	-	-	-	-
INDIAN (INDIA)	20	-	-	-	-	-	-	7	8	3	2	-	-	-	-
JAPANESE	16	-	-	-	-	-	-	2	5	5	4	-	-	-	-
KOREAN	12	-	-	-	-	-	-	-	6	5	1	-	-	-	-
PACIFIC ISLANDER	10	-	-	-	-	-	-	2	5	2	1	-	-	-	-
THAI	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-
WHITE	1,887	3	14	17	43	61	76	505	582	400	158	26	1	-	1
OTHER ASIAN	68	-	-	-	-	2	3	19	24	13	3	2	2	-	-
OTHER	17	-	1	-	-	-	1	5	6	2	2	-	-	-	-
NOT STATED	4	-	-	-	-	2	-	-	1	1	-	-	-	-	-
YUBA	1,318	5	14	19	34	47	66	480	403	176	54	16	4	-	-
AMERICAN INDIAN	37	-	-	-	-	3	1	14	10	6	3	-	-	-	-
BLACK	75	-	1	1	1	2	1	31	25	9	3	1	-	-	-
CAMBODIAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FILIPINO	14	-	-	-	-	-	-	6	3	2	3	-	-	-	-
INDIAN (INDIA)	9	-	-	-	-	-	-	3	2	3	1	-	-	-	-
JAPANESE	5	-	-	-	-	1	-	-	3	-	-	1	-	-	-
KOREAN	8	-	-	-	-	-	-	1	5	1	-	1	-	-	-
PACIFIC ISLANDER	14	-	-	1	-	2	-	4	5	2	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	982	2	11	14	28	37	53	380	302	118	31	6	-	-	-
OTHER ASIAN	168	3	2	3	5	2	11	40	46	33	12	7	4	-	-
OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-12

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166.288	115,515	44,864	7,434	300	30	145
HISPANIC	182,910	577	1,573	3,376	5,470	7,441	9,634	58,119	52,030	30,197	12,116	2,225	110	4	38
NON-HISPANIC	347,098	505	1,403	3,101	5,592	8,360	11,574	80,554	113.511	84,628	32,429	5,173	187	26	55
NOT STATED	2,700	6	17	37	42	85	101	565	747	690	319	36	3	-	52
ALAMEDA	21,862	45	101	238	341	547	665	4,892	6,912	5,374	2,306	422	14	1	4
HISPANIC	3,225	6	14	56	57	98	133	931	1,034	620	234	42	-	-	-
NON-HISPANIC	18,547	39	87	182	284	448	529	3,942	5,855	4,727	2,057	378	14	1	4
NOT STATED	90	-	-	-	-	1	3	19	23	27	15	2	-	-	-
ALPINE	12	-	-	1	1	-	1	4	3	1	1	-	-	-	-
HISPANIC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	12	-	-	1	1	-	1	4	3	1	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	234	-	-	-	6	8	10	66	65	55	23	1	-	-	-
HISPANIC	10	-	-	-	1	-	-	2	4	2	1	-	-	-	-
NON-HISPANIC	224	-	-	-	5	8	10	64	61	53	22	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2,492	-	23	39	55	89	113	708	742	502	188	29	3	1	-
HISPANIC	233	-	4	5	9	8	9	77	56	32	27	6	-	-	-
NON-HISPANIC	2,254	-	19	34	46	80	104	630	685	470	160	22	3	1	-
NOT STATED	5	-	-	-	-	1	-	1	1	-	1	1	-	-	-
CALAVERAS	336	-	2	3	5	13	9	100	110	57	33	3	1	-	-
HISPANIC	14	-	-	1	-	-	1	5	4	2	1	-	-	-	-
NON-HISPANIC	316	-	2	2	5	13	7	95	103	54	31	3	1	-	-
NOT STATED	6	-	-	-	-	-	1	-	3	1	1	-	-	-	-
COLUSA	292	1	3	2	4	9	10	88	84	56	32	3	-	-	-
HISPANIC	111	-	2	-	2	3	3	39	29	23	10	-	-	-	-
NON-HISPANIC	180	1	1	2	2	6	7	48	55	33	22	3	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CONTRA COSTA	12,065	21	44	100	188	272	381	2,482	3,923	3,185	1,271	192	4	1	1
HISPANIC	1,516	4	8	15	42	57	72	458	465	270	106	18	1	-	-
NON-HISPANIC	10,507	17	36	85	145	215	307	2,019	3,443	2,900	1,161	174	3	1	1
NOT STATED	42	-	-	-	1	-	2	5	15	15	4	-	-	-	-
DEL NORTE	342	-	2	6	16	12	28	121	88	49	20	-	-	-	-
HISPANIC	34	-	-	-	1	1	2	12	10	7	1	-	-	-	-
NON-HISPANIC	296	-	2	6	14	11	26	106	74	38	19	-	-	-	-
NOT STATED	12	-	-	-	1	-	-	3	4	4	-	-	-	-	-
EL DORADO	1,752	2	3	12	26	40	53	391	552	477	169	27	-	-	-
HISPANIC	156	-	2	2	3	7	5	51	55	26	5	-	-	-	-
NON-HISPANIC	1,593	2	1	10	23	33	48	340	495	450	164	27	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
FRESNO	13,091	45	144	252	420	472	637	3,806	3,900	2,304	904	182	16	5	4
HISPANIC	5,634	25	78	149	239	260	336	1,853	1,473	833	324	62	1	-	1
NON-HISPANIC	7,449	20	66	102	181	212	301	1,951	2,423	1,471	579	120	15	5	3
NOT STATED	8	-	-	1	-	-	-	2	4	-	1	-	-	-	-
GLENN	428	1	1	7	8	14	16	137	128	80	32	4	-	-	-
HISPANIC	106	1	-	2	-	3	6	36	27	18	11	2	-	-	-
NON-HISPANIC	322	-	1	5	8	11	10	101	101	62	21	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
HUMBOLDT	1,765	2	9	20	38	47	82	481	546	344	165	29	2	-	-
HISPANIC	62	-	-	-	4	6	2	15	23	8	3	1	-	-	-
NON-HISPANIC	1,694	2	9	20	34	41	80	464	522	333	159	28	2	-	-
NOT STATED	9	-	-	-	-	-	-	2	1	3	3	-	-	-	-
IMPERIAL	2,503	8	13	40	78	100	126	740	762	460	148	26	2	-	-
HISPANIC	1,921	7	9	33	67	78	100	561	570	350	121	23	2	-	-
NON-HISPANIC	581	1	4	7	11	22	25	179	192	110	27	3	-	-	-
NOT STATED	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
INYO	213	-	1	6	4	6	11	54	67	42	19	3	-	-	-
HISPANIC	13	-	-	1	1	1	2	1	4	2	1	-	-	-	-
NON-HISPANIC	200	-	1	5	3	5	9	53	63	40	18	3	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KERN	11,076	38	95	185	355	461	607	3,453	3,307	1,888	583	99	5	-	-
HISPANIC	3,879	21	37	91	153	175	241	1,262	1,008	615	234	39	3	-	-
NON-HISPANIC	7,072	17	57	94	202	285	364	2,163	2,263	1,230	335	60	2	-	-
NOT STATED	125	-	1	-	-	1	2	28	36	43	14	-	-	-	-
KINGS	2,028	6	21	32	66	80	116	712	580	295	98	19	3	-	-
HISPANIC	791	4	13	18	28	38	53	274	196	115	41	9	2	-	-
NON-HISPANIC	1,233	2	8	14	38	42	63	436	382	180	57	10	1	-	-
NOT STATED	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-
LAKE	721	1	-	7	33	27	48	206	209	137	45	7	1	-	-
HISPANIC	82	-	-	2	4	5	4	24	27	10	5	1	-	-	-
NON-HISPANIC	635	1	-	5	28	22	44	181	181	126	40	6	1	-	-
NOT STATED	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-
LASSEN	326	1	-	1	9	9	20	112	98	61	12	3	-	-	-
HISPANIC	25	-	-	-	-	3	-	8	7	7	-	-	-	-	-
NON-HISPANIC	300	1	-	1	9	6	20	103	91	54	12	3	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
LOS ANGELES	175,293	417	1,111	2,375	3,789	5,386	7,076	45,907	53,109	37,757	15,536	2,692	92	4	42
HISPANIC	86,418	262	701	1,513	2,397	3,284	4,322	27,066	24,587	14,792	6,260	1,169	52	2	11
NON-HISPANIC	88,499	153	408	853	1,385	2,087	2,740	18,759	28,416	22,882	9,235	1,520	38	2	21
NOT STATED	376	2	2	9	7	15	14	82	106	83	41	3	2	-	10
MADERA	1,530	6	16	27	55	78	85	470	418	263	90	21	1	-	-
HISPANIC	746	3	13	18	23	46	46	242	183	119	41	12	-	-	-
NON-HISPANIC	780	3	3	9	31	32	39	227	234	144	48	9	1	-	-
NOT STATED	4	-	-	-	1	-	-	1	1	-	1	-	-	-	-
MARIN	2,796	-	1	6	9	31	33	350	755	929	563	118	-	-	1
HISPANIC	252	-	-	1	1	11	13	75	71	59	18	3	-	-	-
NON-HISPANIC	2,495	-	1	5	8	20	20	268	673	852	534	113	-	-	1
NOT STATED	49	-	-	-	-	-	-	7	11	18	11	2	-	-	-
MARIPOSA	109	-	2	-	3	5	11	42	55	35	12	4	-	-	-
HISPANIC	10	-	-	-	-	1	1	1	3	2	-	2	-	-	-
NON-HISPANIC	159	-	2	-	3	4	10	41	52	33	12	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	1,160	4	7	17	25	42	50	352	342	208	96	16	1	-	-
HISPANIC	148	-	-	1	5	6	12	55	41	22	5	1	-	-	-
NON-HISPANIC	991	4	7	16	20	35	37	293	297	181	86	14	1	-	-
NOT STATED	21	-	-	-	-	1	1	4	4	5	5	1	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
MERCED	3,769	11	31	60	99	140	203	1,247	1,077	613	245	35	8	-	-
HISPANIC	1,391	4	16	24	45	56	91	476	350	219	99	9	2	-	-
NON-HISPANIC	2,373	7	15	36	54	84	112	770	725	393	145	26	6	-	-
NOT STATED	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-
MODOC	128	1	-	5	3	2	14	37	46	11	7	2	-	-	-
HISPANIC	17	-	-	-	1	-	5	2	6	2	1	-	-	-	-
NON-HISPANIC	92	1	-	3	[illegible]	2	9	29	34	8	3	1	-	-	-
NOT STATED	19	-	-	2	-	-	-	6	6	1	3	1	-	-	-
MONO	117	-	-	-	-	-	2	24	35	35	17	3	1	-	-
HISPANIC	10	-	-	-	-	-	-	5	2	1	2	-	-	-	-
NON-HISPANIC	107	-	-	-	-	-	2	19	33	34	15	3	1	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	7,160	14	48	94	167	217	351	2,169	2,183	1,351	487	69	8	-	2
HISPANIC	3,124	10	34	64	102	122	180	1,010	873	480	200	41	8	-	-
NON-HISPANIC	3,873	3	13	27	61	89	159	1,128	1,267	831	268	25	-	-	2
NOT STATED	163	1	1	3	4	6	12	31	43	40	19	3	-	-	-
NAPA	1,372	-	6	11	13	40	43	348	434	327	120	29	1	-	-
HISPANIC	290	-	1	6	4	13	15	80	90	57	16	8	-	-	-
NON-HISPANIC	1,078	-	5	5	9	26	28	267	344	269	104	20	1	-	-
NOT STATED	4	-	-	-	-	1	-	1	-	1	-	1	-	-	-
NEVADA	917	-	6	5	12	22	47	196	248	252	116	13	-	-	-
HISPANIC	58	-	-	3	-	5	4	14	14	16	2	-	-	-	-
NON-HISPANIC	857	-	5	2	12	17	43	182	233	236	114	13	-	-	-
NOT STATED	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
ORANGE	42,212	48	164	384	650	959	1,389	10,259	13,999	10,151	3,581	567	15	4	42
HISPANIC	13,814	34	109	237	372	527	758	4,623	3,920	2,223	840	154	4	1	12
NON-HISPANIC	28,241	14	55	146	278	421	630	5,605	10,044	7,889	2,728	412	10	3	6
NOT STATED	157	-	-	1	-	11	1	31	35	39	13	1	1	-	24
PLACER	2,290	-	7	15	23	57	82	524	767	573	215	25	2	-	-
HISPANIC	196	-	-	4	4	12	13	59	62	25	15	2	-	-	-
NON-HISPANIC	2,086	-	7	11	19	45	69	463	702	546	199	23	2	-	-
NOT STATED	8	-	-	-	-	-	-	2	3	2	1	-	-	-	-
PLUMAS	195	-	-	1	4	4	3	53	63	53	14	-	-	-	-
HISPANIC	13	-	-	-	-	-	-	6	5	1	1	-	-	-	-
NON-HISPANIC	182	-	-	1	4	4	3	47	58	52	13	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	19,849	43	128	279	498	717	870	5,812	6,469	3,605	1,207	204	11	-	6
HISPANIC	6,540	21	79	134	210	312	324	2,169	1,865	960	378	82	6	-	-
NON-HISPANIC	13,101	22	47	142	281	394	536	3,559	4,557	2,615	820	122	5	-	1
NOT STATED	208	-	2	3	7	11	10	84	47	30	9	-	-	-	5
SACRAMENTO	17,332	40	96	254	399	594	703	4,681	5,576	3,528	1,287	164	4	3	3
HISPANIC	2,259	9	16	60	82	111	114	712	645	370	123	14	2	-	1
NON-HISPANIC	15,048	31	80	194	315	481	587	3,962	4,924	3,154	1,163	150	2	3	2
NOT STATED	25	-	-	-	2	2	2	7	7	4	1	-	-	-	-
SAN BENITO	692	1	5	10	17	21	34	204	220	122	51	6	1	-	-
HISPANIC	399	1	5	8	11	18	22	136	106	53	33	5	1	-	-
NON-HISPANIC	278	-	-	2	5	3	12	65	109	66	15	1	-	-	-
NOT STATED	15	-	-	-	1	-	-	3	5	3	3	-	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SAN BERNARDINO	28,013	55	164	415	717	1,040	1,388	8,490	8,977	5,051	1,475	226	9	-	6
HISPANIC	7,977	24	71	176	279	368	483	2,505	2,347	1,235	407	77	3	-	2
NON-HISPANIC	19,905	31	89	238	435	667	896	5,948	6,596	3,791	1,058	148	6	-	2
NOT STATED	131	-	4	1	3	5	9	37	34	25	10	1	-	-	2
SAN DIEGO	44,152	69	173	428	800	1,167	1,783	12,216	13,992	9,457	3,479	546	20	3	19
HISPANIC	12,285	33	77	211	356	502	690	3,995	3,562	2,016	708	124	7	-	4
NON-HISPANIC	31,700	36	96	213	444	659	1,085	8,171	10,389	7,408	2,758	420	13	3	5
NOT STATED	167	-	-	4	-	6	8	50	41	33	13	2	-	-	10
SAN FRANCISCO	10,032	28	38	92	140	208	259	1,850	2,929	2,827	1,384	269	6	-	2
HISPANIC	1,912	10	13	42	50	68	82	542	583	358	147	17	-	-	-
NON-HISPANIC	7,791	17	24	47	87	135	169	1,262	2,264	2,351	1,182	245	6	-	2
NOT STATED	329	1	1	3	3	5	8	46	82	118	55	7	-	-	-
SAN JOAQUIN	8,974	20	68	137	247	323	441	2,631	2,703	1,640	636	107	13	6	2
HISPANIC	2,348	6	30	48	103	97	134	785	630	347	148	18	1	1	-
NON-HISPANIC	6,615	14	38	89	144	225	307	1,843	2,071	1,289	488	88	12	5	2
NOT STATED	11	-	-	-	-	1	-	3	2	4	-	1	-	-	-
SAN LUIS OBISPO	2,807	6	6	31	61	81	101	629	893	702	269	27	1	-	-
HISPANIC	489	3	3	11	22	25	31	149	131	78	34	2	-	-	-
NON-HISPANIC	2,305	3	3	19	38	56	68	479	758	623	232	25	1	-	-
NOT STATED	13	-	-	1	1	-	2	1	4	1	3	-	-	-	-
SAN MATEO	9,858	10	38	67	105	164	214	1,778	3,185	2,885	1,229	176	5	-	2
HISPANIC	2,139	7	22	31	47	66	91	609	696	401	151	17	-	-	1
NON-HISPANIC	7,511	3	16	33	56	96	113	1,144	2,421	2,414	1,053	156	5	-	1
NOT STATED	208	-	-	3	2	2	10	25	68	70	25	3	-	-	-
SANTA BARBARA	5,884	9	34	65	123	167	257	1,362	1,883	1,380	512	84	7	-	1
HISPANIC	2,298	7	21	38	89	110	133	695	681	358	140	22	4	-	-
NON-HISPANIC	3,576	2	13	27	34	55	123	666	1,201	1,018	371	62	3	-	1
NOT STATED	10	-	-	-	-	2	1	1	1	4	1	-	-	-	-
SANTA CLARA	26,274	42	105	223	390	631	779	5,731	8,867	6,631	2,481	382	10	-	2
HISPANIC	7,113	31	74	142	226	333	388	2,289	2,060	1,081	408	79	1	-	1
NON-HISPANIC	19,034	11	27	81	164	296	384	3,421	6,767	5,521	2,051	301	9	-	1
NOT STATED	127	-	4	-	-	2	7	21	40	29	22	2	-	-	-
SANTA CRUZ	3,978	3	17	43	65	107	141	928	1,130	1,008	457	76	3	-	-
HISPANIC	1,444	2	13	27	41	73	76	485	368	246	92	19	2	-	-
NON-HISPANIC	2,510	1	4	14	23	34	65	439	754	757	361	57	1	-	-
NOT STATED	24	-	-	2	1	-	-	4	8	5	4	-	-	-	-
SHASTA	2,180	5	15	23	85	81	112	708	626	388	139	17	1	-	-
HISPANIC	89	1	2	1	5	7	3	26	28	11	3	2	-	-	-
NON-HISPANIC	2,088	4	13	22	80	74	108	681	597	377	136	15	1	-	-
NOT STATED	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-
SIERRA	18	-	-	-	1	-	-	5	4	4	4	-	-	-	-
HISPANIC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	18	-	-	-	1	-	-	5	4	4	4	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	596	-	3	7	22	21	30	170	177	116	44	6	-	-	-
HISPANIC	44	-	-	-	3	2	5	12	15	5	2	-	-	-	-
NON-HISPANIC	445	-	3	5	16	15	21	131	126	90	34	4	-	-	-
NOT STATED	107	-	-	2	3	4	4	27	36	21	8	2	-	-	-

TABLE 2-12 (CONTINUED)

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY AND SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
SOLANO	5,748	16	24	67	128	183	253	1,604	1,921	1,114	392	45	1	-	-
HISPANIC	694	3	6	8	17	35	42	207	244	90	36	6	-	-	-
NON-HISPANIC	5,033	12	18	59	110	147	210	1,390	1,673	1,020	354	39	1	-	-
NOT STATED	21	1	-	-	1	1	1	7	4	4	2	-	-	-	-
SONOMA	3,474	9	18	33	89	123	178	1,243	1,741	1,369	565	106	-	-	-
HISPANIC	745	4	4	14	24	28	45	255	185	120	54	12	-	-	-
NON-HISPANIC	4,720	5	14	19	65	95	133	987	1,554	1,246	508	94	-	-	-
NOT STATED	9	-	-	-	-	-	-	1	2	3	3	-	-	-	-
STANISLAUS	6,589	13	38	94	202	258	374	1,955	2,078	1,138	369	64	5	1	-
HISPANIC	1,706	9	12	31	69	78	115	528	475	261	103	24	1	-	-
NON-HISPANIC	4,869	4	26	63	132	178	258	1,426	1,598	875	265	39	4	1	-
NOT STATED	14	-	-	-	1	2	1	1	5	2	1	1	-	-	-
SUTTER	1,084	-	3	9	29	40	56	355	341	185	58	7	1	-	-
HISPANIC	205	-	-	2	11	14	9	65	57	26	19	1	1	-	-
NON-HISPANIC	877	-	3	6	18	26	47	290	283	159	39	6	-	-	-
NOT STATED	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
TEHAMA	734	4	4	7	21	18	45	255	239	95	35	9	2	-	-
HISPANIC	111	-	-	2	6	3	6	39	33	16	3	2	1	-	-
NON-HISPANIC	621	4	4	5	15	15	39	216	204	79	32	7	1	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TRINITY	151	-	-	2	4	9	7	45	39	27	16	2	-	-	-
HISPANIC	6	-	-	-	-	-	-	-	3	3	-	-	-	-	-
NON-HISPANIC	144	-	-	2	4	9	7	45	36	23	16	2	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TULARE	6,073	20	70	122	201	277	376	1,981	1,706	916	335	61	7	1	-
HISPANIC	3,102	15	40	62	124	149	196	1,061	800	442	177	33	3	-	-
NON-HISPANIC	2,965	5	30	60	77	127	180	919	902	474	158	28	4	1	-
NOT STATED	6	-	-	-	-	1	-	1	4	-	-	-	-	-	-
TUOLUMNE	565	-	4	4	11	20	29	168	165	114	43	7	-	-	-
HISPANIC	31	-	-	-	1	2	-	13	9	2	3	1	-	-	-
NON-HISPANIC	532	-	3	4	10	18	29	155	156	111	40	6	-	-	-
NOT STATED	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
VENTURA	11,472	15	49	111	181	327	399	2,837	3,731	2,647	1,010	154	6	-	5
HISPANIC	4,014	8	31	71	111	190	184	1,276	1,113	674	298	52	2	-	4
NON-HISPANIC	7,321	6	18	39	68	135	215	1,549	2,573	1,927	687	100	4	-	-
NOT STATED	137	1	-	1	2	2	-	12	45	46	25	2	-	-	1
YOLO	2,215	3	18	21	49	73	92	589	686	465	185	30	3	-	1
HISPANIC	550	1	10	9	16	20	28	198	163	74	21	9	-	-	1
NON-HISPANIC	1,658	2	8	12	33	51	64	389	521	390	164	21	3	-	-
NOT STATED	7	-	-	-	-	2	-	2	2	1	-	-	-	-	-
YUBA	1,318	5	14	19	34	47	66	480	403	176	54	16	4	-	-
HISPANIC	111	1	3	2	2	4	4	45	32	12	3	3	-	-	-
NON-HISPANIC	1,205	4	11	17	32	43	62	435	369	164	51	13	4	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-13

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
AMERICAN INDIAN	5,444	21	48	109	171	252	290	1,687	1,594	913	298	56	2	-	3
NONE	2,079	20	43	100	139	188	196	696	434	193	61	8	-	-	1
ONE	1,607	1	4	9	30	54	68	577	502	269	83	10	-	-	-
TWO	970	-	-	-	2	9	22	280	382	198	62	14	1	-	-
THREE	440	-	-	-	-	1	4	96	162	124	41	11	1	-	-
FOUR OR MORE	342	-	-	-	-	-	-	36	114	127	51	13	-	-	1
NOT STATED	6	-	1	-	-	-	-	2	-	2	-	-	-	-	1
BLACK	53,427	284	645	1,234	1,918	2,652	3,165	16,653	14,932	8,539	2,953	425	11	-	16
NONE	21,100	280	608	1,116	1,573	1,945	2,108	7,113	4,071	1,713	488	75	2	-	8
ONE	15,755	3	35	110	297	590	812	5,654	4,919	2,519	736	74	2	-	4
TWO	9,083	-	2	7	42	100	200	2,591	3,299	2,053	691	95	2	-	1
THREE	4,168	-	-	-	4	11	33	902	1,540	1,179	429	68	2	-	-
FOUR OR MORE	3,194	-	-	-	-	1	10	356	1,069	1,047	596	111	3	-	1
NOT STATED	127	1	-	1	2	5	2	37	34	28	13	2	-	-	2
CAMBODIAN	2,510	5	8	29	43	80	99	622	607	549	314	135	14	4	1
NONE	628	5	7	26	34	67	73	263	89	50	11	2	-	-	1
ONE	516	-	1	3	8	10	20	219	154	75	22	3	-	1	-
TWO	330	-	-	-	-	3	6	87	118	76	36	3	-	1	-
THREE	360	-	-	-	1	-	-	37	142	110	51	18	-	1	-
FOUR OR MORE	667	-	-	-	-	-	-	12	102	237	194	107	14	1	-
NOT STATED	9	-	-	-	-	-	-	4	2	1	-	2	-	-	-
CHINESE	11,018	1	2	10	16	20	27	773	3,533	4,540	1,879	208	8	-	1
NONE	5,383	1	2	9	15	15	20	558	2,232	1,936	545	49	1	-	-
ONE	3,888	-	-	1	1	5	6	181	1,010	1,856	757	69	2	-	-
TWO	1,238	-	-	-	-	-	1	27	209	546	403	49	2	-	1
THREE	336	-	-	-	-	-	-	6	64	132	113	20	1	-	-
FOUR OR MORE	162	-	-	-	-	-	-	1	12	67	59	21	2	-	-
NOT STATED	11	-	-	-	-	-	-	-	6	3	2	-	-	-	-
ESKIMO/ALEUT	35	-	-	1	2	2	1	14	7	6	2	-	-	-	-
NONE	13	-	-	1	2	1	1	5	2	1	-	-	-	-	-
ONE	11	-	-	-	-	1	-	7	2	-	1	-	-	-	-
TWO	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-
THREE	5	-	-	-	-	-	-	-	2	2	1	-	-	-	-
FOUR OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	15,057	14	38	86	168	258	347	2,857	4,543	4,326	2,027	378	13	2	-
NONE	6,655	14	38	83	153	215	290	1,777	2,117	1,381	490	95	2	-	-
ONE	4,980	-	-	3	13	39	52	815	1,578	1,673	701	102	2	2	-
TWO	2,346	-	-	-	1	4	4	220	646	873	516	80	2	-	-
THREE	731	-	-	-	1	-	1	30	144	293	212	48	2	-	-
FOUR OR MORE	321	-	-	-	-	-	-	10	52	99	105	50	5	-	-
NOT STATED	24	-	-	-	-	-	-	5	6	7	3	3	-	-	-
INDIAN (INDIA)	2,314	-	1	1	11	16	26	499	919	616	189	34	1	-	1
NONE	1,099	-	1	1	11	14	22	347	468	190	37	8	-	-	-
ONE	794	-	-	-	-	2	3	122	318	264	75	9	-	-	1
TWO	311	-	-	-	-	-	-	24	104	120	50	12	1	-	-
THREE	76	-	-	-	-	-	1	4	22	30	16	3	-	-	-
FOUR OR MORE	34	-	-	-	-	-	-	2	7	12	11	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4,613	-	4	10	26	36	47	516	1,417	1,720	730	105	2	-	-
NONE	2,320	-	4	10	26	33	35	320	825	776	250	40	1	-	-
ONE	1,535	-	-	-	-	2	10	135	435	633	282	37	1	-	-
TWO	590	-	-	-	-	1	1	52	123	253	149	20	-	-	-
THREE	124	-	-	-	-	-	1	7	26	46	37	7	-	-	-
FOUR OR MORE	42	-	-	-	-	-	-	1	8	12	20	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-

TABLE 2-13 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
KOREAN	4,251	-	1	6	4	13	16	430	2,047	1,350	330	51	1	-	2
NONE	2,052	-	1	6	4	10	13	335	1,189	414	66	13	-	-	1
ONE	1,686	-	-	-	-	2	3	83	756	682	142	18	-	-	-
TWO	422	-	-	-	-	-	-	7	89	224	89	12	-	-	1
THREE	60	-	-	-	-	1	-	4	8	24	18	5	-	-	-
FOUR OR MORE	22	-	-	-	-	-	-	-	2	5	12	2	1	-	-
NOT STATED	9	-	-	-	-	-	-	1	3	1	3	1	-	-	-
PACIFIC ISLANDER	4,058	10	17	55	94	159	174	1,248	1,298	673	278	46	6	-	-
NONE	1,534	9	16	54	85	118	131	550	381	142	39	8	1	-	-
ONE	1,149	-	1	1	7	39	34	433	399	185	42	7	1	-	-
TWO	673	-	-	-	2	2	9	189	259	142	61	7	2	-	-
THREE	351	-	-	-	-	-	-	52	146	88	53	11	1	-	-
FOUR OR MORE	342	-	-	-	-	-	-	23	111	112	82	13	1	-	-
NOT STATED	9	1	-	-	-	-	-	1	2	4	1	-	-	-	-
THAI	668	-	-	3	6	13	17	87	169	215	126	31	1	-	-
NONE	345	-	-	3	5	11	13	56	108	98	42	9	-	-	-
ONE	215	-	-	-	1	2	4	19	46	76	51	16	-	-	-
TWO	76	-	-	-	-	-	-	9	12	29	22	4	-	-	-
THREE	26	-	-	-	-	-	-	3	3	9	9	1	1	-	-
FOUR OR MORE	6	-	-	-	-	-	-	-	-	3	2	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	6,459	2	12	36	61	85	128	1,181	2,174	1,789	844	137	9	-	1
NONE	2,422	2	10	29	54	70	90	650	867	474	155	21	-	-	-
ONE	1,910	-	2	5	7	12	34	369	662	573	224	22	-	-	-
TWO	984	-	-	1	-	2	4	113	359	311	170	22	2	-	-
THREE	554	-	-	1	-	1	-	38	167	216	99	29	2	-	1
FOUR OR MORE	576	-	-	-	-	-	-	9	115	212	193	43	4	-	-
NOT STATED	13	-	-	-	-	-	-	2	4	3	3	-	1	-	-
WHITE	413,844	709	2,130	4,803	8,413	12,067	16,666	110,563	130,430	88,280	33,909	5,605	187	6	76
NONE	165,236	690	2,019	4,373	7,124	9,352	11,817	53,811	44,813	22,936	7,258	996	24	1	22
ONE	130,039	18	101	403	1,152	2,301	3,970	37,428	44,924	28,813	9,623	1,274	20	1	11
TWO	69,397	1	2	25	118	362	731	14,261	25,950	19,624	7,266	1,030	18	2	7
THREE	28,838	-	2	-	4	37	111	3,823	9,913	9,641	4,492	783	26	1	5
FOUR OR MORE	19,671	-	-	-	1	4	16	1,104	4,622	7,122	5,193	1,507	98	1	3
NOT STATED	663	-	6	2	14	11	21	136	208	144	77	15	1	-	28
OTHER ASIAN	6,799	40	75	114	145	195	252	1,731	1,947	1,358	700	179	44	18	1
NONE	1,910	36	57	77	73	103	121	513	526	289	99	15	1	-	-
ONE	1,506	4	18	29	53	63	67	413	437	301	102	18	1	-	-
TWO	875	-	-	6	16	18	33	320	244	143	84	10	1	-	-
THREE	687	-	-	1	3	6	25	236	219	125	62	7	2	-	1
FOUR OR MORE	1,803	-	-	-	-	5	6	247	517	498	349	125	39	17	-
NOT STATED	18	-	-	1	-	-	-	2	4	2	4	4	-	1	-
OTHER	669	-	3	3	4	7	11	141	255	170	61	14	-	-	-
NONE	290	-	3	3	4	6	10	92	108	51	12	1	-	-	-
ONE	211	-	-	-	-	1	1	34	95	57	19	4	-	-	-
TWO	100	-	-	-	-	-	-	9	34	37	18	2	-	-	-
THREE	47	-	-	-	-	-	-	6	13	16	7	5	-	-	-
FOUR OR MORE	19	-	-	-	-	-	-	-	3	9	5	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
NOT STATED	1,542	2	9	14	22	31	43	236	416	471	224	30	1	-	43
NONE	678	2	8	11	18	22	26	126	182	191	72	4	-	-	16
ONE	439	-	1	2	2	6	11	68	133	135	69	10	-	-	2
TWO	215	-	-	-	1	2	3	22	53	78	46	10	-	-	-
THREE	87	-	-	-	-	-	1	11	31	21	21	2	-	-	-
FOUR OR MORE	54	-	-	-	-	-	-	2	9	30	10	3	-	-	-
NOT STATED	69	-	-	1	1	1	2	7	8	16	6	1	1	-	25

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-14

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER, PREVIOUS LIVE BIRTHS AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND PREVIOUS LIVE BIRTHS	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
HISPANIC	182,910	577	1,573	3,376	5,470	7,441	9,634	58,119	52,030	30,197	12,116	2,225	110	4	38
CUBAN	802	3	5	5	6	15	17	186	324	178	51	11	-	-	1
NONE	335	3	4	5	6	12	15	103	125	49	11	2	-	-	-
ONE	272	-	1	-	-	3	2	55	127	65	14	5	-	-	-
TWO	134	-	-	-	-	-	-	21	49	51	11	1	-	-	1
THREE	41	-	-	-	-	-	-	5	15	11	8	2	-	-	-
FOUR OR MORE	18	-	-	-	-	-	-	2	6	2	7	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
MEXICAN	158,583	527	1,442	3,122	5,042	6,834	8,741	51,292	44,221	25,300	10,064	1,862	103	1	32
NONE	56,498	513	1,356	2,804	4,157	5,080	5,815	22,111	10,217	3,379	902	144	7	-	13
ONE	44,088	13	79	301	781	1,475	2,362	17,904	13,854	5,629	1,513	167	3	1	6
TWO	29,643	1	1	15	92	244	472	8,046	11,422	6,953	2,123	263	8	-	3
THREE	15,189	-	-	-	3	27	74	2,395	5,508	4,751	2,104	311	13	-	3
FOUR OR MORE	12,923	-	-	-	1	4	11	774	3,139	4,546	3,403	971	72	-	2
NOT STATED	242	-	6	2	8	4	7	62	81	42	19	6	-	-	5
PUERTO RICAN	1,551	7	13	42	53	60	93	440	434	281	104	24	-	-	-
NONE	599	7	13	39	41	39	61	196	123	58	20	2	-	-	-
ONE	482	-	-	3	9	18	21	145	167	86	25	8	-	-	-
TWO	265	-	-	-	2	2	11	68	89	66	25	2	-	-	-
THREE	130	-	-	-	-	1	-	29	36	44	18	2	-	-	-
FOUR OR MORE	72	-	-	-	-	-	-	2	17	27	16	10	-	-	-
NOT STATED	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-
OTHER HISPANIC	21,974	40	113	207	369	532	783	6,201	7,051	4,438	1,897	328	7	3	5
NONE	7,971	39	106	192	318	416	550	3,121	2,107	838	241	42	-	-	1
ONE	6,782	1	7	12	46	101	186	2,110	2,493	1,330	433	60	2	-	1
TWO	4,170	-	-	3	3	13	37	726	1,599	1,187	515	83	1	2	1
THREE	1,830	-	-	-	-	1	9	198	581	634	350	54	2	1	-
FOUR OR MORE	1,191	-	-	-	-	-	1	45	262	439	353	89	2	-	-
NOT STATED	30	-	-	-	2	1	-	1	9	10	5	-	-	-	2
NON-HISPANIC	347,098	505	1,403	3,101	5,592	8,360	11,574	80,554	113,511	84,628	32,429	5,173	187	26	55
NONE	147,165	491	1,322	2,831	4,762	6,557	8,460	41,387	45,547	26,259	8,355	1,151	25	1	17
ONE	113,827	12	75	246	731	1,517	2,498	26,172	39,482	30,789	10,849	1,420	24	3	9
TWO	53,018	-	3	20	84	242	488	9,294	18,601	16,331	6,919	1,008	22	1	5
THREE	19,530	-	2	2	10	28	93	2,602	6,408	6,568	3,142	647	23	1	4
FOUR OR MORE	12,963	-	-	-	-	5	20	976	3,301	4,538	3,083	926	92	19	3
NOT STATED	595	2	1	2	5	11	15	123	172	143	81	21	1	1	17
NOT STATED	2,700	6	17	37	42	85	101	565	747	690	319	36	3	-	52
NONE	1,176	6	16	31	36	66	65	294	293	252	96	3	-	-	18
ONE	790	-	1	4	4	15	26	171	247	212	95	13	-	-	2
TWO	386	-	-	1	1	2	6	58	122	122	61	13	-	-	-
THREE	170	-	-	-	-	-	1	26	54	48	39	2	-	-	-
FOUR OR MORE	88	-	-	-	-	1	-	4	18	40	20	4	1	-	-
NOT STATED	90	-	-	1	1	1	3	12	13	16	8	1	2	-	32

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2—15

AGE-SPECIFIC LIVE BIRTH RATES[1] BY AGE OF MOTHER (BY INDIVIDUAL YEAR FOR TEENS)
CALIFORNIA COUNTIES, 1988

(By place of residence)

COUNTY	10—14	15	16	17	18	19
California	1.2	17.2	36.7	55.7	75.0	102.3
Alameda	1.2	14.5	34.1	42.1	51.5	61.6
Alpine	—	—	a,b	a,b	—	a,b
Amador	—	—	—	b	b	b
Butte	—	b	37.8	51.3	47.6	54.1
Calaveras	—	a,b	a,b	b	b	b
Colusa	a,b	a,b	a,b	a,b	b	b
Contra Costa	0.9	9.3	20.5	35.0	53.5	76.8
Del Norte	—	a,b	b	b	b	b
El Dorado	a	a,b	b	b	b	b
Fresno	2.0	35.7	62.5	94.0	94.7	131.2
Glenn	a,b	a,b	b	b	b	b
Humboldt	a	b	b	b	b	80.9
Imperial	1.7	b	b	b	b	b
Inyo	—	a,b	b	a,b	b	b
Kern	2.0	25.0	50.5	89.9	121.4	180.1
Kings	1.7	b	b	b	b	b
Lake	a	—	b	b	b	b
Lassen	a,b	—	a,b	b	b	b
Los Angeles	1.4	21.3	45.4	64.7	90.7	123.7
Madera	1.8	b	b	b	b	b
Marin	—	a	4.9	6.5	b	b
Mariposa	—	a,b	—	a,b	b	b
Mendocino	a	b	b	b	b	b
Merced	1.5	30.8	53.3	78.4	114.8	184.0
Modoc	a,b	—	b	a,b	a,b	b
Mono	—	—	—	—	—	a,b
Monterey	1.3	19.8	41.4	63.9	72.9	108.7
Napa	—	b	b	b	b	b
Nevada	—	b	b	b	b	b
Orange	0.7	11.7	26.5	39.0	55.4	82.4
Placer	—	b	b	20.1	5[illegible]	76.1
Plumas	—	—	a,b	a,b	a,b	a,b
Riverside	1.4	19.8	41.8	67.5	95.2	116.8
Sacramento	1.3	16.2	41.5	59.9	78.8	96.3
San Benito	a	b	b	b	b	b
San Bernardino	1.2	18.1	45.4	68.4	98.1	136.7
San Diego	1.0	12.3	29.4	49.2	59.9	90.5
San Francisco	2.0	13.7	32.4	44.8	60.7	71.9
San Joaquin	1.2	20.0	40.8	66.1	101.1	137.9
San Luis Obispo	1.1	5.5	26.1	43.8	38.5	45.5
San Mateo	0.6	11.8	20.0	27.6	44.9	65.0
Santa Barbara	0.9	16.7	30.8	47.4	44.6	66.6
Santa Clara	1.0	11.6	23.9	37.5	55.6	67.4
Santa Cruz	a	14.0	32.7	45.0	57.1	77.5
Shasta	1.1	b	b	55.9	73.0	b
Sierra	—	—	—	a,b	—	—
Siskiyou	—	a,b	b	b	b	b
Solano	1.6	12.6	30.6	53.6	77.5	95.1
Sonoma	0.8	8.1	14.1	32.2	42.2	65.4
Stanislaus	1.1	16.9	39.2	76.7	95.5	138.8
Sutter	—	a,b	b	b	b	b
Tehama	a	a,b	b	b	b	b
Trinity	—	—	a,b	a,b	b	b
Tulare	1.7	30.3	50.9	80.0	125.6	174.8
Tuolumne	—	a,b	a,b	b	b	b
Ventura	0.7	10.6	23.4	33.3	65.9	80.4
Yolo	a	b	b	b	35.0	40.9
Yuba	2.6	b	b	b	b	b

1 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group.

— Represents zero births.

a Rates are not calculated for fewer than five live births.
b Rates are not calculated for counties reporting fewer than 1,000 population in a specific age group.

Source: State of California, Department of Finance, *1988 Population Projections for California Counties, Baseline 86,* March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Birth Records.

Figure 2—C

AGE-SPECIFIC LIVE BIRTH RATES[1]
CALIFORNIA COUNTIES, 1988
(Mothers ages 15—19)



1 An age-specific live birth rate is the number of live births per 1,000 women in a specific age group.

* Rates not calculated for fewer than five live births.

Source: State of California Department of Finance, *Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates, Report 88 E-2.

State of California, Department of Health Services, Birth Records and Table 2—5.

TABLE 2-16

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	532,708	5,444	53,427	2,510	11,018	35	15,057	2,314	4,613
UNDER 1,500 GRAMS	5,556	63	1,440	25	61	-	125	27	31
UNDER 37 WEEKS	4,527	51	1,156	16	51	-	113	21	27
37-42 WEEKS	319	3	82	2	3	-	6	2	2
43 WEEKS AND OVER	47	2	11	-	-	-	1	-	-
NOT STATED	663	7	191	7	7	-	5	4	2
1,500-2,499 GRAMS	26,424	304	5,344	163	449	1	854	183	235
UNDER 37 WEEKS	12,894	134	2,632	47	213	-	401	87	120
37-42 WEEKS	11,033	132	2,176	81	215	1	397	85	100
43 WEEKS AND OVER	724	10	144	10	7	-	20	3	4
NOT STATED	1,773	28	392	25	14	-	36	8	11
2,500 GRAMS OR MORE	500,552	5,075	46,630	2,321	10,505	34	14,070	2,104	4,345
UNDER 37 WEEKS	33,787	403	4,825	313	497	3	1,119	130	223
37-42 WEEKS	409,939	3,919	36,297	1,635	9,247	27	11,785	1,780	3,734
43 WEEKS AND OVER	34,236	430	3,282	155	477	3	712	105	223
NOT STATED	22,590	323	2,226	218	284	1	454	89	165
NOT STATED	176	2	13	1	3	-	8	-	2
UNDER 37 WEEKS	32	-	3	-	-	-	-	-	-
37-42 WEEKS	63	1	5	-	3	-	2	-	1
43 WEEKS AND OVER	7	-	1	-	-	-	-	-	-
NOT STATED	74	1	4	1	-	-	6	-	1

TABLE 2-16 (CONTINUED)

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	532,708	4,251	4,058	668	6,459	413,844	6,799	669	1,542
UNDER 1,500 GRAMS	5,556	39	34	4	60	3,530	61	7	49
UNDER 37 WEEKS	4,527	29	23	4	47	2,909	44	7	29
37-42 WEEKS	319	5	2	-	2	204	5	-	1
43 WEEKS AND OVER	47	-	-	-	-	32	1	-	-
NOT STATED	663	5	9	-	11	385	11	-	19
1,500-2,499 GRAMS	26,424	147	205	32	307	17,692	390	39	79
UNDER 37 WEEKS	12,894	60	96	17	114	8,743	172	19	39
37-42 WEEKS	11,033	78	86	11	161	7,322	150	18	20
43 WEEKS AND OVER	724	4	3	3	8	493	15	-	-
NOT STATED	1,773	5	20	1	24	1,134	53	2	20
2,500 GRAMS OR MORE	500,552	4,064	3,816	632	6,092	392,484	6,346	623	1,411
UNDER 37 WEEKS	33,787	186	351	61	493	24,444	607	52	80
37-42 WEEKS	409,939	3,509	3,019	515	4,921	323,308	4,622	511	1,110
43 WEEKS AND OVER	34,236	200	259	29	334	27,562	368	32	65
NOT STATED	22,590	169	187	27	344	17,170	749	28	156
NOT STATED	176	1	3	-	-	138	2	-	3
UNDER 37 WEEKS	32	-	-	-	-	29	-	-	-
37-42 WEEKS	63	1	-	-	-	49	1	-	-
43 WEEKS AND OVER	7	-	-	-	-	6	-	-	-
NOT STATED	74	-	3	-	-	54	1	-	3

NOTE: 'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 367 LIVE BIRTHS OF 16 WEEKS OR LESS GESTATION AND 3915 LIVE BIRTHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES IN THE FILE RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-17

LIVE BIRTHS BY BIRTHWEIGHT, WEEKS OF GESTATION AND SPANISH/HISPANIC ORIGIN OF MOTHER

CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	532,708	802	158,583	1,551	21,974	347,098	2,700
UNDER 1,500 GRAMS	5,556	12	1,346	31	186	3,898	83
UNDER 37 WEEKS	4,527	11	1,082	26	144	3,213	51
37-42 WEEKS	319	-	95	1	23	196	4
43 WEEKS AND OVER	47	-	17	-	2	28	-
NOT STATED	663	1	152	4	17	461	28
1,500-2,499 GRAMS	26,424	43	6,858	89	921	18,360	153
UNDER 37 WEEKS	12,894	21	3,290	43	428	9,035	77
37-42 WEEKS	11,033	21	2,888	33	421	7,625	45
43 WEEKS AND OVER	724	-	195	5	28	495	1
NOT STATED	1,773	1	485	8	44	1,205	30
2,500 GRAMS OR MORE	500,552	747	150,312	1,429	20,854	324,748	2,462
UNDER 37 WEEKS	33,787	40	11,188	125	1,621	20,647	166
37-42 WEEKS	409,939	647	121,445	1,142	17,119	267,674	1,912
43 WEEKS AND OVER	34,236	37	10,847	112	1,369	21,708	163
NOT STATED	22,590	23	6,832	50	745	14,719	221
NOT STATED	176	-	67	2	13	92	2
UNDER 37 WEEKS	32	-	19	-	2	11	-
37-42 WEEKS	63	-	25	-	6	32	-
43 WEEKS AND OVER	7	-	2	-	-	5	-
NOT STATED	74	-	21	2	5	44	2

NOTE: 'NOT STATED' AS TO WEEKS OF GESTATION CATEGORIES, INCLUDES NOT ONLY THOSE NOT STATED, BUT ALSO 367 LIVE BIRTHS OF 16 WEEKS OR LESS GESTATION AND 3915 LIVE BIRTHS OF 53 WEEKS OR MORE GESTATION. THESE LATTER CATEGORIES REFLECT REPORTING INACCURACIES IN THE FILE RATHER THAN ACTUAL GESTATION PERIODS.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-16

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
AMERICAN INDIAN	5,444	21	48	109	171	252	290	1,687	1,594	913	298	56	2	-	3
UNDER 1,500 GRAMS	63	-	1	1	2	1	3	19	16	14	5	1	-	-	-
1,500-2,499 GRAMS	304	2	4	5	8	16	12	83	76	76	16	6	-	-	-
2,500-3,499 GRAMS	2,737	13	30	70	92	139	161	877	783	405	142	23	2	-	-
3,500-4,499 GRAMS	2,216	6	13	33	64	91	109	675	682	393	126	23	-	-	1
4500 GRAMS OR MORE	122	-	-	-	5	5	5	33	36	25	9	3	-	-	1
NOT STATED	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
BLACK	53,427	284	645	1,234	1,918	2,652	3,165	16,653	14,932	8,539	2,953	425	11	-	16
UNDER 1,500 GRAMS	1,440	13	19	34	34	50	50	415	404	316	93	12	-	-	-
1,500-2,499 GRAMS	5,344	27	53	122	184	282	288	1,551	1,525	916	339	51	3	-	3
2,500-3,499 GRAMS	31,395	188	419	800	1,242	1,669	2,025	10,116	8,614	4,591	1,491	224	8	-	8
3,500-4,499 GRAMS	14,684	56	153	274	448	642	786	4,428	4,203	2,587	979	123	-	-	5
4500 GRAMS OR MORE	551	-	1	4	8	9	15	140	182	126	51	15	-	-	-
NOT STATED	13	-	-	-	2	-	1	3	4	3	-	-	-	-	-
CAMBODIAN	2,510	5	8	29	43	80	99	622	607	549	314	135	14	4	1
UNDER 1,500 GRAMS	25	-	1	-	2	2	3	2	6	6	2	1	-	-	-
1,500-2,499 GRAMS	163	1	1	3	4	8	10	40	31	37	11	15	2	-	-
2,500-3,499 GRAMS	1,769	3	6	22	32	66	71	468	429	379	207	75	8	2	1
3,500-4,499 GRAMS	534	1	-	4	5	4	15	110	137	124	88	41	3	2	-
4500 GRAMS OR MORE	18	-	-	-	-	-	-	2	4	3	5	3	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHINESE	11,018	1	2	10	16	20	27	773	3,533	4,540	1,879	208	8	-	1
UNDER 1,500 GRAMS	61	-	-	-	-	-	-	1	21	23	11	4	1	-	-
1,500-2,499 GRAMS	449	-	-	1	-	1	2	42	135	179	82	5	2	-	-
2,500-3,499 GRAMS	6,934	-	2	6	12	15	21	503	2,288	2,843	1,114	126	3	-	1
3,500-4,499 GRAMS	3,470	1	-	3	4	4	4	223	1,071	1,437	651	70	2	-	-
4500 GRAMS OR MORE	101	-	-	-	-	-	-	4	17	56	21	3	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
ESKIMO/ALEUT	35	-	-	1	2	2	1	14	7	6	2	-	-	-	-
UNDER 1,500 GRAMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,500-2,499 GRAMS	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2,500-3,499 GRAMS	19	-	-	-	1	1	1	9	3	3	1	-	-	-	-
3,500-4,499 GRAMS	15	-	-	1	1	1	-	4	4	3	1	-	-	-	-
4500 GRAMS OR MORE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	15,057	14	38	86	168	258	347	2,857	4,543	4,326	2,027	378	13	2	-
UNDER 1,500 GRAMS	125	-	1	-	3	5	3	21	20	40	28	4	-	-	-
1,500-2,499 GRAMS	854	2	1	6	10	14	25	163	239	245	118	29	2	-	-
2,500-3,499 GRAMS	9,510	12	29	65	116	175	233	1,932	2,844	2,645	1,231	219	7	2	-
3,500-4,499 GRAMS	4,421	-	7	15	39	62	84	718	1,403	1,347	620	122	4	-	-
4500 GRAMS OR MORE	139	-	-	-	-	2	2	20	36	46	29	4	-	-	-
NOT STATED	8	-	-	-	-	-	-	3	1	3	1	-	-	-	-
INDIAN (INDIA)	2,314	-	1	1	11	16	26	499	919	616	189	34	1	-	1
UNDER 1,500 GRAMS	27	-	-	-	1	-	-	10	7	7	2	-	-	-	-
1,500-2,499 GRAMS	183	-	-	-	-	-	1	46	72	48	15	1	-	-	-
2,500-3,499 GRAMS	1,473	-	-	-	9	12	20	330	593	370	117	21	-	-	1
3,500-4,499 GRAMS	612	-	1	1	1	4	5	112	240	185	52	10	1	-	-
4500 GRAMS OR MORE	19	-	-	-	-	-	-	1	7	6	3	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	4,613	-	4	10	26	36	47	516	1,417	1,720	730	105	2	-	-
UNDER 1,500 GRAMS	31	-	-	-	-	-	-	7	13	7	3	1	-	-	-
1,500-2,499 GRAMS	235	-	-	-	3	5	3	22	67	81	46	7	1	-	-
2,500-3,499 GRAMS	2,794	-	3	6	14	26	31	297	878	1,033	449	57	-	-	-
3,500-4,499 GRAMS	1,507	-	1	4	9	4	12	184	440	588	226	38	1	-	-
4500 GRAMS OR MORE	44	-	-	-	-	1	1	5	19	10	6	2	-	-	-
NOT STATED	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-

TABLE 2-18 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
KOREAN	4,251	-	1	6	4	13	16	430	2,047	1,350	330	51	1	-	2
UNDER 1,500 GRAMS	39	-	-	-	-	-	-	3	17	12	7	-	-	-	-
1,500-2,499 GRAMS	147	-	-	1	1	1	-	18	55	50	19	2	-	-	-
2,500-3,499 GRAMS	2,404	-	1	3	3	4	6	267	1,194	727	171	26	1	-	1
3,500-4,499 GRAMS	1,609	-	-	2	-	8	10	138	758	542	128	22	-	-	1
4500 GRAMS OR MORE	51	-	-	-	-	-	-	4	22	19	5	1	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	4,058	10	17	55	94	159	174	1,248	1,298	673	278	46	6	-	-
UNDER 1,500 GRAMS	34	1	-	1	2	2	2	6	14	4	2	-	-	-	-
1,500-2,499 GRAMS	205	-	-	2	8	18	18	72	52	24	8	2	1	-	-
2,500-3,499 GRAMS	1,913	7	11	36	53	83	87	606	581	308	116	24	1	-	-
3,500-4,499 GRAMS	1,769	2	5	16	30	54	62	532	603	311	131	19	4	-	-
4500 GRAMS OR MORE	134	-	1	-	1	2	5	31	47	26	20	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
THAI	668	-	-	3	6	13	17	87	169	215	126	31	1	-	-
UNDER 1,500 GRAMS	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-
1,500-2,499 GRAMS	32	-	-	-	1	1	3	5	8	5	5	4	-	-	-
2,500-3,499 GRAMS	401	-	-	3	4	9	12	51	108	127	72	15	-	-	-
3,500-4,499 GRAMS	225	-	-	-	1	3	2	30	49	80	47	12	1	-	-
4500 GRAMS OR MORE	6	-	-	-	-	-	-	-	4	2	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	6,459	2	12	36	61	85	128	1,181	2,174	1,789	844	137	9	-	1
UNDER 1,500 GRAMS	60	-	-	1	-	2	1	12	11	24	5	4	-	-	-
1,500-2,499 GRAMS	307	-	2	2	9	-	10	60	95	79	46	5	-	-	-
2,500-3,499 GRAMS	4,403	2	8	32	43	60	90	870	1,490	1,183	529	89	6	-	1
3,500-4,499 GRAMS	1,654	-	2	2	9	21	27	236	569	494	254	37	3	-	-
4500 GRAMS OR MORE	35	-	-	-	-	2	-	3	9	9	10	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	413,844	709	2,130	4,803	8,413	12,067	16,666	110,563	130,430	88,280	33,909	5,605	187	6	76
UNDER 1,500 GRAMS	3,530	8	34	53	87	120	168	919	966	748	363	56	2	-	6
1,500-2,499 GRAMS	17,692	55	129	241	481	619	818	4,777	5,051	3,560	1,648	293	13	1	6
2,500-3,499 GRAMS	204,595	443	1,267	2,851	4,902	6,906	9,305	58,192	62,702	40,304	15,164	2,445	76	5	33
3,500-4,499 GRAMS	178,409	197	684	1,613	2,857	4,280	6,154	44,750	58,574	40,994	15,600	2,595	90	-	21
4500 GRAMS OR MORE	9,480	6	15	44	80	140	218	1,889	3,100	2,648	1,123	210	6	-	1
NOT STATED	138	-	1	1	6	2	3	36	37	26	11	6	-	-	9
OTHER ASIAN	6,799	40	75	114	145	195	252	1,731	1,947	1,358	700	179	44	18	1
UNDER 1,500 GRAMS	61	1	3	3	2	2	1	13	12	16	5	1	-	2	-
1,500-2,499 GRAMS	390	4	5	14	20	12	21	114	84	75	32	8	1	-	-
2,500-3,499 GRAMS	4,362	26	54	80	102	145	191	1,181	1,248	787	407	111	23	6	1
3,500-4,499 GRAMS	1,924	9	13	15	21	35	39	418	587	465	238	56	20	8	-
4500 GRAMS OR MORE	60	-	-	2	-	1	-	4	16	15	18	3	-	1	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-
OTHER	669	-	3	3	7	7	11	141	255	170	61	14	-	-	-
UNDER 1,500 GRAMS	7	-	-	-	-	-	-	-	4	2	1	-	-	-	-
1,500-2,499 GRAMS	39	-	-	-	-	1	1	9	19	5	4	-	-	-	-
2,500-3,499 GRAMS	404	-	3	3	2	3	7	87	160	99	30	10	-	-	-
3,500-4,499 GRAMS	208	-	-	-	2	3	3	41	71	59	25	4	-	-	-
4500 GRAMS OR MORE	11	-	-	-	-	-	-	4	1	5	1	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1,542	2	9	14	22	31	43	236	416	471	224	30	1	-	43
UNDER 1,500 GRAMS	49	-	-	-	1	3	3	8	10	10	5	-	-	-	9
1,500-2,499 GRAMS	79	-	-	1	1	5	2	17	14	17	18	-	-	-	4
2,500-3,499 GRAMS	806	2	6	10	11	18	25	123	223	245	105	18	1	-	19
3,500-4,499 GRAMS	575	-	3	3	9	5	13	87	159	184	91	11	-	-	10
4500 GRAMS OR MORE	30	-	-	-	-	-	-	1	9	14	5	1	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-19

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
BIRTHWEIGHT AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND BIRTHWEIGHT	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
HISPANIC	182,910	577	1,573	3,376	5,470	7,441	9,634	58,119	52,030	30,197	12,116	2,225	110	4	38
CUBAN	802	3	5	5	6	15	17	186	324	178	51	11	-	-	1
UNDER 1,500 GRAMS	12	1	-	-	-	-	-	2	6	-	3	-	-	-	-
1,500-2,499 GRAMS	43	-	-	1	1	-	1	8	18	8	5	1	-	-	-
2,500-3,499 GRAMS	393	-	4	1	3	7	7	95	167	90	12	6	-	-	1
3,500-4,499 GRAMS	339	2	1	3	2	8	9	79	126	76	30	3	-	-	-
4500 GRAMS OR MORE	15	-	-	-	-	-	-	2	7	4	1	1	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	158,583	527	1,442	3,122	5,042	6,834	8,741	51,292	44,221	25,300	10,064	1,862	103	1	32
UNDER 1,500 GRAMS	1,346	5	21	33	46	67	78	391	343	232	115	13	2	-	-
1,500-2,499 GRAMS	6,858	39	84	146	283	369	409	2,250	1,652	1,022	489	106	6	-	3
2,500-3,499 GRAMS	82,569	340	884	1,923	3,079	4,081	5,150	28,264	21,943	11,624	4,427	802	35	1	16
3,500-4,499 GRAMS	64,462	139	441	993	1,594	2,254	3,020	19,671	19,252	11,567	4,622	841	55	-	13
4500 GRAMS OR MORE	3,281	4	11	27	38	61	83	694	1,016	842	405	95	5	-	-
NOT STATED	67	-	1	-	2	2	1	22	15	13	6	5	-	-	-
PUERTO RICAN	1,551	7	13	42	53	60	93	440	434	281	104	24	-	-	-
UNDER 1,500 GRAMS	31	-	-	2	-	-	2	5	9	9	3	1	-	-	-
1,500-2,499 GRAMS	89	2	1	4	2	3	3	25	20	21	8	-	-	-	-
2,500-3,499 GRAMS	890	4	9	25	31	42	67	265	246	136	57	8	-	-	-
3,500-4,499 GRAMS	524	1	3	11	19	15	21	141	152	111	35	15	-	-	-
4500 GRAMS OR MORE	15	-	-	-	-	-	-	4	7	3	1	-	-	-	-
NOT STATED	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	21,974	40	113	207	369	532	783	6,201	7,051	4,438	1,897	328	7	3	5
UNDER 1,500 GRAMS	186	-	1	2	5	2	7	38	64	42	17	8	-	-	-
1,500-2,499 GRAMS	921	5	10	12	20	27	54	282	252	159	84	15	1	-	-
2,500-3,499 GRAMS	12,070	25	68	140	244	359	473	3,642	3,759	2,244	951	155	3	3	4
3,500-4,499 GRAMS	8,454	10	33	52	97	143	245	2,170	2,861	1,902	797	140	3	-	1
4500 GRAMS OR MORE	330	-	1	-	1	1	4	66	110	89	48	10	-	-	-
NOT STATED	13	-	-	1	2	-	-	3	5	2	-	-	-	-	-
NON-HISPANIC	347,098	505	1,403	3,101	5,592	8,360	11,574	80,554	113,511	84,628	32,429	5,173	187	26	55
UNDER 1,500 GRAMS	3,898	17	36	54	81	115	142	988	1,078	932	388	61	1	2	3
1,500-2,499 GRAMS	18,360	45	100	229	423	577	742	4,416	5,554	4,155	1,793	303	18	1	4
2,500-3,499 GRAMS	178,607	322	862	1,874	3,259	4,788	6,528	43,349	57,630	41,618	15,752	2,495	97	11	22
3,500-4,499 GRAMS	139,036	119	400	921	1,771	2,780	4,001	30,414	46,869	35,850	13,648	2,170	69	10	14
4500 GRAMS OR MORE	7,105	2	5	23	55	100	158	1,367	2,353	2,054	840	143	2	1	2
NOT STATED	92	-	-	-	3	-	3	20	27	19	8	1	-	1	10
NOT STATED	2,700	6	17	37	42	85	101	565	747	690	319	36	3	-	52
UNDER 1,500 GRAMS	83	-	1	2	2	3	5	13	21	15	8	1	-	-	12
1,500-2,499 GRAMS	153	-	-	5	1	7	5	39	27	32	28	3	-	-	6
2,500-3,499 GRAMS	1,390	5	12	24	22	54	61	294	393	337	147	17	1	-	23
3,500-4,499 GRAMS	1,017	1	4	6	17	21	29	211	290	287	125	14	2	-	10
4500 GRAMS OR MORE	55	-	-	-	-	-	1	8	16	18	11	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2—20

LIVE BIRTHS BY MONTH PRENATAL CARE BEGAN AND AGE OF MOTHER CALIFORNIA, 1988

(By place of residence)

MONTH OF PREGNANCY PRENATAL CARE BEGAN	TOTAL	AGE OF MOTHER							
		Under 15	15—17	18—19	20—24	25—29	30—34	35 and Older	Unknown
Total	532,708	1,088	20,611	37,195	139,238	166,288	115,515	52,628	145
First Trimester	395,493	438	10,737	21,312	94,469	130,423	95,284	42,785	45
First Month	102,068	71	1,713	3,923	21,454	34,907	27,403	12,586	11
Second Month	189,189	176	4,536	9,121	43,638	63,914	47,093	20,688	23
Third Month	104,236	191	4,488	8,268	29,377	31,602	20,788	9,511	11
Second Trimester	97,802	433	7,016	11,513	31,994	25,519	14,435	6,879	13
Fourth Month	50,578	161	3,154	5,525	16,104	13,684	8,049	3,894	7
Fifth Month	29,243	146	2,313	3,658	9,856	7,389	4,005	1,872	4
Sixth Month	17,981	126	1,549	2,330	6,034	4,446	2,381	1,113	2
Third Trimester	21,134	132	1,745	2,521	7,031	5,369	2,885	1,449	2
Seventh Month	11,738	85	1,014	1,456	3,968	2,879	1,572	762	2
Eighth Month	6,243	33	511	743	2,059	1,607	847	443	—
Ninth Month	3,153	14	220	322	1,004	883	466	244	—
No Prenatal Care	11,049	61	800	1,246	3,744	2,904	1,478	791	25
Unknown	7,230	24	313	603	2,000	2,073	1,433	724	60

— Represents zero events.

Source: State of California, Department of Health Services, Birth Records.

TABLE 2-21

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
AMERICAN INDIAN	5,444	21	48	109	171	252	290	1,687	1,594	913	298	56	2	-	3
FIRST TRIMESTER	3,702	14	23	56	95	144	174	1,072	1,157	682	243	40	2	-	-
SECOND TRIMESTER	1,212	5	14	37	54	79	85	410	319	162	37	8	-	-	2
THIRD TRIMESTER	311	2	6	14	13	19	25	113	70	36	9	4	-	-	-
NO PRENATAL CARE	149	-	5	1	8	7	2	64	30	23	5	4	-	-	-
NOT STATED	70	-	-	1	1	3	4	28	18	10	4	-	-	-	1
BLACK	53,427	284	645	1,234	1,918	2,652	3,165	16,653	14,932	8,539	2,953	425	11	-	16
FIRST TRIMESTER	36,274	108	305	648	1,049	1,540	1,862	10,928	10,889	6,359	2,253	317	9	-	7
SECOND TRIMESTER	12,390	122	230	445	641	827	998	4,186	2,844	1,527	486	79	1	-	4
THIRD TRIMESTER	2,317	35	64	92	135	164	169	765	519	266	93	15	-	-	-
NO PRENATAL CARE	1,574	14	29	34	54	78	80	496	464	244	73	7	-	-	1
NOT STATED	872	5	17	15	39	43	56	278	216	143	48	7	1	-	4
CAMBODIAN	2,510	5	8	29	43	80	99	622	607	549	314	135	14	4	1
FIRST TRIMESTER	1,582	3	6	18	26	37	60	385	403	360	200	73	7	4	-
SECOND TRIMESTER	681	1	2	7	13	37	32	170	142	140	84	48	4	-	1
THIRD TRIMESTER	93	-	-	3	2	3	3	33	21	19	6	3	-	-	-
NO PRENATAL CARE	47	-	-	1	1	2	2	11	11	8	9	2	-	-	-
NOT STATED	107	1	-	-	1	1	2	23	30	22	15	9	3	-	-
CHINESE	11,018	1	2	10	16	20	27	773	3,533	4,540	1,879	208	8	-	1
FIRST TRIMESTER	9,579	1	-	5	9	9	19	620	3,045	4,019	1,659	185	7	-	1
SECOND TRIMESTER	1,051	-	1	3	3	7	6	109	359	395	151	16	1	-	-
THIRD TRIMESTER	208	-	1	-	3	3	2	27	75	58	37	2	-	-	-
NO PRENATAL CARE	60	-	-	2	1	1	-	5	23	16	10	2	-	-	-
NOT STATED	120	-	-	-	-	-	-	12	31	52	22	3	-	-	-
ESKIMO/ALEUT	35	-	-	1	2	2	1	14	7	6	2	-	-	-	-
FIRST TRIMESTER	21	-	-	1	2	2	-	7	4	5	-	-	-	-	-
SECOND TRIMESTER	11	-	-	-	-	-	1	5	3	1	1	-	-	-	-
THIRD TRIMESTER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NO PRENATAL CARE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	15,057	14	38	86	168	258	347	2,857	4,543	4,326	2,027	378	13	2	-
FIRST TRIMESTER	11,973	5	19	27	85	126	193	2,051	3,724	3,686	1,742	303	10	2	-
SECOND TRIMESTER	2,272	8	13	40	62	100	101	599	612	475	199	60	3	-	-
THIRD TRIMESTER	491	-	5	16	15	24	35	128	110	102	49	7	-	-	-
NO PRENATAL CARE	153	1	-	2	5	4	9	42	42	25	20	3	-	-	-
NOT STATED	168	-	1	1	1	4	9	37	55	38	17	5	-	-	-
INDIAN (INDIA)	2,314	-	1	1	11	16	26	499	919	616	189	34	1	-	1
FIRST TRIMESTER	1,932	-	1	-	6	10	18	383	774	541	166	31	1	-	1
SECOND TRIMESTER	279	-	-	-	5	3	6	93	100	55	16	1	-	-	-
THIRD TRIMESTER	52	-	-	1	-	3	2	13	20	9	3	1	-	-	-
NO PRENATAL CARE	20	-	-	-	-	-	-	3	10	5	2	-	-	-	-
NOT STATED	31	-	-	-	-	-	-	7	15	6	2	1	-	-	-
JAPANESE	4,613	-	4	10	26	36	47	516	1,417	1,720	730	105	2	-	-
FIRST TRIMESTER	4,040	-	1	6	15	22	27	389	1,249	1,584	648	97	2	-	-
SECOND TRIMESTER	398	-	1	1	7	10	16	90	117	93	57	6	-	-	-
THIRD TRIMESTER	87	-	1	3	4	3	4	23	20	21	7	1	-	-	-
NO PRENATAL CARE	33	-	1	-	-	1	-	4	16	7	3	1	-	-	-
NOT STATED	55	-	-	-	-	-	-	10	15	15	15	-	-	-	-

TABLE 2-21 (CONTINUED)

LIVE BIRTHS BY RACE/ETHNICITY OF CHILD,

TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

RACE/ETHNICITY AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA (CONTINUED)	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,884	7,434	300	30	145
KOREAN	4,251	-	1	6	4	13	16	430	2,047	1,350	330	51	1	-	2
FIRST TRIMESTER	3,536	-	-	2	2	7	9	325	1,723	1,147	276	43	-	-	2
SECOND TRIMESTER	487	-	-	2	2	4	6	68	223	137	37	7	1	-	-
THIRD TRIMESTER	126	-	1	-	-	2	1	22	53	36	11	-	-	-	-
NO PRENATAL CARE	27	-	-	1	-	-	-	5	13	6	2	-	-	-	-
NOT STATED	75	-	-	1	-	-	-	10	35	24	4	1	-	-	-
PACIFIC ISLANDER	4,058	10	17	55	94	159	174	1,248	1,298	673	278	46	6	-	-
FIRST TRIMESTER	2,507	1	4	21	46	68	95	743	838	469	187	34	1	-	-
SECOND TRIMESTER	954	6	9	29	28	59	52	311	273	124	51	10	2	-	-
THIRD TRIMESTER	367	1	3	3	16	19	19	119	110	53	21	1	2	-	-
NO PRENATAL CARE	157	1	1	2	3	10	3	60	50	16	10	1	-	-	-
NOT STATED	73	1	-	-	1	3	5	15	27	11	9	-	1	-	-
THAI	668	-	-	3	6	13	17	87	169	215	126	31	1	-	-
FIRST TRIMESTER	544	-	-	1	3	8	8	63	147	183	104	26	1	-	-
SECOND TRIMESTER	93	-	-	2	1	3	7	17	18	25	16	4	-	-	-
THIRD TRIMESTER	14	-	-	-	-	1	-	5	1	3	4	-	-	-	-
NO PRENATAL CARE	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-
NOT STATED	14	-	-	-	1	1	1	2	3	4	1	1	-	-	-
VIETNAMESE	6,459	2	12	36	61	85	128	1,181	2,174	1,789	844	137	9	-	1
FIRST TRIMESTER	5,045	1	7	19	31	52	84	884	1,735	1,459	655	112	5	-	1
SECOND TRIMESTER	935	1	2	13	25	22	29	213	293	205	113	17	2	-	-
THIRD TRIMESTER	226	-	1	2	3	6	8	42	76	52	32	3	1	-	-
NO PRENATAL CARE	81	-	-	2	-	2	6	11	22	19	18	1	-	-	-
NOT STATED	172	-	2	-	2	3	1	31	48	54	26	4	1	-	-
WHITE	413,844	709	2,130	4,803	8,413	12,067	16,666	110,583	130,430	88,280	33,909	5,605	187	6	76
FIRST TRIMESTER	308,719	279	1,028	2,432	4,525	6,593	9,878	75,315	102,829	73,330	27,939	4,437	103	2	29
SECOND TRIMESTER	75,075	283	781	1,661	2,754	3,945	4,888	25,167	19,743	10,753	4,256	787	49	2	6
THIRD TRIMESTER	16,385	91	195	424	889	865	1,100	5,620	4,182	2,143	678	180	16	-	2
NO PRENATAL CARE	8,603	42	98	222	316	462	566	3,004	2,199	1,085	465	123	12	2	7
NOT STATED	5,062	14	28	64	129	202	234	1,457	1,477	969	371	78	7	-	32
OTHER ASIAN	6,799	40	75	114	145	195	252	1,731	1,947	1,358	700	179	44	18	1
FIRST TRIMESTER	4,415	24	43	85	83	109	116	1,066	1,378	947	456	96	22	10	-
SECOND TRIMESTER	1,659	7	22	42	48	61	98	476	388	279	167	54	13	4	-
THIRD TRIMESTER	368	3	7	5	11	10	24	101	85	63	38	17	3	1	-
NO PRENATAL CARE	69	3	1	1	-	4	2	22	14	13	6	1	2	-	-
NOT STATED	288	3	2	1	3	11	12	66	82	56	33	11	4	3	1
OTHER	669	-	3	3	4	7	11	141	255	170	61	14	-	-	-
FIRST TRIMESTER	519	-	1	1	4	5	5	103	200	134	54	12	-	-	-
SECOND TRIMESTER	95	-	2	2	-	1	4	26	35	20	4	1	-	-	-
THIRD TRIMESTER	24	-	-	-	-	1	-	3	10	10	-	-	-	-	-
NO PRENATAL CARE	9	-	-	-	-	-	-	3	4	1	1	-	-	-	-
NOT STATED	22	-	-	-	-	-	2	6	6	5	2	1	-	-	-
NOT STATED	1,542	2	9	14	22	31	43	236	416	471	224	30	1	-	43
FIRST TRIMESTER	1,105	2	2	5	9	15	17	135	328	379	188	20	1	-	4
SECOND TRIMESTER	210	-	3	3	6	8	18	54	50	44	18	6	-	-	-
THIRD TRIMESTER	64	-	1	3	3	3	3	17	17	14	1	2	-	-	-
NO PRENATAL CARE	62	-	3	2	3	3	1	12	6	10	5	-	-	-	17
NOT STATED	101	-	-	1	1	2	4	18	15	24	12	2	-	-	22

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-22

LIVE BIRTHS BY SPANISH/HISPANIC ORIGIN OF MOTHER,
TRIMESTER PRENATAL CARE BEGAN AND AGE OF MOTHER, CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER AND TRIMESTER	TOTAL	AGE OF MOTHER													
		UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	NOT STATED
CALIFORNIA	532,708	1,088	2,993	6,514	11,104	15,886	21,309	139,238	166,288	115,515	44,864	7,434	300	30	145
HISPANIC	182,910	577	1,573	3,376	5,470	7,441	9,634	58,119	52,030	30,197	12,116	2,225	110	4	38
CUBAN	802	3	5	5	6	15	17	186	324	178	51	11	-	-	1
FIRST TRIMESTER	687	-	4	3	5	10	9	150	287	165	45	8	-	-	1
SECOND TRIMESTER	86	3	1	2	1	3	7	30	25	8	4	2	-	-	-
THIRD TRIMESTER	15	-	-	-	-	1	-	2	7	2	2	1	-	-	-
NO PRENATAL CARE	8	-	-	-	-	1	-	3	2	2	-	-	-	-	-
NOT STATED	6	-	-	-	-	-	1	1	3	1	-	-	-	-	-
MEXICAN	158,583	527	1,442	3,122	5,042	6,834	8,741	51,292	44,221	25,300	10,064	1,862	103	1	32
FIRST TRIMESTER	99,268	213	674	1,539	2,571	3,484	4,785	30,974	29,479	17,551	6,767	1,168	47	-	16
SECOND TRIMESTER	41,111	205	544	1,076	1,701	2,351	2,713	14,027	10,272	5,466	2,255	463	34	-	4
THIRD TRIMESTER	9,955	64	123	297	451	539	721	3,441	2,407	1,235	556	109	11	-	1
NO PRENATAL CARE	5,785	36	80	164	235	339	393	2,081	1,384	657	322	85	8	1	-
NOT STATED	2,464	9	21	46	84	121	129	769	679	391	164	37	3	-	11
PUERTO RICAN	1,551	7	13	42	53	60	93	440	434	281	104	24	-	-	-
FIRST TRIMESTER	1,129	4	4	22	29	31	52	308	343	231	83	22	-	-	-
SECOND TRIMESTER	315	2	7	11	18	17	29	106	70	40	13	2	-	-	-
THIRD TRIMESTER	59	1	-	6	5	8	7	15	10	3	4	-	-	-	-
NO PRENATAL CARE	32	-	2	2	-	4	3	6	6	7	2	-	-	-	-
NOT STATED	16	-	-	1	1	-	2	5	5	-	2	-	-	-	-
OTHER HISPANIC	21,974	40	113	207	369	532	783	6,201	7,051	4,438	1,897	328	7	3	5
FIRST TRIMESTER	14,265	15	56	109	186	267	432	3,761	4,747	3,136	1,333	217	4	-	2
SECOND TRIMESTER	5,792	20	45	76	137	201	266	1,815	1,721	990	435	81	1	2	2
THIRD TRIMESTER	1,142	3	11	11	31	33	48	384	342	185	74	16	1	-	-
NO PRENATAL CARE	485	-	1	9	10	18	28	157	144	76	31	9	-	1	1
NOT STATED	290	2	-	2	5	10	9	84	97	51	24	5	1	-	-
NON-HISPANIC	347,098	505	1,403	3,101	5,592	8,360	11,574	80,554	113,511	84,628	32,429	5,173	187	26	55
FIRST TRIMESTER	278,278	204	696	1,623	3,180	4,911	7,231	58,945	94,999	73,655	28,289	4,387	118	18	22
SECOND TRIMESTER	50,042	200	476	1,106	1,782	2,568	3,303	15,882	13,325	7,850	2,948	550	41	4	7
THIRD TRIMESTER	9,820	63	150	246	401	537	612	3,145	2,571	1,433	545	105	10	1	1
NO PRENATAL CARE	4,640	25	52	92	142	206	247	1,471	1,355	721	269	51	6	-	3
NOT STATED	4,318	13	29	34	87	138	181	1,111	1,261	969	378	80	12	3	22
NOT STATED	2,700	6	17	37	42	85	101	565	747	690	319	36	3	-	52
FIRST TRIMESTER	1,866	2	6	11	19	44	56	331	568	546	253	24	2	-	4
SECOND TRIMESTER	456	3	7	16	10	26	29	134	106	81	38	6	-	-	-
THIRD TRIMESTER	143	1	1	6	6	5	7	44	32	27	9	5	-	-	-
NO PRENATAL CARE	99	-	3	3	5	6	1	26	13	15	6	-	-	-	21
NOT STATED	136	-	-	1	2	4	8	30	28	21	13	1	1	-	27

NOTE: COUNTY DATA AVAILABLE UPON REQUEST.

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-23

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND PRENATAL CARE BEGAN	ALL RACES	AMERICAN INDIAN	BLACK	CAMBODIAN	CHINESE	ESKIMO/ ALEUT	FILIPINO	INDIAN (INDIA)	JAPANESE
TOTAL LIVE BIRTHS	532,708	5,444	53,427	2,519	11,018	35	15,057	2,314	4,613
UNDER 1,500 GRAMS	5,556	63	1,440	25	61	-	125	27	31
FIRST TRIMESTER	3,774	39	851	13	52	-	97	21	25
SECOND TRIMESTER	1,001	15	333	4	6	-	16	4	3
THIRD TRIMESTER	105	2	37	2	-	-	3	-	1
NO PRENATAL CARE	458	6	160	4	-	-	6	-	-
NOT STATED	218	1	59	2	3	-	3	2	2
1,500-2,499 GRAMS	26,424	304	5,344	163	449	1	854	183	235
FIRST TRIMESTER	17,778	192	3,079	98	372	-	656	160	195
SECOND TRIMESTER	5,466	66	1,413	49	59	-	133	20	21
THIRD TRIMESTER	1,255	15	302	3	8	-	44	1	8
NO PRENATAL CARE	1,386	24	422	5	2	1	16	2	2
NOT STATED	539	7	128	8	8	-	5	-	9
2,500-3,499 GRAMS	275,919	2,737	31,395	1,769	6,934	19	9,510	1,473	2,794
FIRST TRIMESTER	200,990	1,827	21,079	1,103	6,028	12	7,497	1,221	2,449
SECOND TRIMESTER	52,917	619	7,531	487	645	6	1,480	185	245
THIRD TRIMESTER	11,940	175	1,446	71	134	1	331	37	52
NO PRENATAL CARE	6,178	80	826	33	46	-	100	10	25
NOT STATED	3,894	36	513	75	81	-	102	20	23
3,500-4,499 GRAMS	213,832	2,216	14,684	534	3,470	15	4,421	612	1,507
FIRST TRIMESTER	164,450	1,561	10,836	354	3,040	9	3,608	512	1,328
SECOND TRIMESTER	36,621	481	3,004	137	327	5	621	69	128
THIRD TRIMESTER	7,483	114	518	17	64	-	112	14	26
NO PRENATAL CARE	2,872	35	160	4	12	1	29	8	6
NOT STATED	2,406	25	166	22	27	-	51	9	19
4,500 GRAMS OR MORE	10,801	122	551	18	101	-	139	19	44
FIRST TRIMESTER	8,437	82	423	13	84	-	113	18	42
SECOND TRIMESTER	1,775	31	106	4	14	-	22	1	1
THIRD TRIMESTER	348	5	14	-	2	-	1	-	-
NO PRENATAL CARE	128	4	4	1	-	-	2	-	-
NOT STATED	113	-	4	-	1	-	1	-	1
NOT STATED	176	2	13	1	3	-	8	-	2
FIRST TRIMESTER	64	1	6	1	3	-	2	-	1
SECOND TRIMESTER	22	-	3	-	-	-	-	-	-
THIRD TRIMESTER	3	-	-	-	-	-	-	-	-
NO PRENATAL CARE	27	-	2	-	-	-	-	-	-
NOT STATED	60	1	2	-	-	-	6	-	1

TABLE 2-23 (CONTINUED)

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND RACE/ETHNICITY OF CHILD

CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND PRENATAL CARE BEGAN	ALL RACES	KOREAN	PACIFIC ISLANDER	THAI	VIETNAMESE	WHITE	OTHER ASIAN	OTHER	NOT STATED
TOTAL LIVE BIRTHS	532,708	4,251	4,058	668	6,459	413,844	6,799	669	1,542
UNDER 1,500 GRAMS	5,556	39	34	4	60	3,530	61	7	49
FIRST TRIMESTER	3,774	37	17	4	49	2,497	43	5	24
SECOND TRIMESTER	1,001	-	10	-	5	592	8	-	5
THIRD TRIMESTER	105	1	2	-	2	53	1	1	-
NO PRENATAL CARE	458	1	2	-	2	265	3	1	8
NOT STATED	218	-	3	-	2	123	6	-	12
1,500-2,499 GRAMS	26,424	147	205	32	307	17,692	390	39	79
FIRST TRIMESTER	17,778	122	111	23	240	12,211	243	25	51
SECOND TRIMESTER	5,466	14	48	5	39	3,491	91	6	11
THIRD TRIMESTER	1,255	4	28	1	9	800	28	1	3
NO PRENATAL CARE	1,386	-	17	2	6	868	10	3	6
NOT STATED	539	7	1	1	13	322	18	4	8
2,500-3,499 GRAMS	275,919	2,404	1,913	401	4,403	204,595	4,362	404	806
FIRST TRIMESTER	200,990	1,991	1,244	331	3,410	149,074	2,841	318	565
SECOND TRIMESTER	52,917	285	441	56	649	39,046	1,064	57	121
THIRD TRIMESTER	11,940	73	143	3	164	9,023	236	13	38
NO PRENATAL CARE	6,178	17	55	1	61	4,850	39	5	30
NOT STATED	3,894	38	30	10	119	2,602	182	11	52
3,500-4,499 GRAMS	213,832	1,609	1,769	225	1,654	178,409	1,924	208	573
FIRST TRIMESTER	164,450	1,347	1,051	180	1,317	137,457	1,249	162	439
SECOND TRIMESTER	36,621	178	427	32	236	30,392	484	31	69
THIRD TRIMESTER	7,483	46	176	10	51	6,207	97	8	23
NO PRENATAL CARE	2,872	9	80	-	12	2,481	17	-	18
NOT STATED	2,406	29	35	3	38	1,872	77	7	26
4,500 GRAMS OR MORE	10,801	51	134	6	35	9,480	60	11	30
FIRST TRIMESTER	8,437	38	83	6	29	7,433	38	9	26
SECOND TRIMESTER	1,775	10	28	-	6	1,535	12	1	4
THIRD TRIMESTER	348	2	18	-	-	299	6	1	-
NO PRENATAL CARE	128	-	3	-	-	114	-	-	-
NOT STATED	113	1	2	-	-	99	4	-	-
NOT STATED	176	1	3	-	-	138	2	-	3
FIRST TRIMESTER	64	1	1	-	-	47	1	-	-
SECOND TRIMESTER	22	-	-	-	-	13	-	-	-
THIRD TRIMESTER	3	-	-	-	-	3	-	-	-
NO PRENATAL CARE	27	-	-	-	-	25	-	-	-
NOT STATED	60	-	2	-	-	44	1	-	3

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-24

LIVE BIRTHS BY BIRTHWEIGHT, TRIMESTER PRENATAL CARE BEGAN AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

BIRTHWEIGHT AND WEEKS OF GESTATION	TOTAL	CUBAN	MEXICAN	PUERTO RICAN	OTHER SPANISH/ HISPANIC	NOT SPANISH/ HISPANIC	NOT STATED
TOTAL LIVE BIRTHS	532,708	802	158,583	1,551	21,974	347,098	2,700
UNDER 1,500 GRAMS	5,556	12	1,346	31	186	3,898	83
FIRST TRIMESTER	3,774	11	829	21	119	2,753	41
SECOND TRIMESTER	1,001	1	308	3	45	634	10
THIRD TRIMESTER	105	-	39	1	2	62	1
NO PRENATAL CARE	458	-	130	5	10	301	12
NOT STATED	218	-	40	1	10	148	19
1,500-2,499 GRAMS	26,424	43	6,858	89	921	18,360	153
FIRST TRIMESTER	17,778	34	4,001	56	572	13,025	90
SECOND TRIMESTER	5,466	7	1,786	22	247	3,375	29
THIRD TRIMESTER	1,255	-	425	3	38	781	8
NO PRENATAL CARE	1,386	2	509	5	49	808	13
NOT STATED	539	-	137	3	15	371	13
2,500-3,499 GRAMS	275,919	393	82,569	890	12,070	178,607	1,390
FIRST TRIMESTER	200,990	342	50,872	628	7,725	140,483	940
SECOND TRIMESTER	52,917	38	21,610	196	3,238	27,576	259
THIRD TRIMESTER	11,940	9	5,493	44	662	5,653	79
NO PRENATAL CARE	6,178	3	3,276	16	287	2,549	47
NOT STATED	3,894	1	1,318	6	158	2,346	65
3,500-4,499 GRAMS	213,832	339	64,462	524	8,454	139,036	1,017
FIRST TRIMESTER	164,450	288	41,403	411	5,611	115,988	749
SECOND TRIMESTER	36,621	37	16,562	91	2,181	17,598	152
THIRD TRIMESTER	7,483	6	3,819	11	428	3,167	52
NO PRENATAL CARE	2,872	3	1,775	6	133	928	27
NOT STATED	2,406	5	903	5	101	1,355	37
4,500 GRAMS OR MORE	10,801	15	3,281	15	330	7,105	55
FIRST TRIMESTER	8,437	12	2,142	12	232	5,993	46
SECOND TRIMESTER	1,775	3	834	3	77	852	6
THIRD TRIMESTER	348	-	177	-	12	156	3
NO PRENATAL CARE	128	-	75	-	5	48	-
NOT STATED	113	-	53	-	4	56	-
NOT STATED	176	-	67	2	13	92	2
FIRST TRIMESTER	64	-	21	1	6	36	-
SECOND TRIMESTER	22	-	11	-	4	7	-
THIRD TRIMESTER	3	-	2	-	-	1	-
NO PRENATAL CARE	27	-	20	-	1	6	-
NOT STATED	60	-	13	1	2	42	2

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-25

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

RACE/ETHNICITY OF CHILD	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL RACES	532,708	260,152	272,556	521,542	254,457	267,085	10,880	5,540	5,340	282	153	129	4	2	2	-	-	-
AMERICAN INDIAN	5,444	2,691	2,753	5,334	2,616	2,718	110	75	35	-	-	-	-	-	-	-	-	-
BLACK	53,427	26,281	27,146	52,068	25,559	26,509	1,340	707	633	19	15	4	-	-	-	-	-	-
CAMBODIAN	2,510	1,174	1,336	2,474	1,157	1,317	36	17	19	-	-	-	-	-	-	-	-	-
CHINESE	11,018	5,278	5,740	10,859	5,190	5,669	159	88	71	-	-	-	-	-	-	-	-	-
ESKIMO/ALEUT	35	20	15	35	20	15	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	15,057	7,141	7,916	14,830	7,026	7,804	227	115	112	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2,314	1,129	1,185	2,264	1,103	1,161	50	26	24	-	-	-	-	-	-	-	-	-
JAPANESE	4,613	2,265	2,348	4,537	2,238	2,299	73	26	47	3	1	2	-	-	-	-	-	-
KOREAN	4,251	2,097	2,154	4,211	2,073	2,138	40	24	16	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4,058	1,973	2,085	3,972	1,930	2,042	83	40	43	3	3	-	-	-	-	-	-	-
THAI	668	315	353	666	313	353	2	2	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	6,459	3,163	3,296	6,359	3,128	3,231	88	32	56	12	3	9	-	-	-	-	-	-
WHITE	413,844	202,224	211,620	405,089	197,804	207,285	8,506	4,287	4,219	245	131	114	4	2	2	-	-	-
OTHER ASIAN	6,799	3,313	3,486	6,695	3,250	3,445	104	63	41	-	-	-	-	-	-	-	-	-
OTHER	669	316	353	655	310	345	14	6	8	-	-	-	-	-	-	-	-	-
NOT STATED	1,542	772	770	1,494	740	754	48	32	16	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

TABLE 2-26

LIVE BIRTHS BY PLURALITY OF DELIVERY, SEX AND SPANISH/HISPANIC ORIGIN OF MOTHER
CALIFORNIA, 1983
(BY PLACE OF RESIDENCE)

SPANISH/HISPANIC ORIGIN OF MOTHER	TOTAL			SINGLE			TWIN			TRIPLET			OTHER MULTIPLE			NOT STATED		
	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE	TOTAL	FEMALE	MALE
ALL ORIGINS	532,708	260,152	272,556	521,542	254,457	267,085	10,880	5,540	5,340	282	153	129	4	2	2	-	-	-
CUBAN	802	395	407	787	390	397	15	5	10	-	-	-	-	-	-	-	-	-
MEXICAN	158,583	77,810	80,773	155,808	76,368	79,440	2,734	1,415	1,319	41	27	14	-		-	-	-	-
PUERTO RICAN	1,551	764	787	1,518	757	761	33	7	26	-	-	-	-	-	-	-	-	-
OTHER SPANISH/ HISPANIC	21,974	10,681	11,293	21,586	10,495	11,091	388	186	202	-	-	-	-	-	-	-	-	-
NOT SPANISH/ HISPANIC	347,098	169,137	177,961	339,204	165,122	174,082	7,649	3,887	3,762	241	126	115	4	2	2	-	-	-
NOT STATED	2,700	1,365	1,335	2,639	1,325	1,314	61	40	21	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, BIRTH RECORDS.

Table 2—27

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE,
BY SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
Live Births, Total[1]	3,014	67	202	44	57	21	12	2,475	114	22
Male	1,723	37	113	24	33	13	5	1,415	71	12
Female	1,291	30	89	20	24	8	7	1,060	43	10
Congenital Anomalies, Total[2,3]	3,753	74	248	64	87	32	18	3,040	157	33
Male	2,133	40	132	35	48	22	11	1,728	101	16
Female	1,620	34	116	29	39	10	7	1,312	56	17
01	63	—	2	2	2	—	1	55	1	—
Male	33	—	1	1	2	—	—	28	1	—
Female	30	—	1	1	—	—	1	27	—	—
02	68	—	3	1	3	—	—	60	1	—
Male	30	—	1	—	2	—	—	26	1	—
Female	38	—	2	1	1	-	—	34	—	—
03	35	—	7	—	—	2	—	25	—	1
Male	21	—	5	—	—	2	—	13	—	1
Female	14	—	2	—	—	—	—	12	—	—
04	38	—	2	—	2	1	—	31	2	—
Male	19	—	—	—	2	1	—	16	—	—
Female	19	—	2	—	—	—	—	15	2	—
05	81	1	5	1	2	—	—	69	3	—
Male	42	—	3	—	1	—	—	37	1	—
Female	39	1	2	1	1	—	—	32	2	—
06	62	2	5	2	3	3	—	43	3	1
Male	34	1	2	—	3	2	—	23	3	—
Female	28	1	3	2	-	1	—	20	—	1
07	14	—	—	1	—	—	—	13	—	—
Male	7	—	—	—	—	—	—	7	—	—
Female	7	—	—	1	—	—	—	6	—	—
08	34	1	3	—	2	—	—	28	—	—
Male	19	1	1	—	1	—	—	16	—	—
Female	15	—	2	—	1	—	—	12	—	—

Table 2—27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE,
BY SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
09	42	—	5	1	1	1	—	33	1	—
Male	21	—	2	—	1	—	—	18	—	—
Female	21	—	3	1	—	1	—	15	1	—
10	33	1	1	—	—	1	1	29	—	—
Male	15	—	—	—	—	1	1	13	—	—
Female	18	1	1	—	—	—	—	16	—	—
11	14	—	2	—	—	—	—	11	1	—
Male	4	—	2	—	—	—	—	2	—	—
Female	10	—	—	—	—	—	—	9	1	—
12	157	3	8	3	5	1	2	125	9	1
Male	81	1	6	3	3	1	2	57	8	—
Female	76	2	2	—	2	—	—	68	1	1
13	4	—	—	—	—	—	—	4	—	—
Male	2	—	—	—	—	—	—	2	—	—
Female	2	—	—	—	—	—	—	2	—	—
14	40	2	3	1	1	—	—	32	—	1
Male	26	2	1	1	—	—	—	21	—	1
Female	14	—	2	—	1	—	—	11	—	—
15	19	1	2	—	2	—	—	11	3	—
Male	11	—	1	—	1	—	—	6	3	—
Female	8	1	1	—	1	—	—	5	—	—
16	41	1	4	1	2	—	—	32	1	—
Male	19	1	1	—	1	—	—	16	—	—
Female	22	—	3	1	1	—	—	16	1	—
17	13	1	3	—	1	—	—	8	—	—
Male	2	—	1	—	—	—	—	1	—	—
Female	11	1	2	—	1	—	—	7	—	—
18	5	—	—	—	—	—	—	5	—	—
Male	3	—	—	—	—	—	—	3	—	—
Female	2	—	—	—	—	—	—	2	—	—

Table 2—27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE,
BY SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
19	12	—	—	—	—	—	—	12	—	—
Male	6	—	—	—	—	—	—	6	—	—
Female	6	—	—	—	—	—	—	6	—	—
20	25	—	—	—	—	—	—	25	—	—
Male	16	—	—	—	—	—	—	16	—	—
Female	9	—	—	—	—	—	—	9	—	—
21	62	2	4	—	3	1	—	44	8	—
Male	42	1	2	—	2	1	—	31	5	—
Female	20	1	2	—	1	—	—	13	3	—
22	8	—	2	—	—	—	1	5	—	—
Male	4	—	—	—	—	—	1	3	—	—
Female	4	—	2	—	—	—	—	2	—	—
23	221	6	6	4	6	3	—	184	10	2
Male	136	3	4	2	4	2	—	114	6	1
Female	85	3	2	2	2	1	—	70	4	1
24	10	—	—	—	—	—	—	10	—	—
Male	3	—	—	—	—	—	—	3	—	—
Female	7	—	—	—	—	—	—	7	—	—
25	45	—	—	—	2	—	1	39	3	—
Male	32	—	—	—	2	—	1	26	3	—
Female	13	—	—	—	—	—	—	13	—	—
26	244	14	12	2	2	2	—	200	5	7
Male	138	8	9	1	2	—	—	115	1	2
Female	106	6	3	1	—	2	—	85	4	5
27	115	5	6	1	2	1	1	93	5	1
Male	58	3	4	1	1	—	—	44	4	1
Female	57	2	2	—	1	1	1	49	1	—
28	110	1	10	5	1	—	1	90	2	—
Male	63	1	4	2	1	—	—	54	1	—
Female	47	—	6	3	—	—	1	36	1	—

Table 2—27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES
AND CONGENITAL ANOMALIES REPORTED BY TYPE,
BY SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
29	123	2	2	5	2	—	—	104	8	—
Male	75	2	1	3	—	—	—	63	6	—
Female	48	—	1	2	2	—	—	41	2	—
30	26	—	2	1	1	1	—	21	—	—
Male	16	—	2	—	1	1	—	12	—	—
Female	10	—	—	1	—	—	—	9	—	—
31	40	—	2	1	1	1	—	31	3	1
Male	24	—	1	1	—	1	—	18	2	1
Female	16	—	1	—	1	—	—	13	1	—
32	128	2	11	2	6	—	—	100	5	2
Male	64	—	3	1	3	—	—	54	3	—
Female	64	2	8	1	3	—	—	46	2	2
33	131	1	2	1	1	—	—	118	6	2
Male	128	1	2	1	1	—	—	115	6	2
Female	3	—	—	—	—	—	—	3	—	—
34	28	—	1	1	2	—	—	19	4	1
Male	20	—	—	1	1	—	—	14	4	—
Female	8	—	1	—	1	—	—	5	—	1
35	17	—	1	—	1	1	—	14	—	—
Male	11	—	1	—	1	—	—	9	—	—
Female	6	—	—	—	—	1	—	5	—	—
36	23	—	2	—	—	—	—	21	—	—
Male	11	—	—	—	—	—	—	11	—	—
Female	12	—	2	—	—	—	—	10	—	—
37	10	—	1	1	1	—	—	7	—	—
Male	8	—	1	1	1	—	—	5	—	—
Female	2	—	—	—	—	—	—	2	—	—
38	7	—	—	—	—	—	—	7	—	—
Male	2	—	—	—	—	—	—	2	—	—
Female	5	—	—	—	—	—	—	5	—	—

Table 2—27 (Continued)

LIVE BIRTHS WITH ONE OR MORE CONGENITAL ANOMALIES AND CONGENITAL ANOMALIES REPORTED BY TYPE, BY SEX, AND RACE/ETHNICITY OF CHILD
CALIFORNIA, 1988

(By place of residence)

LIVE BIRTHS AND CONGENITAL ANOMALIES	ALL RACE/ ETHNICITY	AMERICAN INDIAN	BLACK	CHINESE	FILIPINO	JAPANESE	KOREAN	WHITE	OTHER	NOT STATED
39	154	1	5	5	2	2	2	132	4	1
Male	130	1	5	4	1	2	2	112	3	—
Female	24	—	—	1	1	—	—	20	1	1
40	92	2	3	2	2	1	—	79	3	—
Male	27	—	2	2	2	—	—	20	1	—
Female	65	2	1	—	—	1	—	59	2	—
41	175	3	11	1	3	1	—	148	6	2
Male	107	1	5	1	1	—	—	92	6	1
Female	68	2	6	—	2	1	—	56	—	1
42	104	5	18	—	1	1	1	74	4	—
Male	66	2	11	—	—	1	—	51	1	—
Female	38	3	7	—	1	—	1	23	3	—
43	76	3	9	1	—	—	1	60	1	1
Male	41	3	4	1	—	—	1	30	1	1
Female	35	—	5	—	—	—	—	30	—	—
44	12	—	1	2	—	—	—	9	—	—
Male	8	—	1	1	—	—	—	6	—	—
Female	4	—	—	1	—	—	—	3	—	—
45	7	—	—	—	—	—	1	6	—	—
Male	6	—	—	—	—	—	1	5	—	—
Female	1	—	—	—	—	—	—	1	—	—
46	25	—	—	—	—	—	—	24	1	—
Male	15	—	—	—	—	—	—	15	—	—
Female	10	—	—	—	—	—	—	9	1	—
47	36	2	2	—	—	—	—	29	2	1
Male	19	1	1	—	—	—	—	15	1	1
Female	17	1	1	—	—	—	—	14	1	—
48	241	4	32	5	4	—	1	186	7	2
Male	134	3	16	4	—	—	1	104	5	1
Female	107	1	16	1	4	—	—	82	2	1

AGE- AND SEX-SPECIFIC DEATH RATES AND PERCENT CHANGE CALIFORNIA, 1986—1988

(By place of residence)

AGE (in years)	1986			1987			1988		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	751.7	805.5	699.5	757.0	807.7	707.6	760.0	805.3	715.9
Under 1	949.7	1,052.9	841.6	991.9	1,102.4	876.2	994.7	1,110.4	873.5
1—4	46.4	52.6	40.1	49.1	57.6	40.3	47.0	47.4	46.5
5—14	23.9	30.2	17.3	23.2	28.0	18.1	23.3	28.5	17.8
15—24	109.9	165.5	50.4	107.8	161.6	50.2	107.7	162.1	49.5
25—44	183.5	265.6	100.9	183.1	264.4	101.3	186.4	272.4	99.7
45—64	768.4	973.7	575.4	761.9	963.5	572.1	746.2	938.8	564.6
65—74	2,543.5	3,251.8	1,969.0	2,473.0	3,134.4	1,934.7	2,454.5	3,103.0	1,926.4
75 and Over	7,941.1	9,376.9	7,146.5	8,035.8	9,511.6	7,215.4	8,017.9	9,334.2	7,282.7

AGE (in years)	PERCENT CHANGE					
	1986—1987			1987—1988		
	Total	Male	Female	Total	Male	Female
Total	0.7	0.3	1.2	0.4	(0.3)	1.2
Under 1	4.4	4.7	4.1	0.3	0.7	(0.3)
1—4	5.8	9.6	0.6	(4.4)	(17.7)	15.4
5—14	(2.9)	(7.2)	5.1	0.4	1.8	(1.8)
15—24	(1.9)	(2.3)	(0.3)	(0.1)	0.3	(1.4)
25—44	(0.2)	(0.5)	0.4	1.8	3.0	(1.6)
45—64	(0.9)	(1.0)	(0.6)	(2.1)	(2.6)	(1.3)
65—74	(2.8)	(3.6)	(1.7)	(0.7)	(1.0)	(0.4)
75 and Over	1.2	1.4	1.0	(0.2)	(1.9)	0.9

Note: Rates are per 100,000 population.

Percents are rounded independently and may not add to totals.

Source: State of California, Department of Finance, *1986 Population Projections for California Counties, Baseline 86*, November 1987; *1987 Population Projections for California Counties, Baseline 86*, February 1988; *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Death Records.

TABLE 5-4

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TOTAL	215,185	5,440	500	453	1,784	2,773	3,428	4,168	4,772	4,941	5,538	6,993	10,461	15,891	21,342	25,091	101,446	164
AMERICAN INDIAN	662	32	1	2	16	19	23	23	31	33	43	45	40	62	67	60	165	-
BLACK	17,193	982	57	63	259	439	547	605	752	642	756	952	1,220	1,574	1,686	1,779	4,868	12
CAMBODIAN	105	18	1	4	2	3	4	4	5	4	4	3	9	3	11	10	20	-
CHINESE	2,448	52	11	4	24	14	33	37	54	36	51	87	143	190	251	356	1,105	-
ESKIMO/ALEUT	4	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-
FILIPINO	2,171	81	12	5	25	30	32	32	45	70	54	75	105	167	174	228	1,036	-
INDIAN (INDIA)	238	12	-	-	4	5	6	11	8	10	15	24	12	23	37	27	43	1
JAPANESE	1,481	21	6	1	11	8	15	18	17	13	27	43	99	164	179	166	693	-
KOREAN	618	32	7	3	10	5	14	14	15	29	34	43	35	49	68	68	192	-
PACIFIC ISLANDER	391	17	-	5	9	11	11	12	11	22	26	26	42	42	51	44	61	1
THAI	35	7	-	-	2	1	1	2	3	3	3	3	1	3	1	2	3	-
VIETNAMESE	479	61	4	6	23	21	20	30	14	21	16	27	14	22	33	51	115	1
WHITE	188,699	4,014	393	353	1,384	2,202	2,710	3,354	3,792	4,023	4,474	5,633	8,705	13,544	18,725	22,258	93,012	123
OTHER ASIAN	368	65	7	6	8	11	7	20	16	30	23	19	19	22	30	28	57	-
OTHER	69	8	-	-	-	-	1	1	2	-	5	5	4	12	14	5	14	-
NOT STATED	224	38	1	1	6	4	4	4	6	5	7	7	13	14	15	11	62	26
FEMALE	102,747	2,382	201	157	447	565	841	947	1,271	1,549	1,986	2,636	4,127	6,393	8,993	11,092	59,123	37
AMERICAN INDIAN	295	15	1	1	6	4	6	7	9	17	18	19	17	28	27	27	93	-
BLACK	7,701	428	29	24	55	101	148	154	249	228	291	355	493	645	772	831	2,893	5
CAMBODIAN	44	10	1	3	-	-	1	1	1	1	-	2	5	-	4	5	10	-
CHINESE	1,005	19	3	3	7	5	11	10	20	16	24	33	55	74	100	127	498	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FILIPINO	723	41	10	1	10	10	10	14	18	33	26	28	46	59	85	92	240	-
INDIAN (INDIA)	76	4	-	-	3	1	2	4	2	-	5	9	2	6	8	11	19	-
JAPANESE	708	9	2	1	4	2	6	6	3	6	14	29	58	75	62	53	378	-
KOREAN	295	13	5	-	4	-	6	6	6	13	14	17	16	20	31	36	108	-
PACIFIC ISLANDER	169	9	-	1	3	1	5	3	2	8	9	9	18	17	19	23	42	-
THAI	20	5	-	-	2	1	-	-	2	1	1	1	-	2	1	1	1	-
VIETNAMESE	197	26	4	2	4	1	5	9	3	11	6	7	6	9	17	25	61	1
WHITE	91,262	1,753	142	117	344	434	639	727	948	1,204	1,567	2,116	3,403	5,440	7,839	9,844	54,718	27
OTHER ASIAN	145	35	4	3	2	4	2	3	5	9	7	7	5	9	15	14	21	-
OTHER	25	2	-	-	-	-	-	-	1	-	2	1	-	6	6	-	7	-
NOT STATED	81	13	-	1	3	1	-	3	1	2	2	3	3	3	7	3	32	4
MALE	112,438	3,058	299	296	1,337	2,208	2,587	3,221	3,501	3,392	3,552	4,357	6,334	9,498	12,349	13,999	42,323	127
AMERICAN INDIAN	367	17	-	1	10	15	17	16	22	16	25	26	23	34	40	33	72	-
BLACK	9,492	554	28	39	204	338	399	451	503	414	465	597	727	929	914	948	1,975	7
CAMBODIAN	61	8	-	1	2	3	3	3	4	3	4	1	4	3	7	5	10	-
CHINESE	1,443	33	8	1	17	9	22	27	34	20	27	54	88	116	151	229	607	-
ESKIMO/ALEUT	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
FILIPINO	1,448	40	2	4	15	20	22	18	27	37	28	47	59	108	89	136	796	-
INDIAN (INDIA)	162	8	-	-	1	4	4	7	6	10	10	15	10	17	29	16	24	1
JAPANESE	773	12	4	-	7	6	9	12	14	7	13	14	41	89	117	113	315	-
KOREAN	323	19	2	3	6	5	8	8	9	16	20	26	19	29	37	32	84	-
PACIFIC ISLANDER	222	8	-	4	6	10	6	9	9	14	17	17	24	25	32	21	19	1
THAI	15	2	-	-	-	-	1	2	1	2	2	2	1	1	-	1	-	-
VIETNAMESE	282	35	-	4	19	20	15	21	11	10	10	20	8	13	16	26	54	-
WHITE	97,437	2,261	251	236	1,040	1,768	2,071	2,627	2,844	2,819	2,907	3,517	5,302	8,104	10,986	12,414	38,294	96
OTHER ASIAN	223	30	3	3	6	7	5	17	11	21	16	12	14	13	15	14	36	-
OTHER	44	6	-	-	-	-	1	1	1	-	3	4	4	6	8	3	7	-
NOT STATED	143	25	1	-	3	3	4	1	5	3	5	4	10	11	8	8	30	22

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-5

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA, 1988

(BY PLACE OF RESIDENCE)

SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TOTAL	215,185	5,440	500	453	1,784	2,773	3,428	4,168	4,772	4,941	5,538	6,993	10,461	15,891	21,342	25,091	101,446	164
HISPANIC	19,213	1,604	150	102	515	838	813	913	799	711	735	874	1,141	1,491	1,567	1,512	5,399	49
CUBAN	433	9	1	1	-	5	7	14	12	11	13	26	19	33	37	47	198	-
MEXICAN	13,586	1,111	105	73	381	622	540	565	486	467	512	626	858	1,107	1,141	1,084	3,892	16
PUERTO RICAN	436	13	-	2	7	10	11	23	22	19	22	22	29	39	38	36	142	1
OTHER HISPANIC	4,758	471	44	26	127	201	255	311	279	214	188	200	235	312	351	345	1,167	32
NON-HISPANIC	193,805	3,715	344	349	1,243	1,878	2,553	3,144	3,863	4,130	4,692	5,968	9,174	14,204	19,574	23,405	95,501	68
NOT STATED	2,167	121	6	2	26	57	62	111	110	100	111	151	146	196	201	174	546	47
FEMALE	102,747	2,382	201	157	447	565	841	947	1,271	1,549	1,986	2,636	4,127	6,393	8,993	11,092	59,123	37
HISPANIC	7,527	708	56	39	101	118	136	157	173	186	230	289	426	594	614	760	2,936	4
CUBAN	179	3	-	-	-	2	-	3	1	1	1	8	5	10	11	22	112	-
MEXICAN	5,303	497	38	31	64	76	76	94	113	127	164	192	315	446	446	543	2,081	-
PUERTO RICAN	180	6	-	1	1	2	2	6	3	3	4	8	14	10	15	15	90	-
OTHER HISPANIC	1,865	202	18	7	36	38	58	54	56	55	61	81	92	128	142	180	653	4
NON-HISPANIC	94,549	1,618	141	117	339	434	691	771	1,082	1,342	1,739	2,324	3,669	5,759	8,322	10,271	55,907	23
NOT STATED	671	56	4	1	7	13	14	19	16	21	17	23	32	40	57	61	280	10
MALE	112,438	3,058	299	296	1,337	2,208	2,587	3,221	3,501	3,392	3,552	4,357	6,334	9,498	12,349	13,999	42,323	127
HISPANIC	11,686	896	94	63	414	720	677	756	626	525	505	585	715	897	953	752	2,463	45
CUBAN	254	6	1	1	-	3	7	11	11	10	12	18	14	23	26	25	86	-
MEXICAN	8,283	614	67	42	317	546	464	471	373	340	348	434	543	661	695	541	1,811	16
PUERTO RICAN	256	7	-	1	6	8	9	17	19	16	18	14	15	29	23	21	52	1
OTHER HISPANIC	2,893	269	26	19	91	163	197	257	223	159	127	119	143	184	209	165	514	28
NON-HISPANIC	99,256	2,097	203	232	904	1,444	1,862	2,373	2,781	2,788	2,953	3,644	5,505	8,445	11,252	13,134	39,594	45
NOT STATED	1,496	65	2	1	19	44	48	92	94	79	94	128	114	156	144	113	266	37

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-6

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
ALAMEDA	9,907	229	19	26	71	127	153	179	250	253	280	341	468	764	1,033	1,062	4,638	14
AMERICAN INDIAN	24	-	-	-	-	-	-	1	2	-	4	2	2	1	3	2	7	-
BLACK	2,105	101	4	7	29	46	55	53	95	72	85	120	135	203	246	243	607	4
CAMBODIAN	6	-	-	2	-	-	-	-	1	-	1	-	-	-	-	1	1	-
CHINESE	233	4	2	-	1	1	4	3	7	5	5	5	19	19	25	30	103	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	150	5	2	1	2	4	3	1	5	6	8	4	9	18	8	13	61	-
INDIAN (INDIA)	19	2	-	-	-	-	1	-	1	1	4	1	2	1	2	4	-	-
JAPANESE	74	1	-	-	-	1	-	1	1	2	5	2	4	5	7	6	39	-
KOREAN	21	1	-	-	-	-	1	1	-	4	2	-	2	1	-	2	7	-
PACIFIC ISLANDER	33	1	-	1	1	3	-	1	2	3	2	2	4	2	5	2	4	-
VIETNAMESE	19	2	-	2	3	1	-	2	1	-	-	-	-	-	1	1	6	-
WHITE	7,192	106	11	12	35	71	89	112	133	160	163	204	291	508	734	755	3,800	8
OTHER ASIAN	17	3	-	1	-	-	-	4	1	-	-	-	-	3	-	2	3	-
OTHER	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	10	3	-	-	-	-	-	-	1	-	1	-	-	3	-	1	-	2
FEMALE	4,908	95	7	11	19	29	47	47	69	98	110	127	178	303	468	485	2,811	4
AMERICAN INDIAN	9	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	5	-
BLACK	923	35	1	3	5	11	13	17	29	29	37	40	50	88	112	111	339	3
CAMBODIAN	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
CHINESE	89	2	1	-	1	1	2	1	4	4	2	2	4	4	10	9	42	-
FILIPINO	58	3	2	-	1	-	-	-	3	4	3	1	5	7	4	4	21	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
JAPANESE	44	-	-	-	-	-	-	-	-	2	4	2	3	2	4	2	25	-
KOREAN	13	1	-	-	-	-	1	-	-	2	1	-	1	1	-	1	5	-
PACIFIC ISLANDER	13	-	-	1	-	-	-	-	-	1	1	-	2	1	3	1	3	-
VIETNAMESE	7	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	3	-
WHITE	3,736	51	3	4	12	17	31	28	32	56	59	81	112	197	331	355	2,366	1
OTHER ASIAN	4	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
MALE	4,999	134	12	15	52	98	106	132	181	155	170	214	290	461	563	577	1,827	10
AMERICAN INDIAN	15	-	-	-	-	-	-	1	2	-	2	2	1	1	2	2	2	-
BLACK	1,182	66	3	4	24	35	42	36	66	43	48	80	85	115	134	132	268	1
CAMBODIAN	3	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
CHINESE	144	2	1	-	-	-	2	2	3	1	3	3	15	15	15	21	61	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FILIPINO	92	2	-	1	1	4	3	1	2	2	5	3	4	11	4	9	40	-
INDIAN (INDIA)	16	2	-	-	-	-	1	-	1	1	3	-	2	1	2	3	-	-
JAPANESE	30	1	-	-	-	1	-	1	1	-	1	-	1	3	3	4	14	-
KOREAN	8	-	-	-	-	-	-	1	-	2	1	-	1	-	-	1	2	-
PACIFIC ISLANDER	20	1	-	1	3	-	-	1	2	2	1	2	2	1	2	1	1	-
VIETNAMESE	12	1	-	1	3	1	-	1	1	-	-	-	-	-	1	1	3	-
WHITE	3,456	55	8	8	23	54	58	84	101	104	104	123	179	311	403	400	1,434	7
OTHER ASIAN	13	3	-	-	-	-	-	4	-	-	-	-	-	2	-	2	2	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	6	1	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	2
ALPINE	11	-	-	-	1	1	-	1	-	1	2	-	1	-	2	1	1	-
AMERICAN INDIAN	7	-	-	-	1	1	-	1	-	-	1	-	1	-	2	-	-	-
WHITE	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
FEMALE	7	-	-	-	-	1	-	1	-	-	2	-	1	-	1	-	1	-
AMERICAN INDIAN	5	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-
WHITE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
MALE	4	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-
AMERICAN INDIAN	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
AMADOR	267	2	-	1	4	1	-	1	2	5	6	5	15	19	40	33	133	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	266	2	-	1	4	1	-	1	2	5	6	5	15	18	40	33	133	-
FEMALE	114	1	-	-	1	-	-	-	-	-	2	1	6	8	14	10	71	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	113	1	-	-	1	-	-	-	-	-	2	1	6	7	14	10	71	-
MALE	153	1	-	1	3	1	-	1	2	5	4	4	9	11	26	23	62	-
WHITE	153	1	-	1	3	1	-	1	2	5	4	4	9	11	26	23	62	-
BUTTE	1,901	29	5	1	15	16	11	26	22	26	27	42	66	105	212	250	1,047	1

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
BUTTE (CONT'D)																		
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-
BLACK	23	1	-	-	-	-	-	1	2	1	1	-	-	4	2	4	7	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
WHITE	1,860	28	3	1	15	16	11	24	20	23	24	40	65	101	209	245	1,034	1
OTHER ASIAN	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FEMALE	882	18	2	-	4	3	1	5	5	9	11	12	28	48	79	104	553	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
BLACK	12	1	-	-	-	-	-	-	-	-	1	-	-	2	2	2	4	-
JAPANESE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	862	17	1	-	4	3	1	5	5	8	9	11	27	46	76	102	547	-
OTHER ASIAN	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,019	11	3	1	11	13	10	21	17	17	16	30	38	57	133	146	494	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
BLACK	11	-	-	-	-	-	-	1	2	1	-	-	-	2	-	2	3	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
VIETNAMESE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	998	11	2	1	11	13	10	19	15	15	15	29	38	55	133	143	487	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CALAVERAS	289	4	-	-	2	7	7	6	6	7	5	9	15	25	38	35	123	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	286	4	-	-	2	7	7	6	6	7	4	9	14	24	38	35	123	-
FEMALE	132	1	-	-	1	-	2	3	1	3	2	3	8	12	18	16	62	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WHITE	131	1	-	-	1	-	2	3	1	3	2	3	7	12	18	16	62	-
MALE	157	3	-	-	1	7	5	3	5	4	3	6	7	13	20	19	61	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	155	3	-	-	1	7	5	3	5	4	2	6	7	12	20	19	61	-
COLUSA	167	1	-	-	1	1	-	2	5	1	3	7	6	10	18	26	86	-
BLACK	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
WHITE	157	-	-	-	1	1	-	2	4	-	3	7	6	7	17	24	84	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	77	-	-	-	-	-	-	-	3	-	2	3	4	3	10	8	44	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	76	-	-	-	-	-	-	-	2	-	2	3	4	3	10	8	44	-
MALE	90	1	-	-	1	1	-	2	2	1	1	4	2	7	8	18	42	-
BLACK	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
WHITE	81	1	-	-	1	1	-	2	2	-	1	4	2	4	7	16	40	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CONTRA COSTA	5,606	105	13	10	44	67	96	94	118	146	148	166	271	452	608	692	2,572	4
AMERICAN INDIAN	12	-	1	-	-	2	-	1	1	1	-	-	-	-	2	-	4	-
BLACK	515	20	3	1	8	16	17	20	28	24	18	23	38	52	57	59	131	-
CHINESE	48	1	2	-	1	-	-	1	1	-	1	3	4	6	6	7	15	-
FILIPINO	50	-	-	-	1	1	3	-	-	4	-	3	2	4	8	2	22	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
CONTRA COSTA (CONT'D)																		
INDIAN (INDIA)	12	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	2	-
JAPANESE	26	1	-	-	-	-	1	-	-	1	-	-	2	3	4	3	11	-
KOREAN	10	-	-	-	-	-	-	2	-	-	-	-	-	-	2	3	3	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-
THAI	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	9	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	-
WHITE	4,895	79	7	9	32	47	75	70	86	113	126	134	220	378	525	615	2,376	13
OTHER ASIAN	15	2	-	-	-	1	-	-	-	2	2	-	1	3	-	-	4	-
OTHER	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-
NOT STATED	5	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-
FEMALE	2,642	42	8	4	13	15	23	21	30	50	55	60	124	180	273	291	1,452	1
AMERICAN INDIAN	6	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	3	-
BLACK	216	10	2	-	1	6	4	3	8	9	8	9	20	23	26	26	61	-
CHINESE	22	-	1	-	1	-	-	1	-	-	-	-	2	-	3	5	9	-
FILIPINO	15	-	-	-	-	-	-	-	-	2	-	1	2	-	3	1	6	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	6	-
KOREAN	7	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-
THAI	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
VIETNAMESE	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	2,350	30	4	4	10	8	18	17	22	38	47	50	98	153	235	257	1,359	1
OTHER ASIAN	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	2,964	63	5	6	31	52	73	73	88	96	93	106	147	272	335	401	1,120	3
AMERICAN INDIAN	6	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	1	-
BLACK	299	10	1	1	7	10	13	17	20	15	10	14	18	29	31	33	70	-
CHINESE	26	1	1	-	-	-	-	-	1	-	1	3	2	6	3	2	6	-
FILIPINO	35	-	-	-	1	1	3	-	-	2	-	2	-	4	5	1	16	-
INDIAN (INDIA)	10	-	-	-	-	-	-	2	-	-	1	1	1	3	3	1	-	-
JAPANESE	17	1	-	-	-	-	-	-	-	-	-	-	1	3	2	3	5	-
KOREAN	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	2	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	5	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-
WHITE	2,565	49	3	5	22	39	57	53	64	75	79	84	122	225	290	358	1,017	3
OTHER ASIAN	10	2	-	-	-	1	-	-	-	2	2	-	1	-	-	-	2	-
OTHER	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
NOT STATED	3	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
DEL NORTE	202	7	-	-	-	3	3	1	2	4	5	11	7	22	28	33	76	-
AMERICAN INDIAN	10	2	-	-	-	-	-	-	-	1	-	-	-	2	-	2	3	-
WHITE	191	4	-	-	-	3	3	1	2	3	5	11	7	20	28	31	73	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	98	3	-	-	-	-	-	1	-	1	2	3	4	7	12	15	50	-
AMERICAN INDIAN	5	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-
WHITE	92	1	-	-	-	-	-	1	-	-	2	3	4	6	12	15	48	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	104	4	-	-	-	3	3	-	2	3	3	8	3	15	16	18	26	-
AMERICAN INDIAN	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
WHITE	99	3	-	-	-	3	3	-	2	3	3	8	3	14	16	16	25	-
EL DORADO	854	17	4	2	6	13	4	10	26	19	24	26	59	65	99	113	366	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	8	1	-	-	-	1	-	-	-	1	-	-	1	-	-	1	2	-
JAPANESE	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
WHITE	839	16	4	2	6	12	3	10	26	18	24	26	58	63	99	112	360	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	402	3	3	-	3	3	-	4	9	7	8	15	25	28	32	53	208	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	396	3	3	-	3	3	-	4	9	7	8	15	24	27	32	53	205	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
MALE	452	14	1	2	3	10	4	6	17	12	16	11	34	37	67	60	158	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
EL DORADO (CONT'D)	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
BLACK	6	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	2	-
FILIPINO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	443	13	1	2	3	9	3	6	17	11	16	11	34	36	67	59	185	-
WHITE																		
FRESNO	4,629	135	14	12	52	70	80	97	97	78	98	140	220	342	469	569	2,154	2
AMERICAN INDIAN	16	1	-	-	1	-	2	2	-	-	-	2	-	2	2	2	2	-
BLACK	267	22	-	-	4	6	6	9	13	8	10	9	13	14	30	27	96	-
CAMBODIAN	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
CHINESE	21	1	1	-	1	-	-	1	-	1	-	-	2	1	4	3	6	-
FILIPINO	20	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	18	-
INDIAN (INDIA)	20	-	-	-	-	1	2	1	-	-	1	1	1	-	4	4	4	1
JAPANESE	51	-	-	-	-	-	-	-	-	-	-	-	1	5	12	7	26	-
KOREAN	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
WHITE	4,154	98	11	11	43	62	69	78	80	65	78	122	202	316	415	521	1,983	-
OTHER ASIAN	60	9	2	1	1	1	1	4	3	4	6	6	1	2	2	4	13	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	1
FEMALE	2,112	62	5	2	15	9	17	24	30	26	28	58	79	123	178	241	1,215	-
AMERICAN INDIAN	7	-	-	-	1	-	1	-	-	-	-	1	-	1	1	1	1	-
BLACK	111	9	-	-	1	2	1	3	6	3	-	3	5	5	11	15	47	-
CAMBODIAN	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
INDIAN (INDIA)	9	-	-	-	-	-	1	1	-	-	-	-	-	-	1	3	3	-
JAPANESE	23	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	17	-
KOREAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
VIETNAMESE	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	1,930	46	4	2	13	6	13	17	23	23	26	53	73	114	161	219	1,137	-
OTHER ASIAN	21	4	1	-	-	1	1	1	1	-	2	1	-	1	-	2	6	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	2,517	73	9	10	37	61	63	73	67	52	70	82	141	219	291	328	939	2
AMERICAN INDIAN	9	1	-	-	-	-	1	2	-	-	-	1	-	1	1	1	1	-
BLACK	156	13	-	-	3	4	5	6	7	5	10	6	8	9	19	12	49	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	18	1	1	-	1	-	-	1	-	1	-	-	2	-	3	3	5	-
FILIPINO	20	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	18	-
INDIAN (INDIA)	11	-	-	-	-	1	1	-	-	-	1	1	1	-	3	1	1	1
JAPANESE	28	-	-	-	-	-	-	-	-	-	-	-	-	4	9	6	9	-
KOREAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2,224	52	7	9	30	56	56	61	57	42	52	69	129	202	254	302	846	-
OTHER ASIAN	39	5	1	1	1	-	-	3	2	4	4	5	1	1	2	2	7	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1
GLENN	240	5	-	1	2	2	-	-	6	3	3	4	11	11	21	35	136	-
AMERICAN INDIAN	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WHITE	234	4	-	1	2	2	-	-	6	3	3	3	10	11	21	35	133	-
FEMALE	110	2	-	1	-	-	-	-	3	1	1	1	4	2	7	13	75	-
AMERICAN INDIAN	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
WHITE	107	1	-	1	-	-	-	-	3	1	1	1	4	2	7	13	73	-
MALE	130	3	-	-	2	2	-	-	3	2	2	3	7	9	14	22	61	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
WHITE	127	3	-	-	2	2	-	-	3	2	2	2	6	9	14	22	60	-
HUMBOLDT	1,101	36	1	1	16	12	18	23	25	11	23	34	59	93	107	151	490	1
AMERICAN INDIAN	60	4	-	-	2	2	1	4	2	3	4	2	3	6	5	10	12	-
BLACK	5	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	1,026	27	1	1	13	10	17	18	20	8	18	32	56	86	102	141	476	-
OTHER ASIAN	5	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
NOT STATED	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
HUMBOLDT (CONT'D)																		
FEMALE	518	12	-	-	4	5	9	6	3	3	11	19	19	34	61	65	266	1
AMERICAN INDIAN	21	1	-	-	1	1	-	1	1	-	1	2	1	1	1	2	8	-
WHITE	495	11	-	-	3	4	9	4	2	3	10	17	18	33	60	63	258	-
NOT STATED	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
MALE	583	24	1	1	12	7	9	17	22	8	12	15	40	59	46	86	224	-
AMERICAN INDIAN	39	3	-	-	1	1	1	3	1	3	3	-	2	5	4	8	4	-
BLACK	5	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-
FILIPINO	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	531	16	1	1	10	6	8	14	18	5	8	15	38	53	42	78	218	-
OTHER ASIAN	5	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
NOT STATED	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMPERIAL	742	22	5	2	10	7	15	9	14	11	17	36	56	62	106	93	262	15
AMERICAN INDIAN	12	1	-	-	-	-	1	-	1	1	-	4	-	-	1	-	3	-
BLACK	22	-	-	-	-	-	4	-	2	-	1	-	3	3	4	2	3	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
FILIPINO	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
WHITE	692	21	5	2	10	7	10	9	11	10	16	32	51	58	101	91	245	13
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
FEMALE	269	5	3	-	1	1	2	4	3	4	4	14	20	19	34	34	121	-
AMERICAN INDIAN	7	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	2	-
BLACK	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
WHITE	258	4	3	-	1	1	1	4	3	3	4	11	20	19	34	34	116	-
MALE	473	17	2	2	9	6	13	5	11	7	13	22	36	43	72	59	141	15
AMERICAN INDIAN	5	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	1	-
BLACK	20	-	-	-	-	-	3	-	2	-	1	-	3	3	4	2	2	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
FILIPINO	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	434	17	2	2	9	6	9	5	8	7	12	21	31	39	67	57	129	13
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
INYO	207	-	-	-	3	-	4	5	1	1	4	3	10	16	25	20	115	-
AMERICAN INDIAN	16	-	-	-	2	-	1	2	-	-	1	1	1	1	-	2	5	-
WHITE	191	-	-	-	1	-	3	3	1	1	3	2	9	15	25	18	110	-
FEMALE	85	-	-	-	-	-	1	1	-	1	-	2	2	7	4	9	58	-
AMERICAN INDIAN	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	-
WHITE	78	-	-	-	-	-	1	1	-	1	-	1	2	6	4	9	53	-
MALE	122	-	-	-	3	-	3	4	1	-	4	1	8	9	21	11	57	-
AMERICAN INDIAN	9	-	-	-	2	-	1	2	-	-	1	-	1	-	-	2	-	-
WHITE	113	-	-	-	1	-	2	2	1	-	3	1	7	9	21	9	57	-
KERN	3,884	144	16	13	38	51	68	84	77	98	104	128	209	322	424	451	1,650	7
AMERICAN INDIAN	7	1	-	-	-	-	1	-	-	-	-	-	1	1	1	-	2	-
BLACK	265	23	1	1	3	4	5	10	11	10	11	13	19	26	18	29	81	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	14	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	10	-
FILIPINO	51	3	-	-	-	-	-	1	-	1	-	-	2	4	6	1	33	-
INDIAN (INDIA)	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KOREAN	5	-	-	-	1	-	-	-	-	1	-	1	-	-	1	1	-	-
PACIFIC ISLANDER	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	3,533	115	15	12	34	46	62	73	65	86	92	114	187	289	395	419	1,522	7
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	1,757	70	3	3	6	10	22	23	23	31	43	56	90	131	163	192	888	3
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
BLACK	127	13	-	1	1	-	2	6	4	4	5	6	12	13	7	11	42	-
CHINESE	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-
FILIPINO	10	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	3	-
INDIAN (INDIA)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KOREAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,609	53	3	2	4	10	20	17	19	26	37	50	76	114	156	180	839	3

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
KERN (CONT'D)																		
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	2,127	74	13	10	32	41	46	61	54	67	61	72	119	191	261	259	762	4
AMERICAN INDIAN	5	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-
BLACK	138	10	1	-	2	4	3	4	7	6	6	7	7	13	11	18	39	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	-
FILIPINO	41	1	-	-	-	-	-	1	-	-	-	-	1	1	6	1	30	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
KOREAN	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-
PACIFIC ISLANDER	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	1,924	62	12	10	30	36	42	56	46	60	55	64	111	175	239	239	683	4
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
KINGS	627	19	1	2	5	10	6	9	13	11	11	23	30	49	71	90	277	-
AMERICAN INDIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	34	2	-	-	-	2	-	2	-	-	-	2	1	3	1	5	16	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	582	14	1	2	5	7	6	7	12	11	11	20	28	46	69	84	259	-
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	302	12	-	-	1	3	2	2	5	3	4	10	15	17	32	35	161	-
BLACK	22	1	-	-	-	1	-	1	-	-	-	1	-	1	1	2	14	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FILIPINO	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	272	9	-	-	1	1	2	1	4	3	4	9	14	16	31	32	145	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	325	7	1	2	4	7	4	7	8	8	7	13	15	32	39	55	116	-
AMERICAN INDIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	12	1	-	-	-	1	-	1	-	-	-	1	1	2	-	3	2	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	310	5	1	2	4	6	4	6	8	8	7	11	14	30	38	52	114	-
LAKE	765	16	1	1	4	5	5	3	9	11	9	18	37	69	92	123	362	-
AMERICAN INDIAN	12	-	-	-	-	-	-	1	1	1	-	1	1	1	2	3	1	-
BLACK	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
WHITE	742	16	1	1	4	5	4	2	8	10	9	17	34	68	89	116	358	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	356	7	-	1	1	2	1	2	5	4	2	5	17	31	34	46	198	-
AMERICAN INDIAN	6	-	-	-	-	-	-	1	1	1	-	1	-	-	2	-	-	-
BLACK	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-
WHITE	345	7	-	1	1	2	1	1	4	3	2	4	15	31	32	44	197	-
MALE	409	9	1	-	3	3	4	1	4	7	7	13	20	38	58	77	164	-
AMERICAN INDIAN	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
WHITE	397	9	1	-	3	3	3	1	4	7	7	13	19	37	57	72	161	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
LASSEN	187	2	-	2	-	2	3	4	5	5	3	5	11	16	14	32	83	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	186	2	-	2	-	2	3	4	4	5	3	5	11	16	14	32	83	-
FEMALE	75	-	-	-	-	-	-	1	3	3	2	2	3	5	6	14	36	-
WHITE	75	-	-	-	-	-	-	1	3	3	2	2	3	5	6	14	36	-
MALE	112	2	-	2	-	2	3	3	2	2	1	3	8	11	8	18	47	-
BLACK	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
LASSEN (CONT'D)																		
WHITE	111	2	-	2	-	2	3	3	1	2	1	3	8	11	8	18	47	-
LOS ANGELES	64,709	1,898	162	116	607	923	1,144	1,437	1,570	1,586	1,854	2,296	3,271	4,790	6,089	7,183	29,766	17
AMERICAN INDIAN	106	1	-	-	1	2	2	2	7	7	7	6	9	13	6	9	27	-
BLACK	9,140	501	32	36	151	240	300	330	363	329	418	487	661	836	872	936	2,647	1
CAMBODIAN	37	6	-	-	-	3	2	1	3	2	2	1	6	1	4	-	6	-
CHINESE	720	22	3	1	9	4	16	8	15	17	18	30	40	43	69	113	312	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FILIPINO	557	22	2	-	5	7	7	10	14	29	9	26	28	39	44	80	235	-
INDIAN (INDIA)	52	2	-	-	1	-	-	4	-	4	2	9	2	4	8	6	10	-
JAPANESE	668	12	2	1	6	3	5	7	8	6	11	19	34	68	88	75	323	-
KOREAN	371	24	5	1	2	5	8	8	6	16	19	27	18	29	37	42	124	-
PACIFIC ISLANDER	108	6	-	1	3	2	1	3	4	4	12	8	12	13	14	12	13	-
THAI	21	4	-	-	1	-	-	1	2	2	2	1	1	1	1	2	3	-
VIETNAMESE	113	16	-	-	4	8	2	8	3	7	3	6	3	3	9	14	27	-
WHITE	52,682	1,265	118	75	421	645	799	1,052	1,139	1,161	1,335	1,667	2,449	3,732	4,919	5,887	26,003	15
OTHER ASIAN	64	9	-	-	2	3	1	2	3	2	5	5	4	6	8	3	11	-
OTHER	24	1	-	-	-	-	1	1	-	-	3	2	1	1	6	1	7	-
NOT STATED	45	7	-	1	1	1	-	-	2	-	1	2	3	1	4	3	18	1
FEMALE	31,435	828	65	49	125	187	260	318	414	502	627	851	1,247	1,896	2,589	3,329	18,142	6
AMERICAN INDIAN	51	-	-	-	1	-	1	1	3	3	8	2	5	7	1	7	12	-
BLACK	4,217	220	17	12	33	52	81	82	132	124	166	188	268	332	409	470	1,631	-
CAMBODIAN	12	2	-	-	-	-	-	-	1	1	-	-	4	-	1	-	3	-
CHINESE	316	13	-	-	2	1	5	3	7	9	8	11	15	22	33	43	144	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FILIPINO	209	9	2	-	1	4	1	4	7	11	6	15	13	8	23	32	73	-
INDIAN (INDIA)	24	2	-	-	1	-	-	3	-	-	1	4	-	2	4	3	4	-
JAPANESE	306	4	1	1	1	1	2	3	2	1	4	11	18	30	31	24	172	-
KOREAN	168	9	4	-	-	-	1	3	2	6	3	10	9	12	15	21	73	-
PACIFIC ISLANDER	37	3	-	-	1	-	-	2	1	1	1	4	4	3	3	6	8	-
THAI	11	2	-	-	1	-	-	-	1	-	1	-	-	1	1	1	3	-
VIETNAMESE	41	4	-	-	1	1	1	3	-	3	1	1	1	-	4	7	14	-
WHITE	25,985	552	41	35	82	125	168	214	254	341	425	602	906	1,476	2,055	2,714	15,989	6
OTHER ASIAN	26	5	-	-	1	2	-	-	2	2	2	1	2	2	4	1	2	-
OTHER	9	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	5	-
NOT STATED	22	3	-	1	-	1	-	-	1	-	1	1	2	1	2	-	9	-
MALE	33,274	1,070	97	67	482	736	884	1,119	1,156	1,084	1,227	1,445	2,024	2,894	3,500	3,854	11,624	11
AMERICAN INDIAN	55	1	-	-	-	2	1	1	4	4	6	4	4	6	5	2	15	-
BLACK	4,923	281	15	24	118	188	219	248	231	205	252	299	393	504	463	466	1,016	1
CAMBODIAN	25	4	-	-	-	3	2	1	2	1	2	1	2	1	3	-	3	-
CHINESE	404	9	3	1	7	3	11	5	8	8	10	19	25	21	36	70	168	-
FILIPINO	348	13	-	-	4	3	6	6	7	18	3	11	15	31	21	48	162	-
INDIAN (INDIA)	28	-	-	-	-	-	-	1	-	4	1	5	2	2	4	3	6	-
JAPANESE	362	8	1	-	5	2	3	4	6	5	7	8	16	38	57	51	151	-
KOREAN	203	15	1	1	2	5	7	5	4	10	16	17	9	17	22	21	51	-
PACIFIC ISLANDER	71	3	-	1	2	2	1	1	3	3	11	4	8	10	11	6	5	-
THAI	10	2	-	-	-	-	-	1	1	2	1	1	1	-	-	1	-	-
VIETNAMESE	72	12	-	-	3	7	1	5	3	4	2	5	2	3	5	7	13	-
WHITE	26,697	713	77	40	339	520	631	838	885	820	910	1,065	1,543	2,256	2,864	3,173	10,014	9
OTHER ASIAN	38	4	-	-	1	1	1	2	1	-	3	4	2	4	4	2	9	-
OTHER	15	1	-	-	-	-	1	1	-	-	3	1	1	1	3	1	2	-
NOT STATED	23	4	-	-	1	-	-	-	1	-	-	1	1	-	2	3	9	1
MADERA	652	16	4	3	14	15	11	13	15	11	17	18	27	47	60	78	303	-
AMERICAN INDIAN	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-
BLACK	36	-	-	-	-	-	1	-	1	-	2	-	2	4	1	2	23	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	609	15	4	3	14	14	10	13	14	11	15	18	25	43	59	76	275	-
FEMALE	269	6	2	-	5	2	1	2	6	3	5	7	13	19	17	32	149	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
BLACK	18	-	-	-	-	-	-	-	1	-	2	-	-	3	-	2	10	-
WHITE	249	6	2	-	5	2	1	2	5	3	3	7	13	16	17	30	137	-
MALE	383	10	2	3	9	13	10	11	9	8	12	11	14	28	43	46	154	-
AMERICAN INDIAN	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	18	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	13	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	360	9	2	3	9	12	9	11	9	8	12	11	12	27	42	46	138	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MARIN	1,774	18	-	4	10	11	19	25	36	46	34	67	72	128	160	190	953	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
BLACK	42	1	-	-	1	-	2	-	3	-	-	3	3	3	11	4	11	-
CHINESE	7	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	4	-
FILIPINO	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
JAPANESE	9	-	-	-	1	-	-	-	-	-	-	-	1	4	1	-	2	-
KOREAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,698	16	-	3	7	11	14	25	30	45	33	63	67	121	144	185	933	1
OTHER ASIAN	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-
NOT STATED	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE	935	8	-	-	2	4	6	7	10	18	9	28	29	64	69	88	592	1
BLACK	16	-	-	-	-	-	1	-	-	-	-	1	3	2	3	2	4	-
CHINESE	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
KOREAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	903	8	-	-	1	4	5	7	8	18	8	26	25	60	64	86	582	1
OTHER ASIAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MALE	839	10	-	4	8	7	13	18	26	28	25	39	43	64	91	102	361	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
BLACK	26	1	-	-	1	-	1	-	3	-	-	2	-	1	8	2	7	-
CHINESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
FILIPINO	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
JAPANESE	5	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-
PACIFIC ISLANDER	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THAI	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WHITE	795	8	-	3	6	7	9	18	22	27	25	37	42	61	80	99	351	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
NOT STATED	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MARIPOSA	133	1	-	-	-	3	1	3	2	-	4	-	9	8	18	12	72	-
AMERICAN INDIAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	131	1	-	-	-	2	1	2	2	-	4	-	9	8	18	12	72	-
FEMALE	69	-	-	-	-	1	1	-	-	-	1	-	6	1	9	4	46	-
WHITE	69	-	-	-	-	1	1	-	-	-	1	-	6	1	9	4	46	-
MALE	64	1	-	-	-	2	-	3	2	-	3	-	3	7	9	8	26	-
AMERICAN INDIAN	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	62	1	-	-	-	1	-	2	2	-	3	-	3	7	9	8	26	-
MENDOCINO	760	14	1	1	7	10	13	8	15	15	20	17	37	68	68	95	370	1
AMERICAN INDIAN	15	2	-	-	2	2	1	-	1	-	1	1	-	-	3	-	2	-
BLACK	6	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	732	12	1	1	5	8	12	8	13	14	19	15	37	65	62	95	364	1
FEMALE	342	5	1	-	1	2	4	3	3	2	9	7	16	28	29	34	198	-
AMERICAN INDIAN	5	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	332	4	1	-	1	2	4	3	2	2	9	7	16	26	26	34	195	-
MALE	418	9	-	1	6	8	9	5	12	13	11	10	21	40	39	61	172	1
AMERICAN INDIAN	10	1	-	-	2	2	1	-	-	-	1	1	-	-	1	-	1	-
BLACK	5	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MENDOCINO (CONT'D)																		
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	400	8	-	1	4	6	8	5	11	12	10	8	21	39	36	61	169	1
MERCED	1,166	44	1	3	16	22	21	25	15	21	29	43	56	89	111	161	509	-
BLACK	57	4	-	-	-	5	1	-	2	2	1	5	3	2	7	8	17	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FILIPINO	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-
JAPANESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	1,072	32	1	3	16	17	20	23	13	18	27	36	50	84	100	152	480	-
OTHER ASIAN	18	6	-	-	-	-	-	1	-	1	1	1	1	1	4	1	1	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	525	16	-	-	6	5	9	3	3	9	8	17	19	38	54	61	277	-
BLACK	26	1	-	-	-	1	1	-	1	1	-	2	1	-	3	3	13	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
THAI	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	485	11	-	-	6	4	8	3	2	7	8	15	17	37	48	58	261	-
OTHER ASIAN	8	3	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-
MALE	641	28	1	3	10	17	12	22	12	12	21	26	37	51	57	100	232	-
BLACK	31	3	-	-	-	4	-	-	1	1	1	4	2	2	4	5	4	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
PACIFIC ISLANDER	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
WHITE	587	21	1	3	10	13	12	20	11	11	19	21	33	47	52	94	219	-
OTHER ASIAN	10	3	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MODOC	119	2	-	-	-	1	-	-	1	1	2	4	3	7	16	18	64	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	117	2	-	-	-	1	-	-	1	1	2	4	3	7	16	16	64	-
FEMALE	49	-	-	-	-	-	-	-	1	-	1	1	2	3	6	4	31	-
WHITE	49	-	-	-	-	-	-	-	1	-	1	1	2	3	6	4	31	-
MALE	70	2	-	-	-	1	-	-	-	1	1	3	1	4	10	14	33	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	68	2	-	-	-	1	-	-	-	1	1	3	1	4	10	12	33	-
MONO	35	-	1	-	1	1	2	3	-	3	1	-	1	3	4	1	14	-
AMERICAN INDIAN	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
WHITE	32	-	1	-	1	-	2	2	-	3	1	-	1	3	4	1	13	-
FEMALE	12	-	-	-	-	1	-	1	-	-	1	-	1	1	1	-	6	-
AMERICAN INDIAN	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
WHITE	9	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	5	-
MALE	23	-	1	-	1	-	2	2	-	3	-	-	-	2	3	1	8	-
WHITE	23	-	1	-	1	-	2	2	-	3	-	-	-	2	3	1	8	-
MONTEREY	2,256	85	8	4	23	47	25	35	39	45	57	62	93	178	222	269	1,063	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
BLACK	101	14	1	-	3	4	3	3	5	2	6	1	9	11	11	9	19	-
CHINESE	14	-	-	-	-	-	-	-	1	-	1	-	-	1	1	5	5	-
FILIPINO	81	2	-	1	-	1	-	-	-	2	2	1	2	4	7	6	53	-
INDIAN (INDIA)	4	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-
JAPANESE	36	-	-	-	-	-	-	-	-	-	1	-	2	8	3	4	12	-
KOREAN	10	-	-	-	-	-	-	1	-	2	-	2	2	1	1	-	1	-
PACIFIC ISLANDER	5	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-
VIETNAMESE	7	2	-	-	-	1	-	2	-	-	-	-	-	-	-	1	2	-
WHITE	1,995	65	7	3	20	40	22	29	33	38	47	56	78	152	196	243	965	1
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MONTEREY (CONT'D)																		
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
FEMALE	1,067	39	2	2	6	5	8	7	14	16	18	28	41	76	97	113	594	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
BLACK	44	8	1	-	-	1	1	-	1	-	1	1	4	5	4	3	14	-
CHINESE	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	5	-
FILIPINO	21	1	-	-	-	-	-	-	-	1	1	1	-	3	4	5	5	-
INDIAN (INDIA)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	16	-	-	-	-	-	-	-	-	-	1	-	-	4	-	4	7	-
KOREAN	8	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-	1	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	961	30	1	2	6	3	7	7	13	13	14	23	36	62	86	99	558	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	1,189	46	6	2	17	42	17	28	25	29	39	34	52	102	125	156	469	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	57	6	-	-	3	3	2	3	4	2	5	-	5	6	7	6	5	-
CHINESE	6	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	-	-
FILIPINO	60	1	-	1	-	1	-	-	-	1	1	-	2	1	3	1	48	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
JAPANESE	14	-	-	-	-	-	-	-	-	-	-	-	2	4	3	-	5	-
KOREAN	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
PACIFIC ISLANDER	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	6	2	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-
WHITE	1,034	35	6	1	14	37	15	22	20	25	33	33	42	90	110	144	407	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NAPA	1,039	8	3	1	7	9	9	6	11	13	17	19	30	62	101	130	612	1
AMERICAN INDIAN	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
BLACK	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	1,025	6	3	1	7	8	9	6	11	13	17	19	30	61	98	129	606	1
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	501	4	1	-	1	1	1	-	2	6	9	7	12	23	39	52	343	-
AMERICAN INDIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	495	3	1	-	1	1	1	-	2	6	9	7	12	22	39	51	340	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	538	4	2	1	6	8	8	6	9	7	8	12	18	39	62	78	269	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
BLACK	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
WHITE	530	3	2	1	6	7	8	6	9	7	8	12	18	39	59	78	266	1
NEVADA	645	10	1	-	3	4	7	9	8	11	11	16	20	40	81	71	353	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
CHINESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	638	9	1	-	3	4	7	9	7	11	11	15	20	40	81	71	349	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	312	7	-	-	1	2	3	2	3	4	5	6	12	15	29	34	189	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
WHITE	310	7	-	-	1	2	3	2	3	4	5	6	12	15	29	34	187	-
MALE	333	3	1	-	2	2	4	7	5	7	6	10	8	25	52	37	164	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WHITE	328	2	1	-	2	2	4	7	4	7	6	9	8	25	52	37	162	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
NEVADA (CONT'D)																		
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ORANGE	14,748	340	32	25	110	174	251	239	251	282	349	514	740	1,111	1,434	1,658	7,234	4
AMERICAN INDIAN	27	2	-	-	-	-	-	-	-	-	1	1	2	3	5	1	12	-
BLACK	113	14	-	-	2	3	10	5	9	6	9	12	9	5	5	5	19	-
CAMBODIAN	5	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-
CHINESE	78	5	-	-	1	1	2	3	1	1	1	3	1	4	6	14	35	-
FILIPINO	41	1	-	-	-	1	2	2	1	-	3	3	1	4	3	5	15	-
INDIAN (INDIA)	11	1	-	-	-	-	-	-	-	2	-	1	-	2	1	1	3	-
JAPANESE	85	2	2	-	1	-	4	1	-	-	2	4	6	11	13	10	29	-
KOREAN	68	3	-	-	1	-	-	-	2	2	2	3	5	6	10	8	26	-
PACIFIC ISLANDER	27	2	-	-	-	2	-	1	1	-	2	4	2	4	2	2	5	-
THAI	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	127	10	2	1	4	3	7	4	6	7	7	7	6	7	9	1	33	-
WHITE	14,128	291	28	24	101	162	225	220	230	262	319	473	705	1,062	1,375	1,597	7,050	4
OTHER ASIAN	22	2	-	-	-	1	1	1	1	1	2	3	2	2	2	-	4	-
OTHER	7	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-
NOT STATED	7	2	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-
FEMALE	7,370	156	16	8	28	32	68	51	91	96	133	207	304	436	633	758	4,351	2
AMERICAN INDIAN	16	2	-	-	-	-	-	-	-	1	1	1	1	3	1	1	6	-
BLACK	41	3	-	-	-	-	3	-	4	1	3	5	4	-	3	2	13	-
CAMBODIAN	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
CHINESE	37	1	-	-	1	-	-	2	1	-	1	1	-	3	3	6	18	-
FILIPINO	16	-	-	-	-	-	1	-	-	-	-	1	-	2	2	2	7	-
INDIAN (INDIA)	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
JAPANESE	30	2	1	-	1	-	2	-	-	-	1	2	2	4	2	1	12	-
KOREAN	32	2	-	-	1	-	-	-	1	1	-	1	1	1	5	4	15	-
PACIFIC ISLANDER	13	1	-	-	-	-	-	-	-	-	2	1	2	1	1	1	3	-
THAI	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	51	5	2	1	1	-	-	-	2	3	3	1	4	2	6	7	14	-
WHITE	7,110	135	13	7	24	32	62	47	83	91	121	191	289	417	607	732	4,257	2
OTHER ASIAN	9	2	-	-	-	-	-	-	-	-	1	2	-	1	1	-	3	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
MALE	7,378	184	16	17	82	142	183	188	160	186	216	307	436	675	801	900	2,883	2
AMERICAN INDIAN	11	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	6	-
BLACK	72	11	-	-	2	3	7	5	5	5	6	7	5	5	2	3	6	-
CAMBODIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
CHINESE	41	4	-	-	-	1	2	1	-	1	-	2	1	1	3	8	17	-
FILIPINO	25	1	-	-	-	1	1	2	1	-	3	2	-	2	1	3	8	-
INDIAN (INDIA)	7	1	-	-	-	-	-	-	-	2	-	-	-	2	1	-	1	-
JAPANESE	55	-	1	-	-	-	2	-	-	-	1	2	4	7	11	9	17	-
KOREAN	36	1	-	-	-	-	-	1	1	1	2	2	4	5	5	4	11	-
PACIFIC ISLANDER	14	1	-	-	-	2	-	1	1	-	-	3	2	2	1	1	2	-
VIETNAMESE	76	5	-	-	3	3	7	4	4	4	4	6	2	5	3	7	19	-
WHITE	7,018	156	15	17	77	130	163	173	147	171	198	282	416	645	768	865	2,793	2
OTHER ASIAN	13	-	-	-	-	1	1	1	1	1	2	1	2	1	1	-	1	-
OTHER	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
PLACER	1,293	28	4	2	10	11	12	24	19	24	21	34	74	93	124	164	648	1
AMERICAN INDIAN	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	14	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	12	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,267	27	4	1	10	11	12	23	19	23	20	33	74	91	124	163	631	1
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	642	9	1	2	6	6	2	5	5	5	10	11	34	43	59	74	370	-
AMERICAN INDIAN	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WHITE	633	9	1	1	6	6	2	5	5	4	10	11	34	42	59	73	365	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MALE	651	19	3	-	4	5	10	19	14	19	11	23	40	50	65	90	278	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																	
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
PLACER (CONT'D)																		
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	-
WHITE	634	18	3	-	4	5	10	18	14	19	10	22	40	49	65	90	266	1
OTHER ASIAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
PLUMAS	170	-	-	1	1	2	1	3	2	2	3	4	8	15	17	30	81	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	167	-	-	1	1	2	1	3	2	2	3	4	8	15	15	30	80	-
FEMALE	68	-	-	1	-	-	-	1	1	-	1	1	2	6	6	9	40	-
WHITE	68	-	-	1	-	-	-	1	1	-	1	1	2	6	6	9	40	-
MALE	102	-	-	-	1	2	1	2	1	2	2	3	6	9	11	21	41	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	99	-	-	-	1	2	1	2	1	2	2	3	6	9	9	21	40	-
RIVERSIDE	9,133	231	23	14	61	114	123	121	156	167	192	236	398	657	960	1,189	4,475	16
AMERICAN INDIAN	33	2	-	-	-	1	2	2	2	2	-	1	3	3	3	1	11	-
BLACK	349	20	2	-	5	4	12	6	14	12	16	9	23	40	26	27	130	3
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	10	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	5	-
FILIPINO	26	-	-	-	1	1	-	-	1	-	-	-	1	1	-	-	21	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
JAPANESE	15	-	-	-	-	-	-	1	-	-	-	1	1	3	3	1	5	-
KOREAN	7	-	-	-	-	-	3	-	-	-	-	1	-	1	-	2	-	-
PACIFIC ISLANDER	8	-	-	1	1	-	-	-	-	-	-	-	1	1	-	1	2	1
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
WHITE	8,666	207	21	13	53	108	105	111	139	153	175	223	368	604	925	1,153	4,298	10
OTHER ASIAN	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
NOT STATED	8	1	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	2
FEMALE	4,197	101	6	2	19	20	25	22	47	59	78	99	156	267	396	473	2,424	3
AMERICAN INDIAN	11	2	-	-	-	-	-	-	1	1	-	1	-	-	1	1	4	-
BLACK	144	6	1	-	2	2	-	2	2	7	6	2	6	15	11	8	74	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
FILIPINO	5	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	3	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	-
KOREAN	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-
VIETNAMESE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
WHITE	4,015	92	5	2	15	18	23	20	43	51	72	94	148	249	380	463	2,337	3
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	4,936	130	17	12	42	94	98	99	109	108	114	137	242	390	564	716	2,051	13
AMERICAN INDIAN	22	-	-	-	-	1	2	2	1	1	-	-	3	3	2	-	7	-
BLACK	205	14	1	-	3	2	12	4	12	5	10	7	17	25	15	19	56	3
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CHINESE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-
FILIPINO	21	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	18	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
JAPANESE	8	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	-
KOREAN	5	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	-	-
PACIFIC ISLANDER	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1
THAI	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WHITE	4,651	115	16	11	38	90	82	91	96	102	103	129	220	355	545	690	1,961	7
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
NOT STATED	7	1	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	2
SACRAMENTO	7,628	215	20	22	63	98	134	171	151	184	198	231	442	612	828	918	3,335	6
AMERICAN INDIAN	28	1	-	1	-	-	2	-	2	5	3	2	3	1	4	2	2	-
BLACK	532	41	5	4	10	15	11	23	20	22	16	32	45	48	59	58	123	-
CAMBODIAN	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	124	1	-	1	2	1	-	1	3	2	1	5	8	9	8	22	60	-
FILIPINO	55	3	1	1	-	-	-	3	-	-	4	1	-	3	3	7	29	-
INDIAN (INDIA)	11	-	-	-	1	-	2	3	2	-	1	-	1	-	1	-	-	-
JAPANESE	86	-	-	-	-	-	1	-	-	1	3	6	12	7	10	16	30	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SACRAMENTO (CONT'D)																		
KOREAN	17	-	-	-	-	-	-	2	-	-	3	2	1	-	6	1	2	-
PACIFIC ISLANDER	10	-	-	-	-	-	-	1	-	-	2	1	1	1	2	2	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	23	1	-	2	-	4	1	1	1	-	1	1	-	1	3	2	5	-
WHITE	6,702	158	14	13	50	78	116	135	120	147	164	180	369	538	728	805	3,081	6
OTHER ASIAN	30	7	-	-	-	-	1	2	2	7	-	-	2	1	3	3	2	-
OTHER	5	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	3,856	101	7	10	18	24	35	40	46	57	85	90	179	264	337	405	1,967	1
AMERICAN INDIAN	8	1	-	-	-	-	-	-	-	3	-	2	1	-	1	-	-	-
BLACK	233	17	1	2	2	7	4	3	8	6	6	16	12	21	27	24	77	-
CAMBODIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHINESE	54	-	-	1	-	1	-	-	-	1	-	1	4	5	1	11	29	-
FILIPINO	14	1	1	-	-	-	-	2	-	-	3	1	-	1	2	3	-	-
INDIAN (INDIA)	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	52	-	-	-	-	-	1	-	-	1	1	5	9	4	4	6	21	-
KOREAN	11	-	-	-	-	-	-	1	-	-	3	-	1	-	3	1	2	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-
THAI	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
VIETNAMESE	9	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	4	-
WHITE	3,261	77	5	7	15	16	28	32	36	44	71	63	151	229	297	356	1,833	1
OTHER ASIAN	12	3	-	-	-	-	1	1	-	2	-	-	1	-	1	2	1	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	3,962	114	13	12	45	74	99	131	105	127	113	141	263	348	491	513	1,368	5
AMERICAN INDIAN	20	-	-	1	-	-	2	-	2	2	3	-	2	1	3	2	2	-
BLACK	299	24	4	2	8	8	7	20	12	16	10	16	33	27	32	34	46	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	70	1	-	-	2	-	-	1	3	1	1	4	4	4	7	11	31	-
FILIPINO	41	2	-	1	-	-	-	1	-	-	1	-	-	2	1	4	29	-
INDIAN (INDIA)	8	-	-	-	-	-	1	3	2	-	-	-	1	-	1	-	-	-
JAPANESE	34	-	-	-	-	-	-	-	-	-	2	1	3	3	6	10	9	-
KOREAN	6	-	-	-	-	-	-	1	-	-	-	2	-	-	3	-	-	-
PACIFIC ISLANDER	6	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-
VIETNAMESE	14	-	-	2	-	4	1	1	-	-	-	-	-	-	3	1	1	-
WHITE	3,441	81	9	6	35	62	88	103	84	103	93	117	218	309	431	449	1,248	5
OTHER ASIAN	18	4	-	-	-	-	-	1	2	5	-	-	1	1	-	1	1	-
OTHER	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SAN BENITO	240	7	2	3	7	2	4	4	3	4	7	4	11	15	24	30	113	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	233	7	1	3	7	2	4	4	3	4	7	4	10	14	24	29	110	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE	120	3	-	1	3	1	-	-	2	2	3	1	4	6	13	15	66	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	118	3	-	1	3	1	-	-	2	2	3	1	4	5	13	15	65	-
MALE	120	4	2	2	4	1	4	4	1	2	4	3	7	9	11	15	47	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	115	4	1	2	4	1	4	4	1	2	4	3	6	9	11	14	45	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SAN BERNARDINO	9,177	341	29	34	94	151	166	194	196	212	226	305	487	690	937	1,127	3,975	13
AMERICAN INDIAN	16	1	-	-	2	1	-	-	-	1	-	1	2	1	3	3	1	-
BLACK	493	55	2	3	13	17	23	18	17	23	28	27	30	28	30	49	128	2
CHINESE	19	2	-	-	-	-	-	-	-	-	-	1	2	1	1	2	10	-
FILIPINO	23	2	-	-	-	-	1	-	-	-	-	-	1	3	4	2	10	-
INDIAN (INDIA)	6	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	2	-
JAPANESE	12	-	-	-	1	-	-	-	-	1	-	-	5	1	-	-	2	-
KOREAN	12	1	1	-	-	-	-	-	3	1	2	1	1	2	-	1	2	-
PACIFIC ISLANDER	16	1	-	-	-	-	1	1	1	1	-	-	3	-	2	2	4	-
THAI	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	7	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	2	-
WHITE	8,564	277	26	31	77	132	140	175	175	185	195	274	443	652	894	1,067	3,812	9
OTHER ASIAN	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN BERNARDINO (CONT'D)																		
OTHER	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
FEMALE	4,306	152	12	11	26	35	51	72	67	63	73	113	206	297	377	487	2,282	2
AMERICAN INDIAN	7	1	-	-	1	-	-	-	-	-	-	-	1	-	1	2	1	-
BLACK	233	29	1	2	6	6	7	4	5	5	9	12	14	9	16	24	82	2
CHINESE	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	-
FILIPINO	10	2	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
JAPANESE	8	-	-	-	1	-	-	-	-	-	-	1	4	1	-	-	1	-
KOREAN	8	1	1	-	-	-	-	-	1	-	2	-	-	-	-	1	1	-
PACIFIC ISLANDER	6	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	1	-
THAI	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-
WHITE	4,015	117	10	9	18	29	42	48	60	58	61	98	184	283	355	456	2,187	-
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	4,871	189	17	23	68	116	115	142	129	149	153	192	281	393	560	640	1,693	11
AMERICAN INDIAN	9	-	-	-	1	1	-	-	-	1	-	1	1	1	2	1	-	-
BLACK	260	26	1	1	7	11	16	14	12	18	19	15	16	19	14	25	46	-
CHINESE	10	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	-
FILIPINO	13	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	8	-
INDIAN (INDIA)	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-
JAPANESE	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-
KOREAN	4	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-
PACIFIC ISLANDER	10	1	-	-	-	-	-	1	-	1	-	-	2	-	1	1	3	-
VIETNAMESE	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	4,549	160	16	22	59	103	98	127	115	127	134	176	259	369	539	611	1,625	9
OTHER ASIAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
SAN DIEGO	16,636	393	32	49	117	230	278	299	326	339	366	479	693	1,131	1,709	2,629	8,129	37
AMERICAN INDIAN	56	4	-	-	3	3	4	1	1	3	1	3	2	11	2	2	16	-
BLACK	747	71	1	8	10	33	35	33	52	30	22	43	62	57	65	56	168	1
CAMBODIAN	9	1	-	1	-	-	1	-	-	-	-	-	-	-	1	3	2	-
CHINESE	45	1	1	1	1	-	-	1	-	-	2	1	-	4	9	11	13	-
FILIPINO	236	11	4	2	7	1	3	1	4	9	8	13	12	27	27	31	76	-
JAPANESE	52	-	-	-	1	1	2	1	-	-	2	4	8	8	4	5	16	-
KOREAN	10	1	-	-	-	-	1	-	1	1	1	1	1	1	1	-	2	-
PACIFIC ISLANDER	45	1	-	-	-	1	2	2	1	4	-	3	2	6	11	4	8	-
THAI	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	29	4	-	-	3	1	1	1	1	1	-	2	2	1	-	5	7	-
WHITE	15,367	298	26	37	88	188	229	257	267	287	328	407	601	1,016	1,586	1,910	7,816	26
OTHER ASIAN	23	1	-	-	2	1	-	1	-	4	2	1	3	-	3	2	3	-
NOT STATED	16	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	2	10
FEMALE	7,935	169	14	19	30	35	56	72	82	105	147	178	269	464	724	922	4,641	8
AMERICAN INDIAN	26	1	-	-	1	-	1	-	-	3	1	-	1	6	2	2	8	-
BLACK	332	32	-	4	-	5	9	11	16	10	13	14	28	22	41	25	102	-
CAMBODIAN	6	1	-	1	-	-	1	-	-	-	-	-	-	-	-	2	1	-
CHINESE	19	-	-	1	-	-	-	-	-	-	1	1	-	1	4	6	5	-
FILIPINO	88	8	3	1	2	-	2	1	-	5	2	4	3	9	13	12	23	-
JAPANESE	27	-	-	-	1	-	1	1	-	-	1	3	6	3	2	1	8	-
KOREAN	7	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	1	-
PACIFIC ISLANDER	21	1	-	-	-	-	1	-	-	1	-	1	1	3	3	2	8	-
THAI	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	11	2	-	-	-	-	1	-	-	-	-	-	-	1	-	2	5	-
WHITE	7,385	124	11	12	24	29	40	58	66	84	127	153	229	419	657	868	4,478	6
OTHER ASIAN	8	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	2	-
NOT STATED	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
MALE	8,701	224	18	30	87	195	222	227	244	234	219	301	424	667	985	1,107	3,488	29
AMERICAN INDIAN	30	3	-	-	2	3	3	1	1	-	-	3	1	5	-	-	8	-
BLACK	415	39	1	4	10	28	26	22	36	20	9	29	34	35	24	31	66	1
CAMBODIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
CHINESE	26	1	1	-	1	-	-	1	-	-	1	-	-	3	5	5	8	-
FILIPINO	148	3	1	1	5	1	1	-	4	4	6	9	9	18	14	19	53	-
JAPANESE	25	-	-	-	-	1	1	-	-	-	1	1	2	5	2	4	8	-
KOREAN	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
PACIFIC ISLANDER	24	-	-	-	-	1	1	2	1	3	-	2	1	3	8	2	-	-
VIETNAMESE	18	2	-	-	3	1	-	1	1	1	-	2	2	-	-	3	2	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN DIEGO (CONT'D)	7,982	174	15	25	64	159	189	199	201	203	201	254	372	597	929	1,042	3,338	20
WHITE	15	1	-	-	2	1	-	1	-	3	1	-	3	-	2	-	1	-
OTHER ASIAN	12	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	8
NOT STATED																		
SAN FRANCISCO	8,453	90	10	9	32	51	131	292	451	393	283	334	371	519	704	843	3,934	6
AMERICAN INDIAN	22	1	-	-	-	-	-	1	5	3	2	4	2	1	2	-	1	-
BLACK	1,086	23	4	1	5	9	25	49	58	58	49	83	83	111	129	117	281	1
CAMBODIAN	5	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	-	-
CHINESE	785	4	2	-	5	2	3	9	12	6	9	24	47	67	83	104	408	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	256	5	2	-	2	2	3	3	9	4	3	8	13	17	21	30	134	-
INDIAN (INDIA)	10	-	-	-	-	1	-	1	-	-	1	2	-	1	1	2	1	-
JAPANESE	88	-	-	-	1	-	1	-	4	-	1	-	3	9	8	4	57	-
KOREAN	32	1	-	1	1	-	-	-	1	-	2	3	3	3	2	2	16	-
PACIFIC ISLANDER	24	1	-	1	2	1	2	-	-	1	2	-	3	-	3	3	2	-
VIETNAMESE	17	5	-	-	-	-	-	2	-	2	1	1	-	2	2	1	3	-
WHITE	6,085	43	2	6	15	35	96	225	359	317	211	209	215	303	449	578	3,018	4
OTHER ASIAN	11	1	-	-	-	1	-	-	-	1	-	-	1	1	1	-	5	-
OTHER	5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-
NOT STATED	26	6	-	-	-	-	1	1	2	1	2	-	2	3	-	1	6	1
FEMALE	3,538	43	5	1	9	14	24	28	51	48	53	88	115	190	292	360	2,216	1
AMERICAN INDIAN	7	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	-
BLACK	432	15	3	-	1	3	5	12	18	13	10	26	33	46	51	43	153	-
CAMBODIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
CHINESE	303	-	1	-	1	-	1	1	4	2	3	11	20	26	26	29	178	-
FILIPINO	89	3	1	-	-	2	2	1	2	1	1	1	6	7	11	16	35	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
JAPANESE	42	-	-	-	-	-	-	-	-	-	1	-	2	6	3	1	29	-
KOREAN	14	-	-	-	1	-	-	-	-	-	2	1	-	1	2	1	6	-
PACIFIC ISLANDER	9	1	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-
VIETNAMESE	10	4	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	-
WHITE	2,621	18	-	1	6	9	16	14	27	29	35	46	52	102	193	267	1,805	1
NOT STATED	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
MALE	4,915	47	5	8	23	37	107	264	400	345	230	246	256	329	412	483	1,718	5
AMERICAN INDIAN	15	1	-	-	-	-	-	1	5	2	2	3	1	-	-	-	-	-
BLACK	654	8	1	1	4	6	20	37	40	45	39	57	50	65	78	74	128	1
CAMBODIAN	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
CHINESE	482	4	1	-	4	2	2	8	8	4	6	13	27	41	57	75	230	-
ESKIMO/ALEUT	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FILIPINO	167	2	1	-	2	-	1	2	7	3	2	7	7	10	10	14	99	-
INDIAN (INDIA)	8	-	-	-	-	1	1	1	-	-	1	1	-	1	1	2	-	-
JAPANESE	46	-	-	-	1	-	1	-	4	-	-	-	1	3	5	3	28	-
KOREAN	18	1	-	1	-	-	-	-	1	-	-	2	-	2	3	1	10	-
PACIFIC ISLANDER	15	-	-	1	2	1	2	-	-	-	1	-	2	2	1	1	1	-
VIETNAMESE	7	1	-	-	-	-	-	2	-	1	1	-	-	-	2	1	-	-
WHITE	3,464	25	2	5	9	26	80	211	332	288	176	163	163	201	256	311	1,213	3
OTHER ASIAN	11	1	-	-	-	1	-	-	-	1	-	-	1	1	1	-	5	-
OTHER	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-
NOT STATED	20	4	-	-	-	-	1	1	2	1	2	-	2	3	-	1	2	1
SAN JOAQUIN	3,803	113	12	13	37	52	58	76	74	83	93	108	183	271	374	444	1,811	1
AMERICAN INDIAN	13	-	-	-	-	-	1	-	1	2	1	1	1	-	1	1	4	-
BLACK	221	15	-	-	2	7	4	6	8	7	10	11	15	16	27	24	69	-
CAMBODIAN	20	1	1	-	-	-	-	-	-	1	-	1	2	2	4	2	6	-
CHINESE	28	-	-	-	-	-	1	-	-	-	-	-	2	6	3	3	11	-
FILIPINO	128	4	-	-	-	-	-	1	-	2	1	-	3	5	5	10	97	-
INDIAN (INDIA)	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
JAPANESE	34	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	21	-
PACIFIC ISLANDER	4	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-
VIETNAMESE	13	5	1	1	-	-	1	1	1	-	1	1	-	-	-	1	-	-
WHITE	3,298	75	8	11	33	44	49	66	64	70	74	93	157	237	327	393	1,596	1
OTHER ASIAN	33	10	2	1	2	-	1	2	-	1	2	1	1	-	2	4	4	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	6	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-
FEMALE	1,736	59	7	5	10	7	20	18	22	31	32	38	85	111	151	179	960	1
AMERICAN INDIAN	7	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	2	-
BLACK	107	8	-	-	-	-	4	2	4	3	6	3	9	7	13	8	40	-
CAMBODIAN	8	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	3	-
CHINESE	11	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	4	-
FILIPINO	16	2	-	-	-	-	-	-	-	1	-	-	2	2	1	2	6	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN JOAQUIN (CONT'D)																		
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12	-
PACIFIC ISLANDER	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-
VIETNAMESE	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,544	37	3	4	10	7	14	16	17	24	23	33	71	100	134	161	889	1
OTHER ASIAN	19	8	2	1	-	-	-	-	-	1	1	1	-	-	1	3	1	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	2,067	54	5	8	27	45	38	58	52	52	61	70	98	160	223	265	851	-
AMERICAN INDIAN	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-
BLACK	114	7	-	-	2	7	-	4	4	4	4	8	6	9	14	16	29	-
CAMBODIAN	12	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	3	-
CHINESE	17	-	-	-	-	-	1	-	-	-	1	-	1	5	2	-	7	-
FILIPINO	112	2	-	-	-	-	-	1	-	1	1	-	1	3	4	8	91	-
INDIAN (INDIA)	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
JAPANESE	21	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	9	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	9	2	-	1	-	-	1	1	1	-	1	1	-	-	-	1	-	-
WHITE	1,754	38	5	7	23	37	35	50	47	46	51	60	86	137	193	232	707	-
OTHER ASIAN	14	2	-	-	2	-	1	2	-	-	1	-	1	-	1	1	3	-
NOT STATED	4	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
SAN LUIS OBISPO	1,665	22	2	1	6	8	13	13	19	35	30	38	55	105	187	206	924	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
BLACK	13	2	-	-	-	-	1	-	1	1	-	-	1	1	2	1	3	-
CHINESE	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-
FILIPINO	7	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	3	-
JAPANESE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-
WHITE	1,630	20	2	1	6	8	12	11	16	33	28	38	54	104	180	202	914	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
FEMALE	800	9	1	1	3	1	2	1	8	17	10	16	23	47	68	91	502	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
BLACK	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	791	9	1	1	3	1	2	1	8	17	9	16	23	46	66	89	499	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
MALE	865	13	1	-	3	7	11	12	11	18	20	22	32	58	119	115	422	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	11	2	-	-	-	-	1	-	1	1	-	-	1	-	2	1	2	-
CHINESE	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-
FILIPINO	6	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	3	-
JAPANESE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
WHITE	839	11	1	-	3	7	10	10	8	16	19	22	31	58	114	113	415	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
SAN MATEO	4,831	77	2	5	15	52	55	58	81	114	111	141	241	400	490	605	2,382	2
AMERICAN INDIAN	6	-	-	-	-	-	-	1	-	-	2	-	1	1	-	1	-	-
BLACK	240	7	-	1	-	10	10	6	10	5	13	22	14	31	21	26	64	-
CHINESE	92	3	-	-	-	4	1	4	4	2	4	1	5	12	7	11	34	-
FILIPINO	132	5	1	-	-	3	3	2	1	4	5	9	14	14	8	9	54	-
INDIAN (INDIA)	18	-	-	-	-	-	-	-	-	1	1	2	2	2	3	3	4	-
JAPANESE	29	-	-	-	-	-	-	-	-	1	-	3	1	2	3	7	12	-
KOREAN	6	-	-	-	1	-	-	-	-	1	-	-	2	-	2	-	-	-
PACIFIC ISLANDER	42	2	-	-	1	1	1	1	1	4	3	4	4	5	3	4	8	-
VIETNAMESE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
WHITE	4,248	56	1	4	13	34	40	44	65	95	83	99	196	332	442	541	2,202	1
OTHER ASIAN	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
NOT STATED	8	2	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1
FEMALE	2,363	37	1	-	5	13	14	14	15	31	45	59	81	150	224	266	1,408	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	103	3	-	-	-	1	4	1	3	2	5	10	6	13	8	9	38	-
CHINESE	36	1	-	-	-	1	-	-	1	-	2	1	1	4	3	3	19	-
FILIPINO	58	4	1	-	-	2	1	2	-	1	5	1	6	5	7	4	19	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN MATEO (CONT'D)																		
JAPANESE	15	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	7	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
PACIFIC ISLANDER	22	2	-	-	1	1	-	-	-	4	1	2	1	2	-	3	5	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	2,114	25	-	-	4	8	9	11	11	23	32	42	65	123	204	239	1,318	-
OTHER ASIAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
MALE	2,468	40	1	5	10	39	41	44	66	83	66	82	160	250	266	339	974	2
AMERICAN INDIAN	5	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-
BLACK	137	4	-	1	-	9	6	5	7	3	8	12	8	18	13	17	26	-
CHINESE	56	2	-	-	-	3	1	4	3	2	2	-	4	8	4	8	15	-
FILIPINO	74	1	-	-	-	1	2	-	1	3	-	8	8	9	1	5	35	-
INDIAN (INDIA)	15	-	-	-	-	-	-	-	-	1	1	1	2	1	3	2	4	-
JAPANESE	14	-	-	-	-	-	-	-	-	1	-	1	-	1	2	4	5	-
KOREAN	4	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-
PACIFIC ISLANDER	20	-	-	-	-	-	1	1	1	-	2	2	3	3	3	1	3	-
VIETNAMESE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
WHITE	2,134	31	1	4	9	26	31	33	54	72	51	57	131	209	238	302	884	1
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1
SANTA BARBARA	2,677	46	3	9	12	33	24	35	47	49	58	78	110	165	269	318	1,421	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
BLACK	48	1	-	-	-	3	-	2	-	2	2	5	5	1	5	7	15	-
CHINESE	6	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	1	-
FILIPINO	25	2	-	-	-	1	-	-	-	-	-	1	1	3	-	4	13	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	9	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	4	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	2,582	43	3	8	12	29	24	32	45	47	55	72	100	160	263	303	1,386	-
OTHER ASIAN	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	1,319	16	1	3	3	4	5	10	11	18	20	33	45	63	116	141	830	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
BLACK	27	1	-	-	-	-	-	1	-	1	1	3	3	1	3	4	9	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
FILIPINO	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	1,281	15	1	3	3	4	5	9	11	17	19	30	39	60	112	136	817	-
MALE	1,358	30	2	6	9	29	19	25	36	31	38	45	65	102	153	177	591	-
BLACK	21	-	-	-	-	3	-	1	-	1	1	2	2	-	2	3	6	-
CHINESE	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-
FILIPINO	22	2	-	-	-	1	-	-	-	-	-	1	-	1	-	4	13	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	2	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	1,301	28	2	5	9	25	19	23	34	30	36	42	61	100	151	167	569	-
OTHER ASIAN	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
SANTA CLARA	8,842	220	16	19	75	91	145	160	190	187	250	328	475	678	856	928	4,020	4
AMERICAN INDIAN	36	1	-	-	1	1	1	1	3	1	2	3	-	5	4	5	8	-
BLACK	222	24	-	-	3	2	6	12	17	13	13	11	17	17	19	15	53	-
CAMBODIAN	6	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-
CHINESE	145	7	-	1	1	-	4	5	7	2	4	9	5	14	14	22	50	-
ESKIMO/ALEUT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	152	7	-	-	4	3	3	5	3	3	5	4	7	10	10	14	74	-
INDIAN (INDIA)	21	2	-	-	-	-	-	-	1	-	1	2	3	2	5	2	3	-
JAPANESE	101	4	1	-	-	-	-	-	1	1	2	2	6	7	8	12	57	-
KOREAN	27	-	-	1	2	-	-	-	1	1	1	2	3	4	3	1	8	-
PACIFIC ISLANDER	30	1	-	-	-	-	3	-	-	1	1	2	4	1	3	6	8	-
THAI	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
VIETNAMESE	85	11	-	-	6	3	7	5	-	3	3	7	1	4	5	10	20	-
WHITE	7,753	157	15	15	54	79	119	128	153	159	216	282	424	607	780	837	3,726	2
OTHER ASIAN	16	3	-	2	1	3	1	1	2	-	-	1	1	-	-	1	-	-
OTHER	7	1	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	-
NOT STATED	38	1	-	-	1	-	-	1	1	2	1	2	4	5	3	3	12	2

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SANTA CLARA (CONT'D)																		
FEMALE	4,287	95	7	4	22	20	40	45	53	75	106	126	182	286	361	425	2,440	-
AMERICAN INDIAN	16	-	-	-	1	-	1	1	1	-	1	-	-	2	1	3	5	-
BLACK	93	10	-	-	1	-	1	2	3	6	4	2	3	8	6	8	39	-
CHINESE	58	2	-	1	-	-	1	1	3	-	2	3	4	4	9	5	23	-
FILIPINO	44	3	-	-	3	-	1	3	1	2	2	2	1	3	2	4	17	-
INDIAN (INDIA)	9	-	-	-	-	-	-	-	1	-	-	-	2	1	3	1	1	-
JAPANESE	57	3	-	-	-	-	-	-	-	1	1	1	2	3	5	6	35	-
KOREAN	9	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	3	-
PACIFIC ISLANDER	13	-	-	-	-	-	2	-	-	-	1	-	1	1	1	3	4	-
THAI	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VIETNAMESE	38	3	-	-	2	-	2	3	-	2	2	2	-	2	3	6	11	-
WHITE	3,922	70	7	2	12	19	32	34	43	62	91	113	167	259	330	387	2,294	-
OTHER ASIAN	7	3	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
OTHER	4	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
NOT STATED	16	-	-	-	1	-	-	1	-	1	1	1	1	1	-	1	8	-
MALE	4,355	125	9	15	53	71	105	115	137	112	144	202	293	392	495	503	1,580	4
AMERICAN INDIAN	20	1	-	-	-	1	-	-	2	1	1	3	-	3	3	2	3	-
BLACK	129	14	-	-	2	2	5	10	14	7	9	9	14	9	13	7	14	-
CAMBODIAN	6	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-
CHINESE	87	5	-	-	1	-	3	4	4	2	2	6	1	10	5	17	27	-
ESKIMO/ALEUT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	108	4	-	-	1	3	2	2	2	1	3	2	6	7	8	10	57	-
INDIAN (INDIA)	12	2	-	-	-	-	-	-	-	-	1	2	1	1	2	1	2	-
JAPANESE	44	1	1	-	-	-	-	-	1	-	1	1	4	4	3	6	22	-
KOREAN	18	-	-	1	1	-	-	-	1	1	1	1	2	2	3	-	5	-
PACIFIC ISLANDER	17	1	-	-	-	-	1	-	-	1	-	2	3	-	2	3	4	-
THAI	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VIETNAMESE	47	8	-	-	4	3	5	2	-	1	1	5	1	2	2	4	9	-
WHITE	3,831	87	8	13	42	60	87	94	110	97	125	189	257	348	450	450	1,432	2
OTHER ASIAN	9	-	-	1	-	2	1	1	2	-	-	-	1	-	-	1	-	-
OTHER	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
NOT STATED	22	1	-	-	-	-	-	-	1	1	-	1	3	4	3	2	4	2
SANTA CRUZ	1,796	35	3	1	10	19	24	27	38	42	28	44	50	120	150	209	995	1
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
BLACK	11	-	-	-	-	-	1	-	-	1	-	1	3	-	1	-	4	-
CHINESE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	6	-
FILIPINO	10	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	8	-
INDIAN (INDIA)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	12	-	-	-	-	-	-	1	-	-	-	-	-	2	-	4	5	-
KOREAN	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,748	35	3	1	9	19	22	26	38	39	28	42	47	117	147	203	971	1
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	903	12	2	-	4	8	8	13	13	10	12	15	18	53	63	89	583	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
BLACK	7	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	3	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
FILIPINO	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	3	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	881	12	2	-	4	8	8	12	13	9	12	14	16	51	61	86	573	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MALE	893	23	1	1	6	11	16	14	25	32	16	29	32	67	87	120	412	1
BLACK	4	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-
CHINESE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
FILIPINO	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	8	-
INDIAN (INDIA)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-
KOREAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	867	23	1	1	5	11	14	14	25	30	16	28	31	66	86	117	398	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
SHASTA	1,415	30	5	1	13	16	12	29	20	42	31	51	68	116	148	185	648	-
AMERICAN INDIAN	7	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-
BLACK	9	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	4	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SHASTA (CONT'D)																		
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	1,395	28	5	1	13	16	12	28	20	41	30	49	67	114	145	185	641	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	657	10	4	-	5	3	5	6	6	20	15	18	32	49	60	74	350	-
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	648	10	4	-	5	3	5	6	6	19	14	16	31	48	58	74	349	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
MALE	758	20	1	1	8	13	7	23	14	22	16	33	36	67	88	111	298	-
AMERICAN INDIAN	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
BLACK	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	4	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	747	18	1	1	8	13	7	22	14	22	16	33	36	66	87	111	292	-
SIERRA	31	-	-	-	-	-	-	-	-	2	-	1	3	4	4	1	16	-
WHITE	31	-	-	-	-	-	-	-	-	2	-	1	3	4	4	1	16	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	9	-
WHITE	17	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	9	-
MALE	14	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	7	-
WHITE	14	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	7	-
SISKIYOU	437	5	1	2	3	5	4	7	9	5	9	15	12	35	42	69	214	-
AMERICAN INDIAN	11	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	6	-
BLACK	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-
WHITE	420	5	1	2	3	5	4	7	9	5	9	13	12	34	38	68	205	-
FEMALE	185	2	-	-	-	2	1	-	3	3	2	2	5	15	9	29	112	-
AMERICAN INDIAN	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
WHITE	175	2	-	-	-	2	1	-	3	3	2	2	5	14	8	28	105	-
MALE	252	3	1	2	3	3	3	7	6	2	7	13	7	20	33	40	102	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
BLACK	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
WHITE	245	3	1	2	3	3	3	7	6	2	7	11	7	20	30	40	100	-
SOLANO	1,925	62	5	6	16	34	38	40	57	47	54	78	91	165	218	223	791	-
AMERICAN INDIAN	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
BLACK	252	12	2	-	7	7	8	9	14	7	11	20	11	28	17	28	71	-
CHINESE	7	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	1	-
FILIPINO	61	5	-	-	1	1	2	1	2	2	1	-	3	7	13	5	18	-
INDIAN (INDIA)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	15	1	-	-	-	1	1	-	-	-	-	-	3	3	3	1	2	-
KOREAN	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
PACIFIC ISLANDER	10	1	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
WHITE	1,570	43	3	6	7	24	27	29	40	37	42	56	73	121	181	186	695	-
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	943	23	3	3	5	7	13	11	16	17	24	35	39	76	96	97	478	-
BLACK	111	4	2	-	2	2	4	2	3	1	4	6	3	15	7	11	45	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
FILIPINO	37	2	-	-	1	1	2	1	2	2	1	-	3	4	7	3	8	-
JAPANESE	7	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	9	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
WHITE	772	16	1	3	2	4	7	8	11	13	19	28	30	51	77	81	421	-
OTHER ASIAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
MALE	982	39	2	3	11	27	25	29	41	30	30	43	52	89	122	126	313	-
AMERICAN INDIAN	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
BLACK	141	8	-	-	5	5	4	7	11	6	7	14	8	13	10	17	26	-
CHINESE	5	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-
FILIPINO	24	3	-	-	-	-	-	-	-	-	-	-	-	3	6	2	10	-
INDIAN (INDIA)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SOLANO (CONT'D)																		
JAPANESE	8	1	-	-	-	1	1	-	-	-	-	-	-	2	1	1	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WHITE	798	27	2	3	5	20	20	21	29	24	23	28	43	70	104	105	274	-
NOT STATED	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
SONOMA																		
AMERICAN INDIAN	3,310	63	7	4	22	23	33	56	83	61	71	74	130	208	302	396	1,777	-
BLACK	20	-	-	-	1	-	1	-	1	-	1	2	1	1	1	3	8	-
CAMBODIAN	26	2	-	-	-	-	-	3	2	1	2	-	2	1	2	6	5	-
CHINESE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
WHITE	3	1	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-
NOT STATED	3,238	55	7	4	20	23	32	51	80	60	68	72	126	203	297	385	1,755	-
	4	2	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-
FEMALE																		
AMERICAN INDIAN	1,560	20	2	1	3	1	7	15	19	14	14	35	55	87	122	164	1,001	-
BLACK	10	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	5	-
CAMBODIAN	11	1	-	-	-	-	-	-	1	-	1	-	-	1	1	2	3	-
FILIPINO	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-
WHITE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
NOT STATED	1,532	18	2	1	3	1	6	14	18	13	12	34	55	83	121	159	992	-
MALE																		
AMERICAN INDIAN	1,750	43	5	3	19	22	26	41	64	47	57	39	75	121	180	232	776	-
BLACK	10	-	-	-	1	-	-	-	1	-	-	1	1	-	1	2	3	-
CAMBODIAN	15	1	-	-	-	-	-	3	1	-	1	-	2	-	1	4	2	-
CHINESE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FILIPINO	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIETNAMESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
WHITE	2	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	4	-
NOT STATED	1,706	37	5	3	17	22	26	37	62	47	56	38	71	120	176	226	763	-
	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
STANISLAUS																		
AMERICAN INDIAN	2,812	63	8	7	30	34	39	46	43	62	85	80	156	205	272	350	1,331	1
BLACK	6	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	1	-
CAMBODIAN	36	1	-	-	-	2	1	-	-	1	2	5	2	6	2	7	7	-
CHINESE	5	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-
FILIPINO	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-
INDIAN (INDIA)	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	3	-
KOREAN	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
VIETNAMESE	5	1	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-
WHITE	2,719	56	7	6	28	32	37	43	41	57	81	73	150	195	268	334	1,310	1
OTHER ASIAN	11	1	-	-	-	-	-	-	1	2	-	1	2	2	-	2	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NOT STATED	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
FEMALE																		
AMERICAN INDIAN	1,331	35	3	3	5	6	8	10	17	20	38	26	63	87	110	160	740	-
BLACK	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-
CAMBODIAN	15	1	-	1	-	-	-	-	-	1	1	2	1	3	-	5	2	-
CHINESE	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
FILIPINO	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VIETNAMESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,296	31	3	2	4	6	8	10	17	17	36	24	60	83	109	152	734	-
OTHER ASIAN	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE																		
AMERICAN INDIAN	1,481	28	5	4	25	28	31	36	26	42	47	54	93	118	162	190	591	1
BLACK	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
CAMBODIAN	21	1	-	-	-	2	1	-	-	1	1	3	1	3	2	2	5	-
FILIPINO	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	3	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
STANISLAUS (CONT'D)																		
INDIAN (INDIA)	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-
KOREAN	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-
VIETNAMESE	4	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
WHITE	1,423	25	4	4	24	26	29	33	24	40	45	49	90	112	159	182	576	1
OTHER ASIAN	7	-	-	-	-	-	-	-	1	1	-	1	1	2	-	1	-	-
OTHER	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
SUTTER	572	10	2	1	1	15	7	16	11	14	10	13	27	47	55	64	279	-
AMERICAN INDIAN	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
BLACK	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
FILIPINO	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-
INDIAN (INDIA)	14	1	-	-	1	1	-	1	1	1	1	-	-	1	3	1	2	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
WHITE	543	9	2	1	-	13	6	15	10	13	8	12	26	43	50	63	272	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	271	2	-	1	1	5	-	7	3	5	5	2	14	22	24	32	148	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	263	2	-	1	-	5	-	7	3	5	3	1	13	21	24	32	146	-
OTHER ASIAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
MALE	301	8	2	-	-	10	7	9	8	9	5	11	13	25	31	32	131	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
BLACK	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
INDIAN (INDIA)	12	1	-	-	-	1	-	1	1	1	-	-	-	1	3	1	2	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
WHITE	280	7	2	-	-	8	6	8	7	8	5	11	13	22	26	31	126	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
TEHAMA	536	12	2	2	5	5	4	6	6	4	16	17	25	33	64	69	265	1
AMERICAN INDIAN	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	529	12	2	2	5	5	4	6	6	4	16	15	25	32	63	68	263	1
FEMALE	248	3	1	-	3	1	-	2	-	1	5	9	8	16	28	23	148	-
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
FILIPINO	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WHITE	242	3	1	-	3	1	-	2	-	1	5	8	8	15	27	22	146	-
MALE	288	9	1	2	2	4	4	4	8	3	11	8	17	17	36	46	117	1
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	287	9	1	2	2	4	4	4	6	3	11	7	17	17	36	46	117	1
TRINITY	132	1	-	-	-	2	1	2	2	3	3	6	5	15	15	15	62	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	130	-	-	-	-	2	1	2	2	3	3	6	5	15	15	15	61	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	55	-	-	-	-	-	-	1	1	1	1	1	3	6	7	4	30	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	54	-	-	-	-	-	-	1	1	1	1	1	3	6	7	4	29	-
MALE	77	1	-	-	-	2	1	1	1	2	2	5	2	9	8	11	32	-
WHITE	76	-	-	-	-	2	1	1	1	2	2	5	2	9	8	11	32	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	2,427	44	7	8	28	40	46	40	49	41	58	65	128	168	226	297	1,181	1
AMERICAN INDIAN	10	1	-	-	-	-	2	1	-	1	-	-	-	1	1	2	1	-
BLACK	36	1	-	-	-	-	-	1	1	1	4	1	1	5	1	6	14	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TULARE (CONT'D)																		
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FILIPINO	25	-	-	-	-	-	-	1	-	-	-	1	3	-	2	2	16	-
JAPANESE	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	-
KOREAN	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
WHITE	2,335	42	6	8	28	40	44	35	48	38	53	63	124	162	217	285	1,141	1
OTHER ASIAN	10	-	1	-	-	-	-	1	-	1	-	-	-	-	3	1	3	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	1,089	24	2	6	7	8	7	11	12	11	23	22	47	67	104	115	623	-
AMERICAN INDIAN	5	1	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-
BLACK	11	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	6	-
FILIPINO	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
JAPANESE	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-
KOREAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	1,058	22	2	6	7	8	7	8	12	10	21	22	47	66	98	112	610	-
OTHER ASIAN	5	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	1,338	20	5	2	21	32	39	29	37	30	35	43	81	101	122	182	558	1
AMERICAN INDIAN	5	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	1	-
BLACK	28	-	-	-	-	-	-	1	1	1	3	1	1	4	1	4	8	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FILIPINO	21	-	-	-	-	-	-	1	-	-	-	1	3	-	-	2	14	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	1,277	20	4	2	21	32	37	27	36	28	32	41	77	96	119	173	531	1
OTHER ASIAN	5	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-
TUOLUMNE	473	3	-	-	3	5	12	3	7	3	11	14	28	39	61	57	227	-
AMERICAN INDIAN	5	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	467	2	-	-	3	4	12	3	6	3	11	13	27	39	61	57	226	-
FEMALE	216	2	-	-	2	3	2	-	-	-	2	6	14	18	24	31	112	-
AMERICAN INDIAN	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	213	1	-	-	2	3	2	-	-	-	2	5	14	18	24	31	111	-
MALE	257	1	-	-	1	2	10	3	7	3	9	8	14	21	37	26	115	-
AMERICAN INDIAN	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
WHITE	254	1	-	-	1	1	10	3	6	3	9	8	13	21	37	26	115	-
VENTURA	3,944	88	9	7	36	53	60	62	58	71	112	122	204	305	397	442	1,917	1
AMERICAN INDIAN	7	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	-	-
BLACK	69	2	-	1	1	3	4	1	1	-	4	5	3	5	7	10	22	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	11	-	-	-	-	-	1	1	-	-	-	1	-	-	3	2	3	-
FILIPINO	24	3	-	-	1	-	-	-	1	-	2	1	-	1	4	3	8	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
JAPANESE	16	-	-	-	-	2	-	-	1	-	-	-	3	1	3	-	6	-
KOREAN	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-
PACIFIC ISLANDER	7	-	-	-	1	-	-	-	-	-	-	-	3	2	1	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VIETNAMESE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	3,794	81	8	6	33	48	55	60	54	71	105	112	193	293	378	423	1,873	1
OTHER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
FEMALE	1,939	41	2	2	10	16	21	14	22	24	47	42	85	108	177	196	1,131	1
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
BLACK	36	-	-	-	-	1	2	1	-	-	1	2	2	4	4	4	15	-
CAMBODIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHINESE	7	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	2	-
FILIPINO	10	1	-	-	-	-	-	-	1	-	1	-	-	1	2	2	2	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
JAPANESE	8	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	3	-
KOREAN	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-
PACIFIC ISLANDER	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
VIETNAMESE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	1,863	38	1	2	10	14	18	12	19	24	45	40	78	100	167	186	1,108	1
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MALE	2,005	47	7	5	26	37	39	48	36	47	65	80	119	197	220	246	786	-

TABLE 5-8 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
VENTURA (CONT'D)																		
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
BLACK	33	2	-	1	1	2	2	-	1	-	3	3	1	1	3	6	7	-
CHINESE	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
FILIPINO	14	2	-	-	1	-	-	-	-	-	1	1	-	-	2	1	6	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
JAPANESE	8	-	-	-	-	1	-	-	-	-	-	-	1	-	3	-	3	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
PACIFIC ISLANDER	3	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
THAI	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WHITE	1,931	43	7	4	23	34	37	48	35	47	60	72	115	193	211	237	765	-
OTHER	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
YOLO	917	19	2	1	12	6	21	17	22	20	33	22	54	64	92	132	398	2
AMERICAN INDIAN	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-
BLACK	22	-	-	-	-	-	1	-	1	1	-	-	3	2	1	2	11	-
CHINESE	5	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	1	-
FILIPINO	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
JAPANESE	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-
KOREAN	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	870	18	1	1	12	5	18	17	21	18	31	22	50	59	88	128	379	2
OTHER ASIAN	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	400	7	-	-	4	1	6	4	8	10	14	8	26	19	26	55	212	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BLACK	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	-
CHINESE	4	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
JAPANESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
KOREAN	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
PACIFIC ISLANDER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
WHITE	383	7	-	-	4	-	4	4	8	10	12	8	25	17	26	53	205	-
MALE	517	12	2	1	8	5	15	13	14	10	19	14	28	45	66	77	186	2
AMERICAN INDIAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
BLACK	15	-	-	-	-	-	1	-	1	1	-	-	2	1	1	1	7	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FILIPINO	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
JAPANESE	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
KOREAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
WHITE	487	11	1	1	8	5	14	13	13	8	19	14	25	42	62	75	174	2
OTHER ASIAN	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
YUBA	488	13	2	1	3	6	7	10	11	6	12	17	22	43	46	76	213	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BLACK	17	1	-	-	1	-	-	1	-	2	1	-	2	2	1	2	4	-
CHINESE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
FILIPINO	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
KOREAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	459	9	2	1	2	5	6	9	11	4	11	17	20	38	43	74	207	-
OTHER ASIAN	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	224	5	2	-	-	1	1	6	2	2	6	11	6	16	19	35	112	-
AMERICAN INDIAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BLACK	7	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
INDIAN (INDIA)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
WHITE	213	4	2	-	-	1	1	5	2	1	6	11	5	15	18	34	108	-
OTHER ASIAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	264	8	-	1	3	5	6	4	9	4	6	6	16	27	27	41	101	-
BLACK	10	1	-	-	1	-	-	-	-	1	1	-	1	2	-	1	2	-
CHINESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FILIPINO	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
INDIAN (INDIA)	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
JAPANESE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 5-6 (CONTINUED)

DEATHS BY SEX, RACE, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
YUBA (CONT'D)																		
KOREAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	246	5	-	1	2	4	5	4	9	3	5	6	15	23	25	40	99	-
OTHER ASIAN	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-7

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
ALAMEDA	9,907	229	19	26	71	127	153	179	250	253	280	341	468	764	1,033	1,062	4,638	14
HISPANIC	539	27	3	3	11	18	10	16	19	21	18	31	25	56	52	55	171	3
CUBAN	11	-	-	-	-	1	-	1	-	-	-	1	-	2	-	2	4	-
MEXICAN	265	10	1	1	7	5	7	6	9	15	11	16	13	33	29	27	75	-
PUERTO RICAN	49	-	-	-	-	2	-	-	3	2	1	4	2	6	4	5	20	-
OTHER HISPANIC	214	17	2	2	4	10	3	9	7	4	6	10	10	15	19	21	72	3
NON-HISPANIC	9,250	198	16	23	59	109	140	160	230	230	259	306	438	704	963	994	4,412	9
NOT STATED	118	4	-	-	1	-	3	3	1	2	3	4	5	4	18	13	55	2
FEMALE	4,908	95	7	11	19	29	47	47	69	98	110	127	178	303	468	485	2,811	4
HISPANIC	232	12	2	1	2	3	1	4	3	7	4	13	12	18	29	29	92	-
CUBAN	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-
MEXICAN	112	5	1	-	-	-	-	1	1	4	3	8	6	11	16	17	39	-
PUERTO RICAN	21	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	12	-
OTHER HISPANIC	95	7	1	1	2	3	1	3	2	3	1	3	5	4	11	9	39	-
NON-HISPANIC	4,612	80	5	10	17	26	43	43	65	91	106	113	163	283	429	447	2,687	4
NOT STATED	64	3	-	-	-	-	3	-	1	-	-	1	3	2	10	9	32	-
MALE	4,999	134	12	15	52	98	106	132	181	155	170	214	290	461	565	577	1,827	10
HISPANIC	307	15	1	2	9	15	9	12	16	14	14	18	13	38	23	26	79	3
CUBAN	7	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	2	-
MEXICAN	153	5	-	1	7	5	7	5	8	11	8	8	7	22	13	10	36	-
PUERTO RICAN	28	-	-	-	-	2	-	-	3	2	1	3	1	4	2	2	8	-
OTHER HISPANIC	119	10	1	1	2	7	2	6	5	1	5	7	5	11	8	12	33	3
NON-HISPANIC	4,638	118	11	13	42	83	97	117	165	139	153	193	275	421	534	547	1,725	5
NOT STATED	54	1	-	-	1	-	-	3	-	2	3	3	2	2	8	4	23	2
ALPINE	11	-	-	-	1	1	-	1	-	1	2	-	1	-	2	1	1	-
NON-HISPANIC	11	-	-	-	1	1	-	1	-	1	2	-	1	-	2	1	1	-
FEMALE	7	-	-	-	-	1	-	1	-	-	2	-	1	-	1	-	1	-
NON-HISPANIC	7	-	-	-	-	1	-	1	-	-	2	-	1	-	1	-	1	-
MALE	4	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-
NON-HISPANIC	4	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-
AMADOR	267	2	-	1	4	1	-	1	2	5	6	5	15	19	40	33	133	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	265	2	-	1	4	1	-	1	2	5	6	5	15	19	39	33	132	-
FEMALE	114	1	-	-	1	-	-	-	-	-	2	1	6	8	14	10	71	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	113	1	-	-	1	-	-	-	-	-	2	1	6	8	14	10	70	-
MALE	153	1	-	1	3	1	-	1	2	5	4	4	9	11	26	23	62	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	152	1	-	1	3	1	-	1	2	5	4	4	9	11	25	23	62	-
BUTTE	1,901	29	5	1	15	16	11	26	22	26	27	42	66	105	212	250	1,047	1
HISPANIC	22	1	1	-	-	-	2	2	-	-	1	1	-	-	4	4	6	-
MEXICAN	13	1	1	-	-	-	2	1	-	-	1	1	-	-	1	2	3	-
OTHER HISPANIC	9	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	3	-
NON-HISPANIC	1,873	28	4	1	14	16	9	24	22	25	25	41	66	105	208	246	1,038	1
NOT STATED	6	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	3	-
FEMALE	882	18	2	-	4	3	1	5	5	9	11	12	28	48	79	104	52	-
HISPANIC	12	-	-	-	-	-	-	1	-	-	1	1	-	-	3	4	2	-
MEXICAN	6	-	-	-	-	-	-	1	-	-	1	1	-	-	1	2	-	-
OTHER HISPANIC	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-
NON-HISPANIC	870	18	2	-	4	3	1	4	5	9	10	11	28	48	76	100	551	-
MALE	1,019	11	3	1	11	13	10	21	17	17	16	30	38	57	133	146	494	1
HISPANIC	10	1	1	-	-	-	2	1	-	-	-	-	-	-	1	-	4	-
MEXICAN	7	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	3	-
OTHER HISPANIC	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
NON-HISPANIC	1,003	10	2	1	10	13	8	20	17	16	15	30	38	57	132	146	487	1
NOT STATED	6	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	3	-
CALAVERAS	289	4	-	-	2	7	7	6	6	7	5	9	15	25	38	35	123	-
HISPANIC	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
CALAVERAS (CONT'D)																		
MEXICAN	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	284	3	-	-	2	7	7	6	6	7	5	9	14	24	37	35	122	-
FEMALE	132	1	-	-	1	-	2	3	1	3	2	3	8	12	18	16	62	-
HISPANIC	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
MEXICAN	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	129	-	-	-	1	-	2	3	1	3	2	3	8	12	17	16	61	-
MALE	157	3	-	-	1	7	5	3	5	4	3	6	7	13	20	19	61	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NON-HISPANIC	155	3	-	-	1	7	5	3	5	4	3	6	6	12	20	19	61	-
COLUSA	167	1	-	-	1	1	-	2	5	1	3	7	6	10	18	26	86	-
HISPANIC	6	-	-	-	-	1	-	1	1	-	-	-	-	1	-	1	1	-
MEXICAN	5	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	159	1	-	-	1	-	-	1	4	1	3	7	6	9	18	24	84	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
FEMALE	77	-	-	-	-	-	-	-	3	-	2	3	4	3	10	8	44	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	75	-	-	-	-	-	-	-	3	-	2	3	4	2	10	8	43	-
MALE	90	1	-	-	1	1	-	2	2	1	1	4	2	7	8	18	42	-
HISPANIC	4	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-
MEXICAN	4	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-
NON-HISPANIC	84	1	-	-	1	-	-	1	1	1	1	4	2	7	8	16	41	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
CONTRA COSTA	5,606	105	13	10	44	67	96	94	118	146	148	166	271	452	608	692	2,572	4
HISPANIC	195	13	-	-	2	3	10	8	8	4	3	7	12	19	13	20	73	-
CUBAN	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
MEXICAN	117	9	-	-	1	-	6	4	3	2	3	5	11	10	5	15	43	-
PUERTO RICAN	11	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	7	-
OTHER HISPANIC	65	4	-	-	1	2	4	3	5	2	-	2	-	8	8	4	22	-
NON-HISPANIC	5,396	90	13	10	40	64	86	86	109	141	143	158	258	432	595	671	2,497	3
NOT STATED	15	2	-	-	2	-	-	-	1	1	2	1	1	1	-	1	2	1
FEMALE	2,642	42	8	4	13	15	23	21	30	50	55	60	124	180	273	291	1,452	1
HISPANIC	78	5	-	-	-	-	2	2	3	-	-	1	3	11	5	8	38	-
MEXICAN	45	4	-	-	-	-	-	1	2	-	-	1	2	6	2	5	22	-
PUERTO RICAN	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	-
OTHER HISPANIC	27	1	-	-	-	-	2	1	1	-	-	-	-	5	3	2	12	-
NON-HISPANIC	2,557	35	8	4	12	15	21	19	27	49	55	59	120	169	268	282	1,413	1
NOT STATED	7	2	-	-	1	-	-	-	-	1	-	-	1	-	-	1	1	-
MALE	2,964	63	5	6	31	52	73	73	88	96	93	106	147	272	335	401	1,120	3
HISPANIC	117	8	-	-	2	3	8	6	5	4	3	6	9	8	8	12	35	-
CUBAN	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
MEXICAN	72	5	-	-	1	-	6	3	1	2	3	4	9	4	3	10	21	-
PUERTO RICAN	5	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	3	-
OTHER HISPANIC	38	3	-	-	1	2	2	2	4	2	-	2	-	3	5	2	10	-
NON-HISPANIC	2,839	55	5	6	28	49	65	67	82	92	88	99	138	263	327	389	1,084	2
NOT STATED	8	-	-	-	1	-	-	-	1	-	2	1	-	1	-	-	1	1
DEL NORTE	202	7	-	-	-	3	3	1	2	4	5	11	7	22	28	33	76	-
HISPANIC	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MEXICAN	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	198	4	-	-	-	3	3	1	2	4	5	10	7	22	28	33	76	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	98	3	-	-	-	-	-	1	-	1	2	3	4	7	12	15	50	-
HISPANIC	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	96	1	-	-	-	-	-	1	-	1	2	3	4	7	12	15	50	-
NOT STATED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	104	4	-	-	-	3	3	-	2	3	3	8	3	15	16	18	26	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
DEL NORTE (CONT'D)																		
HISPANIC	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MEXICAN	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NON-HISPANIC	102	3	-	-	-	3	3	-	2	3	3	7	3	15	16	18	26	-
EL DORADO	854	17	4	2	6	13	4	10	26	19	24	26	59	65	99	113	366	1
HISPANIC	8	1	-	-	-	-	-	-	1	-	-	1	-	1	-	2	2	-
MEXICAN	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
NON-HISPANIC	844	16	4	2	6	13	4	10	25	19	24	25	59	63	99	111	364	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
FEMALE	402	3	3	-	3	3	-	4	9	7	8	15	25	28	32	53	208	1
HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	399	3	3	-	3	3	-	4	8	7	8	15	25	28	32	53	207	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MALE	452	14	1	2	3	10	4	6	17	12	16	11	34	37	67	60	158	-
HISPANIC	6	1	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-
MEXICAN	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
NON-HISPANIC	445	13	1	2	3	10	4	6	17	12	16	10	34	35	67	58	157	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FRESNO	4,629	135	14	12	52	70	80	97	97	78	98	140	220	342	469	569	2,154	2
HISPANIC	724	59	4	4	26	40	34	42	25	28	25	28	44	63	58	68	176	-
CUBAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	631	44	3	3	21	35	30	31	21	22	23	25	40	60	52	57	164	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHR HISPANIC	91	14	1	1	5	5	4	11	4	6	2	3	4	3	6	11	11	-
NON-HISPANIC	3,881	76	9	8	26	29	46	55	71	50	73	111	176	274	408	497	1,971	1
NOT STATED	24	-	1	-	-	1	-	-	1	-	-	1	-	5	3	4	7	1
FEMALE	2,112	62	5	2	15	9	17	24	30	26	28	58	79	123	178	241	1,215	-
HISPANIC	251	30	2	1	8	4	4	3	4	5	9	10	13	22	23	33	80	-
MEXICAN	214	22	1	1	4	3	3	2	3	2	9	9	11	21	21	28	74	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	36	8	1	-	4	1	1	1	1	3	-	1	2	1	2	5	5	-
NON-HISPANIC	1,849	32	2	1	7	5	13	21	25	21	19	47	66	100	153	206	1,131	-
NOT STATED	12	-	1	-	-	-	-	-	1	-	-	1	-	1	2	2	4	-
MALE	2,517	73	9	10	37	61	63	73	67	52	70	82	141	219	291	328	939	2
HISPANIC	473	29	2	3	18	36	30	39	21	23	16	18	31	41	35	35	96	-
CUBAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEXICAN	417	22	2	2	17	33	27	29	18	20	14	16	29	39	31	29	90	-
OTHER HISPANIC	55	6	-	1	1	3	3	10	3	3	2	2	2	2	4	6	6	-
NON-HISPANIC	2,032	44	7	7	19	26	33	34	46	29	54	64	110	174	255	291	840	1
NOT STATED	12	-	-	-	-	1	-	-	-	-	-	-	-	4	1	2	3	1
GLENN	240	5	-	1	2	2	-	-	6	3	3	4	11	11	21	35	136	-
HISPANIC	12	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-	6	-
MEXICAN	8	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	3	-
OTHER HISPANIC	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-
NON-HISPANIC	228	2	-	1	2	-	-	-	6	3	3	4	10	11	21	35	130	-
FEMALE	110	2	-	1	-	-	-	-	3	1	1	1	4	2	7	13	75	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	107	2	-	1	-	-	-	-	3	1	1	1	4	2	7	13	72	-
MALE	130	3	-	-	2	2	-	-	3	2	2	3	7	9	14	22	61	-
HISPANIC	9	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-	3	-
MEXICAN	6	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-
OTHER HISPANIC	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-
NON-HISPANIC	121	-	-	-	2	-	-	-	3	2	2	3	6	9	14	22	58	-
HUMBOLDT	1,101	36	1	1	16	12	18	23	25	11	23	34	59	93	107	151	490	1
HISPANIC	13	-	-	-	-	-	-	1	-	-	-	-	3	2	1	3	3	-
MEXICAN	9	-	-	-	-	-	-	1	-	-	-	-	3	1	-	3	1	-
OTHER HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-
NON-HISPANIC	1,073	34	1	1	16	12	18	22	24	11	23	33	55	91	102	147	483	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
HUMBOLDT (CONT'D)																		
NOT STATED	15	2	-	-	-	-	-	-	1	-	-	1	1	-	4	1	4	1
FEMALE	518	12	-	-	4	5	9	6	3	3	11	19	19	34	61	65	266	1
HISPANIC	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
NON-HISPANIC	510	12	-	-	4	5	9	6	3	3	11	19	18	34	59	64	263	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1
MALE	583	24	1	1	12	7	9	17	22	8	12	15	40	59	46	86	224	-
HISPANIC	9	-	-	-	-	-	-	1	-	-	-	-	2	2	-	2	2	-
MEXICAN	7	-	-	-	-	-	-	1	-	-	-	-	2	1	-	2	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
NON-HISPANIC	563	22	1	1	12	7	9	16	21	8	12	14	37	57	43	83	220	-
NOT STATED	11	2	-	-	-	-	-	-	1	-	-	1	1	-	3	1	2	-
IMPERIAL	742	22	5	2	10	7	15	9	14	11	17	36	56	62	106	93	262	15
HISPANIC	248	12	1	2	6	7	7	4	4	6	4	13	21	24	28	28	70	11
MEXICAN	224	10	1	2	5	6	5	3	4	6	3	12	20	22	26	26	67	6
OTHER HISPANIC	24	2	-	-	1	1	2	1	-	-	1	1	1	2	2	2	3	5
NON-HISPANIC	478	9	4	-	4	-	8	4	8	5	13	22	35	38	76	63	189	-
NOT STATED	16	1	-	-	-	-	-	1	2	-	-	1	-	-	2	2	3	4
FEMALE	269	5	3	-	1	1	2	4	3	4	4	14	20	19	34	34	121	-
HISPANIC	83	3	-	-	-	1	1	1	2	2	1	5	7	5	11	12	32	-
MEXICAN	78	2	-	-	-	1	1	1	2	2	-	5	7	4	11	12	30	-
OTHER HISPANIC	5	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-
NON-HISPANIC	181	2	3	-	1	-	1	2	1	2	3	9	13	14	22	22	86	-
NOT STATED	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	3	-
MALE	473	17	2	2	9	6	13	5	11	7	13	22	36	43	72	59	141	15
HISPANIC	165	9	1	2	6	6	6	3	2	4	3	8	14	19	17	16	38	11
MEXICAN	146	8	1	2	5	5	4	2	2	4	3	7	13	18	15	14	37	6
OTHER HISPANIC	19	1	-	-	1	1	2	1	-	-	-	1	1	1	2	2	1	5
NON-HISPANIC	297	7	1	-	3	-	7	2	7	3	10	13	22	24	54	41	103	-
NOT STATED	11	1	-	-	-	-	-	-	2	-	-	1	-	-	1	2	-	4
INYO	207	-	-	-	3	-	4	5	1	1	4	3	10	16	25	20	115	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	203	-	-	-	3	-	4	5	1	1	4	3	9	16	25	20	112	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	85	-	-	-	-	-	1	1	-	1	-	2	2	7	4	9	58	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	84	-	-	-	-	-	1	1	-	1	-	2	2	7	4	9	57	-
MALE	122	-	-	-	3	-	3	4	1	-	4	1	8	9	21	11	57	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
NON-HISPANIC	119	-	-	-	3	-	3	4	1	-	4	1	7	9	21	11	55	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
KERN	3,884	144	16	13	38	51	68	84	77	98	104	128	209	322	424	451	1,650	7
HISPANIC	434	53	5	2	9	11	24	23	15	15	18	15	26	41	41	26	107	3
CUBAN	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
MEXICAN	328	37	4	1	7	8	18	15	7	13	14	11	18	33	31	21	88	2
PUERTO RICAN	5	1	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-
OTHER HISPANIC	98	15	1	1	2	2	6	8	7	2	4	2	7	7	9	5	19	1
NON-HISPANIC	3,446	91	11	11	29	40	44	61	61	83	86	113	183	281	382	425	1,541	4
NOT STATED	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-
FEMALE	1,757	70	3	3	6	10	22	23	23	31	43	56	90	131	163	192	888	3
HISPANIC	143	24	1	1	-	-	5	5	2	3	9	5	9	13	10	12	44	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
MEXICAN	109	20	-	1	-	-	3	2	1	3	5	3	6	12	8	11	34	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	32	4	1	-	-	-	2	3	1	-	4	1	3	-	2	1	10	-
NON-HISPANIC	1,612	46	2	2	6	10	17	18	21	28	34	51	81	118	153	180	842	3
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
KERN (CONT'D)	2,127	74	13	10	32	41	46	61	54	67	61	72	119	191	261	259	762	4
MALE	1,291	29	4	1	9	11	19	18	13	12	9	10	17	28	31	14	63	3
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
CUBAN	219	17	4	-	7	8	15	13	6	10	9	8	12	21	23	10	54	2
MEXICAN	4	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
PUERTO RICAN	66	11	-	1	2	2	4	5	6	2	-	1	4	7	7	4	9	1
OTHER HISPANIC	1,834	45	9	9	23	30	27	43	40	55	52	62	102	163	229	245	699	1
NON-HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
NOT STATED																		
KINGS	627	19	1	3	5	10	6	9	13	11	11	23	30	49	71	90	277	-
HISPANIC	104	6	-	1	3	4	1	4	3	1	2	3	4	7	15	14	36	-
MEXICAN	98	6	-	1	3	4	-	4	2	1	1	3	4	7	15	14	33	-
OTHER HISPANIC	6	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	3	-
NON-HISPANIC	519	13	1	1	2	6	5	5	10	10	9	20	26	40	55	76	240	-
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
FEMALE	302	12	-	-	1	3	2	2	5	3	4	10	15	17	32	35	161	-
HISPANIC	43	2	-	-	-	1	-	1	2	-	-	1	2	2	6	9	17	-
MEXICAN	40	2	-	-	-	1	-	1	1	-	-	1	2	2	6	9	15	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
NON-HISPANIC	257	10	-	-	1	2	2	1	3	3	4	9	13	14	26	26	143	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
MALE	325	7	1	2	4	7	4	7	8	8	7	13	15	32	39	55	116	-
HISPANIC	61	4	-	1	3	3	1	3	1	1	2	2	2	5	9	5	19	-
MEXICAN	58	4	-	1	3	3	1	3	1	1	1	2	2	5	9	5	18	-
OTHER HISPANIC	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-
NON-HISPANIC	262	3	1	1	1	4	3	4	7	7	5	11	13	26	29	50	97	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
LAKE	765	16	1	1	4	5	5	3	9	11	9	18	37	69	92	123	362	-
HISPANIC	16	1	1	-	-	-	1	1	1	1	-	-	5	1	-	-	4	-
MEXICAN	12	-	-	-	-	-	1	1	1	1	-	-	4	1	-	-	3	-
OTHER HISPANIC	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
NON-HISPANIC	747	15	-	1	4	5	4	2	8	10	9	18	32	68	92	123	356	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FEMALE	356	7	-	1	1	2	1	2	5	4	2	5	17	31	34	46	198	-
HISPANIC	7	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	4	-
MEXICAN	5	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
NON-HISPANIC	347	7	-	1	1	2	1	1	5	4	2	5	15	31	34	46	192	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	409	9	1	-	3	3	4	1	4	7	7	13	20	38	58	77	164	-
HISPANIC	9	1	1	-	-	-	1	-	1	1	-	-	3	1	-	-	-	-
MEXICAN	7	-	-	-	-	-	1	-	1	1	-	-	3	1	-	-	-	-
OTHER HISPANIC	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	400	8	-	-	3	3	3	1	3	6	7	13	17	37	58	77	164	-
LASSEN	187	2	-	2	-	2	3	4	5	5	3	5	11	16	14	32	83	-
HISPANIC	8	-	-	-	-	1	-	-	-	1	-	-	-	2	1	-	3	-
MEXICAN	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-
OTHER HISPANIC	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-
NON-HISPANIC	179	2	-	2	-	1	3	4	5	4	3	5	11	14	13	32	80	-
FEMALE	75	-	-	-	-	-	-	1	3	3	2	2	3	5	6	14	36	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
MEXICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	72	-	-	-	-	-	-	1	3	3	2	2	3	4	5	14	35	-
MALE	112	2	-	2	-	2	3	3	2	2	1	3	8	11	8	18	47	-
HISPANIC	5	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	2	-
MEXICAN	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	107	2	-	2	-	1	3	3	2	1	1	3	8	10	8	18	45	-
LOS ANGELES	64,709	1,898	162	116	607	923	1,144	1,437	1,570	1,586	1,854	2,296	3,271	4,790	6,089	7,183	29,766	17
HISPANIC	8,578	750	71	46	260	358	357	433	379	360	347	422	504	643	658	621	2,366	3
CUBAN	331	8	-	1	-	3	5	8	11	9	10	20	14	26	35	36	145	-
MEXICAN	5,912	510	50	33	189	252	218	254	216	226	233	292	368	463	459	429	1,719	1
PUERTO RICAN	176	6	-	-	5	3	8	12	10	8	11	8	16	16	12	12	49	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
LOS ANGELES (CONT'D)																		
OTHER HISPANIC	2,159	226	21	12	66	100	126	159	142	117	93	102	106	138	152	144	453	2
NON-HISPANIC	55,125	1,101	90	70	338	524	749	945	1,133	1,183	1,449	1,789	2,684	4,039	5,336	6,488	27,195	12
NOT STATED	1,006	47	1	-	9	41	38	59	58	43	58	85	83	108	95	74	205	2
FEMALE	31,435	828	65	49	125	187	260	318	414	502	627	851	1,247	1,896	2,589	3,329	18,142	6
HISPANIC	3,430	325	25	21	42	60	53	76	73	101	108	141	187	265	262	329	1,361	1
CUBAN	143	3	-	-	-	2	-	1	1	1	1	5	5	7	10	18	89	-
MEXICAN	2,383	225	15	15	27	42	26	41	45	66	79	87	130	192	188	225	980	-
PUERTO RICAN	68	1	-	-	1	2	1	5	1	2	3	4	7	2	3	4	32	-
OTHER HISPANIC	836	96	10	6	14	14	26	29	26	32	25	45	45	64	61	82	260	1
NON-HISPANIC	27,749	481	39	28	82	119	201	232	333	393	512	699	1,047	1,613	2,301	2,977	16,687	5
NOT STATED	256	22	1	-	1	8	6	10	8	8	7	11	13	18	26	23	94	-
MALE	33,274	1,070	97	67	482	736	884	1,119	1,156	1,084	1,227	1,445	2,024	2,894	3,500	3,854	11,624	11
HISPANIC	5,148	425	46	25	218	298	304	357	306	259	239	281	317	378	396	292	1,005	2
CUBAN	188	5	-	1	-	1	5	7	10	8	9	15	9	19	25	18	56	-
MEXICAN	3,529	285	35	18	162	210	192	213	171	160	154	205	238	271	271	204	739	1
PUERTO RICAN	108	5	-	-	4	1	7	7	9	6	8	4	9	14	9	8	17	-
OTHER HISPANIC	1,323	130	11	6	52	86	100	130	116	85	68	57	61	74	91	62	193	1
NON-HISPANIC	27,376	620	51	42	256	405	548	713	800	790	937	1,090	1,637	2,426	3,035	3,511	10,508	7
NOT STATED	750	25	-	-	8	33	32	49	50	35	51	74	70	90	69	51	111	2
MADERA	652	16	4	3	14	15	11	13	15	11	17	18	27	47	60	78	303	-
HISPANIC	86	6	3	2	5	7	5	7	2	2	5	3	3	2	10	9	15	-
MEXICAN	74	5	2	2	5	6	4	7	2	1	4	3	3	2	9	8	11	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	11	1	1	-	-	1	1	-	-	1	1	-	-	-	1	1	3	-
NON-HISPANIC	561	9	1	1	9	8	6	6	13	9	12	14	24	44	50	69	286	-
NOT STATED	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-
FEMALE	269	6	2	-	5	2	1	2	6	3	5	7	13	19	17	32	149	-
HISPANIC	25	2	1	-	1	1	-	-	2	-	1	1	-	-	3	6	7	-
MEXICAN	17	2	1	-	1	-	-	-	2	-	-	1	-	-	2	5	3	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	7	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	3	-
NON-HISPANIC	242	4	1	-	4	1	1	2	4	3	4	6	13	19	14	26	140	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	383	10	2	-	9	13	10	11	9	8	12	11	14	28	43	46	154	-
HISPANIC	61	4	2	2	4	6	5	7	-	2	4	2	3	2	7	3	8	-
MEXICAN	57	3	1	2	4	6	4	7	-	1	4	2	3	2	7	3	8	-
OTHER HISPANIC	4	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
NON-HISPANIC	319	5	-	1	5	7	5	4	9	6	8	8	11	25	36	43	146	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
MARIN	1,774	18	-	4	10	11	19	25	36	46	34	67	72	128	160	190	953	1
HISPANIC	28	-	-	-	-	1	2	2	3	-	-	2	1	6	-	2	9	-
MEXICAN	12	-	-	-	-	-	-	-	2	-	-	1	1	3	-	1	4	-
OTHER HISPANIC	16	-	-	-	-	1	2	2	1	-	-	1	-	3	-	1	5	-
NON-HISPANIC	1,724	16	-	4	9	10	17	23	32	45	33	63	70	120	157	188	936	1
NOT STATED	22	2	-	-	1	-	-	-	1	1	1	2	1	2	3	-	8	-
FEMALE	935	8	-	-	2	4	6	7	10	18	9	28	29	64	69	88	592	1
HISPANIC	15	-	-	-	-	1	-	-	-	-	-	2	1	4	-	1	6	-
MEXICAN	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	4	-
OTHER HISPANIC	7	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	2	-
NON-HISPANIC	911	8	-	-	2	3	6	7	10	17	9	26	28	58	69	87	580	1
NOT STATED	9	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	6	-
MALE	839	10	-	4	8	7	13	18	26	28	25	39	43	64	91	102	361	-
HISPANIC	13	-	-	-	-	-	2	2	3	-	-	-	-	2	-	1	3	-
MEXICAN	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-
OTHER HISPANIC	9	-	-	-	-	-	2	2	1	-	-	-	-	-	-	1	3	-
NON-HISPANIC	813	8	-	4	7	7	11	16	22	28	24	37	42	62	88	101	356	-
NOT STATED	13	2	-	-	1	-	-	-	1	-	1	2	1	-	3	-	2	-
MARIPOSA	133	1	-	-	-	3	1	3	2	-	4	-	9	8	18	12	72	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	132	1	-	-	-	3	1	3	2	-	4	-	9	8	17	12	72	-
FEMALE	69	-	-	-	-	1	1	-	-	-	1	-	6	1	9	4	46	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MARIPOSA (CONT'D)																		
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NON-HISPANIC	68	-	-	-	-	1	1	-	-	-	1	-	6	1	8	4	46	-
MALE	64	1	-	-	-	2	-	3	2	-	3	-	3	7	9	8	26	-
NON-HISPANIC	64	1	-	-	-	2	-	3	2	-	3	-	3	7	9	8	26	-
MENDOCINO	760	14	1	1	7	10	13	8	15	15	20	17	37	68	68	95	370	1
HISPANIC	23	3	-	-	3	2	3	1	2	-	1	-	-	1	1	-	6	-
MEXICAN	19	3	-	-	3	2	3	1	2	-	-	-	-	-	1	-	4	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
NON-HISPANIC	734	11	1	1	4	8	10	7	13	15	19	17	37	67	67	95	362	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
FEMALE	342	5	1	-	1	2	4	3	3	2	9	7	16	28	29	34	198	-
HISPANIC	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-
MEXICAN	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
NON-HISPANIC	334	4	1	-	1	2	4	3	3	2	9	7	16	27	28	34	193	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	418	9	-	1	6	8	9	5	12	13	11	10	21	40	39	61	172	1
HISPANIC	17	2	-	-	3	2	3	1	2	-	1	-	-	-	-	-	3	-
MEXICAN	16	2	-	-	3	2	3	1	2	-	-	-	-	-	-	-	3	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NON-HISPANIC	400	7	-	1	3	6	6	4	10	13	10	10	21	40	39	61	169	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MERCED	1,166	44	1	3	16	22	21	25	15	21	29	43	56	89	111	161	509	-
HISPANIC	138	15	-	1	4	7	8	10	6	6	4	5	8	8	9	13	34	-
MEXICAN	109	13	-	1	2	3	5	8	4	4	3	4	6	6	9	13	28	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	28	2	-	-	2	4	3	2	2	2	1	1	1	2	-	-	6	-
NON-HISPANIC	1,026	29	1	2	12	14	13	15	9	15	25	38	48	81	102	147	475	-
NOT STATED	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	525	16	-	-	6	5	9	3	3	9	8	17	19	38	54	61	277	-
HISPANIC	47	6	-	-	2	1	4	-	-	1	1	3	5	4	2	8	10	-
MEXICAN	36	5	-	-	1	-	2	-	-	1	1	2	4	3	2	8	7	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	10	1	-	-	1	1	2	-	-	-	-	1	-	1	-	-	3	-
NON-HISPANIC	478	10	-	-	4	4	5	3	3	8	7	14	14	34	52	53	267	-
MALE	641	28	1	3	10	17	12	22	12	12	21	26	37	51	57	100	232	-
HISPANIC	91	9	-	1	2	6	4	10	6	5	3	2	3	4	7	5	24	-
MEXICAN	73	8	-	1	1	3	3	8	4	3	2	2	2	3	7	5	21	-
OTHER HISPANIC	18	1	-	-	1	3	1	2	2	2	1	-	-	1	-	-	3	-
NON-HISPANIC	548	19	1	2	8	10	8	12	6	7	18	24	34	47	50	94	208	-
NOT STATED	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
MODOC	119	2	-	-	-	1	-	-	1	1	2	4	3	7	16	18	64	-
HISPANIC	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-
MEXICAN	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	114	2	-	-	-	-	-	-	1	1	2	4	3	7	14	17	63	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	49	-	-	-	-	-	-	-	1	-	1	1	2	3	6	4	31	-
NON-HISPANIC	48	-	-	-	-	-	-	-	1	-	1	1	2	3	5	4	31	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	70	2	-	-	-	1	-	-	-	1	1	3	1	4	10	14	33	-
HISPANIC	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-
MEXICAN	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	66	2	-	-	-	-	-	-	-	1	1	3	1	4	9	13	32	-
MONO	35	-	1	-	1	1	2	3	-	3	1	-	1	3	4	1	14	-
HISPANIC	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	34	-	1	-	1	-	2	3	-	3	1	-	1	3	4	1	14	-
FEMALE	12	-	-	-	-	1	-	1	-	-	1	-	1	1	1	-	6	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
MONO (CONT'D)																		
HISPANIC	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	11	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	6	-
MALE	23	-	1	-	1	-	2	2	-	3	-	-	-	2	3	1	8	-
NON-HISPANIC	23	-	1	-	1	-	2	2	-	3	-	-	-	2	3	1	8	-
MONTEREY	2,256	85	8	4	23	47	25	35	39	45	57	62	93	178	222	269	1,063	1
HISPANIC	252	40	5	1	10	25	8	6	17	11	8	9	9	17	14	16	56	-
MEXICAN	188	24	4	1	10	20	6	4	14	8	6	9	5	13	11	15	38	-
PUERTO RICAN	3	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
OTHER HISPANIC	61	15	1	-	-	5	2	2	3	3	2	-	4	3	2	1	18	-
NON-HISPANIC	1,994	43	3	3	13	21	17	29	22	34	49	52	84	161	207	252	1,004	-
NOT STATED	10	2	-	-	-	1	-	-	-	-	-	1	-	-	1	1	3	1
FEMALE	1,067	39	2	2	6	5	8	7	14	16	18	28	41	76	97	113	594	1
HISPANIC	95	21	1	-	2	-	2	1	6	4	2	3	3	6	4	7	33	-
MEXICAN	72	13	1	-	2	-	2	-	6	4	2	3	1	6	3	7	22	-
PUERTO RICAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	22	7	-	-	-	-	-	1	-	-	-	-	2	-	1	-	11	-
NON-HISPANIC	966	16	1	2	4	5	6	6	8	12	16	25	38	70	93	105	559	-
NOT STATED	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1
MALE	1,189	46	6	2	17	42	17	28	25	29	39	34	52	102	125	156	469	-
HISPANIC	157	19	4	1	8	25	6	5	11	7	6	6	6	11	10	9	23	-
MEXICAN	116	11	3	1	8	20	4	4	8	4	4	6	4	7	8	8	16	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
OTHER HISPANIC	39	8	1	-	-	5	2	1	3	3	2	-	2	3	1	1	7	-
NON-HISPANIC	1,028	27	2	1	9	16	11	23	14	22	33	27	46	91	114	147	445	-
NOT STATED	4	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-
NAPA	1,039	8	3	1	7	9	9	6	11	13	17	19	30	62	101	130	612	1
HISPANIC	28	-	1	-	-	-	3	2	1	2	3	2	1	1	2	2	8	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	14	-	1	-	-	-	3	2	-	-	2	2	-	-	-	1	3	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
OTHER HISPANIC	11	-	-	-	-	-	-	-	1	2	1	-	1	1	2	1	2	-
NON-HISPANIC	1,006	8	2	1	7	9	6	4	10	11	14	17	28	61	98	128	601	1
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-
FEMALE	501	4	1	-	1	1	1	-	2	6	9	7	12	23	39	52	343	-
HISPANIC	12	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	7	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	6	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	-
NON-HISPANIC	486	4	1	-	1	1	1	-	2	5	8	7	10	22	38	52	334	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
MALE	538	4	2	1	6	8	8	6	9	7	8	12	18	39	62	78	269	1
HISPANIC	16	-	1	-	-	-	3	2	1	1	2	2	-	-	1	2	1	-
MEXICAN	10	-	1	-	-	-	3	2	-	-	1	2	-	-	-	1	-	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	5	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-
NON-HISPANIC	520	4	1	1	6	8	5	4	8	6	6	10	18	39	60	76	267	1
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
NEVADA	645	10	1	-	3	4	7	9	8	11	11	16	20	40	81	71	353	-
HISPANIC	7	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	-
MEXICAN	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
NON-HISPANIC	638	10	1	-	3	4	7	9	8	10	11	16	20	39	79	71	350	-
FEMALE	312	7	-	-	1	2	3	2	3	4	5	6	12	15	29	34	189	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	311	7	-	-	1	2	3	2	3	4	5	6	12	15	29	34	188	-
MALE	333	3	1	-	2	2	4	7	5	7	6	10	8	25	52	37	164	-
HISPANIC	6	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-
MEXICAN	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
NEVADA (CONT'D)																		
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
NON-HISPANIC	327	3	1	-	2	2	4	7	5	6	6	10	8	24	50	37	162	-
ORANGE	14,748	340	32	25	110	174	251	239	251	282	349	514	740	1,111	1,434	1,658	7,234	4
HISPANIC	1,030	109	9	7	28	59	67	65	39	31	36	48	53	63	65	65	283	1
CUBAN	23	-	-	-	-	-	-	1	-	1	-	-	1	1	-	3	16	-
MEXICAN	782	87	6	5	23	48	49	48	29	22	28	39	46	49	50	50	203	-
PUERTO RICAN	16	1	-	-	-	-	-	1	-	1	1	1	-	4	1	2	4	-
OTHER HISPANIC	209	21	3	2	5	11	18	15	10	7	7	8	8	9	14	10	60	1
NON-HISPANIC	13,671	226	23	18	81	114	184	172	210	249	310	463	682	1,043	1,364	1,592	6,938	2
NOT STATED	47	5	-	-	1	1	-	2	2	2	3	3	3	5	5	1	13	1
FEMALE	7,370	156	16	8	28	32	68	51	91	96	133	207	304	436	633	758	4,351	2
HISPANIC	405	46	4	3	6	8	13	8	12	6	10	18	25	27	27	36	156	-
CUBAN	13	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	9	-
MEXICAN	301	35	3	3	3	3	11	5	8	4	8	16	21	22	22	24	113	-
PUERTO RICAN	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-
OTHER HISPANIC	86	10	1	-	3	5	2	2	4	2	2	2	4	3	4	9	33	-
NON-HISPANIC	6,936	105	12	5	21	24	55	42	79	89	121	187	278	407	604	722	4,184	1
NOT STATED	29	5	-	-	1	-	-	1	-	1	2	2	1	2	2	-	11	1
MALE	7,378	184	16	17	82	142	183	188	160	186	216	307	436	675	801	900	2,883	2
HISPANIC	625	63	5	4	22	51	54	57	27	25	26	30	30	36	38	29	127	1
CUBAN	10	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	7	-
MEXICAN	481	52	3	2	20	45	38	43	21	18	20	23	25	27	28	26	90	-
PUERTO RICAN	11	-	-	-	-	-	-	1	-	1	1	1	-	3	-	1	3	-
OTHER HISPANIC	123	11	2	2	2	6	16	13	6	5	5	6	4	6	10	1	27	1
NON-HISPANIC	6,735	121	11	13	60	90	129	130	131	160	189	276	404	636	760	870	2,754	1
NOT STATED	18	-	-	-	-	1	-	1	2	1	1	1	2	3	3	1	2	-
PLACER	1,293	28	4	2	10	11	12	24	19	24	21	34	74	93	124	164	648	1
HISPANIC	49	2	-	-	2	-	-	3	-	-	-	1	4	6	5	9	17	-
MEXICAN	38	2	-	-	2	-	-	2	-	-	-	1	3	5	3	7	13	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	9	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	3	-
NON-HISPANIC	1,239	26	4	2	8	11	12	21	19	24	21	33	70	84	118	155	630	1
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-
FEMALE	642	9	1	2	6	6	2	5	5	5	10	11	34	43	59	74	370	-
HISPANIC	28	-	-	-	1	-	-	3	-	-	-	-	1	2	3	6	12	-
MEXICAN	20	-	-	-	1	-	-	2	-	-	-	-	1	1	2	4	9	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
OTHER HISPANIC	6	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	-
NON-HISPANIC	611	9	1	2	5	6	2	2	5	5	10	11	33	39	56	68	357	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-
MALE	651	19	3	-	4	5	10	19	14	19	11	23	40	50	65	90	278	1
HISPANIC	21	2	-	-	1	-	-	-	-	-	-	1	3	4	2	3	5	-
MEXICAN	18	2	-	-	1	-	-	-	-	-	-	1	2	4	1	3	4	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
NON-HISPANIC	628	17	3	-	3	5	10	19	14	19	11	22	37	45	62	87	273	1
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
PLUMAS	170	-	-	1	1	2	1	3	2	2	3	4	8	15	17	30	81	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
NON-HISPANIC	167	-	-	1	1	2	1	3	2	2	3	4	8	13	17	29	81	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE	68	-	-	1	-	-	-	1	1	-	1	1	2	6	6	9	40	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	67	-	-	1	-	-	-	1	1	-	1	1	2	5	6	9	40	-
MALE	102	-	-	-	1	2	1	2	1	2	2	3	6	9	11	21	41	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	100	-	-	-	1	2	1	2	1	2	2	3	6	8	11	20	41	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
RIVERSIDE	9,133	231	23	14	61	114	123	121	156	167	192	236	398	657	960	1,189	4,475	16
HISPANIC	693	77	6	3	14	39	28	26	23	26	26	26	43	50	59	60	186	1
CUBAN	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
RIVERSIDE (CONT'D)	530	47	3	2	9	30	21	16	15	19	21	22	39	39	49	49	149	-
MEXICAN	12	-	-	-	-	1	-	-	-	1	1	-	1	1	2	2	3	-
PUERTO RICAN	147	30	3	1	5	8	7	9	8	6	4	4	2	9	8	9	33	1
OTHER HISPANIC	8,378	150	17	11	44	75	91	92	130	138	165	209	353	603	897	1,124	4,271	8
NON-HISPANIC	62	4	-	-	3	-	4	3	3	3	1	1	2	4	4	5	18	7
NOT STATED	4,197	101	6	2	19	20	25	22	47	9	78	99	156	267	396	473	2,424	3
FEMALE	264	36	3	-	6	2	7	3	6	6	12	10	12	20	17	22	102	-
HISPANIC	2	-	-	-	3	-	4	-	4	-	-	-	-	1	-	-	1	-
CUBAN	196	22	-	-	3	1	3	3	4	4	9	7	12	15	12	21	79	-
MEXICAN	6	-	-	-	-	-	-	-	2	1	-	-	-	1	2	-	3	-
PUERTO RICAN	60	14	3	2	13	18	18	19	40	52	66	89	144	247	378	450	2,314	2
OTHER HISPANIC	3,919	64	3	-	-	-	-	-	1	1	-	3	-	-	1	1	8	1
NON-HISPANIC	14	1	-	-	-	1	-	-	-	-	3	-	-	4	3	1	19	-
NOT STATED	4,936	130	17	12	42	94	98	99	109	108	114	137	242	390	564	716	2,051	13
MALE	429	41	3	3	8	37	21	23	17	20	14	16	31	30	42	38	84	1
HISPANIC	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
CUBAN	334	25	3	2	6	29	17	13	11	15	12	15	27	24	37	28	70	-
MEXICAN	6	-	-	-	2	1	4	-	-	-	1	-	1	1	-	2	14	1
PUERTO RICAN	87	16	1	1	2	7	3	9	6	5	1	1	2	5	5	8	14	1
OTHER HISPANIC	4,459	86	14	9	31	57	73	73	90	86	99	120	209	356	519	674	1,957	6
NON-HISPANIC	48	3	-	-	3	-	4	3	2	2	1	1	2	4	3	4	10	6
NOT STATED	7,628	215	20	22	63	98	134	171	151	184	198	231	442	612	828	918	3,335	6
SACRAMENTO	316	24	2	1	9	13	14	12	6	11	11	18	23	38	23	27	84	-
HISPANIC	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
CUBAN	216	13	-	1	8	10	9	8	2	8	6	1	1	28	15	22	59	-
MEXICAN	8	-	-	-	1	1	4	4	2	3	1	4	15	10	2	5	25	1
PUERTO RICAN	89	11	2	1	54	85	120	159	142	171	185	212	417	570	799	886	3,237	3
OTHER HISPANIC	7,265	187	18	20	-	-	-	-	3	2	2	1	2	4	6	5	14	3
NON-HISPANIC	47	4	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	3,666	101	7	10	18	24	35	40	46	57	85	90	179	264	337	405	1,967	1
FEMALE	113	15	-	-	2	2	1	1	-	3	6	5	9	13	3	14	39	-
HISPANIC	84	9	-	-	-	-	-	-	-	2	3	4	6	11	3	12	29	-
MEXICAN	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
PUERTO RICAN	26	6	-	-	-	-	-	-	-	2	2	-	2	2	-	2	10	-
OTHER HISPANIC	3,535	84	7	9	16	22	34	39	45	53	79	84	170	251	332	388	1,922	1
NON-HISPANIC	18	2	-	1	-	-	1	-	1	1	1	1	-	2	2	3	6	-
NOT STATED	3,962	114	13	12	45	74	99	131	105	127	113	141	263	348	491	513	1,368	5
MALE	203	9	2	1	7	11	13	11	6	8	5	13	14	25	20	13	45	-
HISPANIC	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CUBAN	132	4	-	1	6	8	9	7	2	6	3	8	9	17	12	10	30	-
MEXICAN	5	-	-	-	-	1	3	4	2	2	2	4	5	8	6	3	15	1
PUERTO RICAN	63	5	-	1	1	2	6	3	2	2	2	1	5	4	6	2	8	-
OTHER HISPANIC	3,730	103	11	11	38	63	86	120	97	118	106	128	247	319	467	498	1,315	3
NON-HISPANIC	29	2	-	-	-	-	-	-	2	1	2	-	2	4	4	2	8	2
NOT STATED	240	7	2	3	11	8	4	4	3	4	7	4	11	15	24	30	113	-
SAN BENITO	55	5	1	2	7	1	1	1	1	1	3	4	5	3	6	9	12	-
HISPANIC	39	3	1	1	2	1	1	1	1	2	1	2	3	2	6	7	8	-
MEXICAN	16	2	-	-	1	1	1	-	-	1	-	1	2	6	2	2	4	-
OTHER HISPANIC	185	2	-	1	1	6	1	3	1	2	3	4	6	12	4	6	18	-
NON-HISPANIC	120	3	1	1	3	3	1	1	1	1	2	1	3	3	2	2	11	-
FEMALE	25	1	1	-	1	-	1	-	-	-	-	1	-	1	2	2	4	-
HISPANIC	19	2	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-
MEXICAN	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	95	4	2	2	3	4	1	4	4	3	2	4	7	11	9	15	47	-
NON-HISPANIC	120	2	1	1	1	1	-	1	1	1	1	1	4	4	1	5	4	-
MALE	30	2	1	-	1	1	1	1	-	-	-	2	2	4	1	4	2	-
HISPANIC	20	-	-	1	-	-	-	-	-	-	-	1	2	2	-	3	2	-
MEXICAN	10	2	-	-	1	3	1	3	1	1	1	2	3	3	1	1	43	-
OTHER HISPANIC	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	9,177	341	29	34	94	151	166	194	196	212	226	305	487	690	937	1,127	3,975	13
SAN BERNARDINO	864	77	9	4	26	38	30	36	36	28	25	38	55	66	75	76	243	2
HISPANIC	15	-	1	-	1	-	-	-	-	1	1	-	1	-	-	3	8	-
CUBAN	591	42	4	1	14	27	19	18	22	16	18	25	41	46	63	51	184	-
MEXICAN	14	2	-	1	1	1	1	1	-	1	1	-	1	3	-	-	2	-
PUERTO RICAN																		

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN BERNARDINO (CONT'D)																		
OTHER HISPANIC	244	33	4	2	11	10	10	17	14	10	6	13	12	17	12	22	49	2
NON-HISPANIC	8,260	262	20	30	68	110	135	155	160	181	200	262	429	622	860	1,044	3,716	6
NOT STATED	53	2	-	-	-	3	1	3	-	3	1	5	3	2	2	7	16	5
FEMALE	4,306	152	12	11	26	35	51	52	67	63	73	113	206	297	377	487	2,282	2
HISPANIC	336	32	4	1	6	2	6	6	8	8	5	14	19	37	25	37	126	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
MEXICAN	238	17	3	1	3	1	3	4	6	6	2	8	13	30	20	25	96	-
PUERTO RICAN	5	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
OTHER HISPANIC	91	14	1	-	3	1	3	2	2	2	3	6	5	5	5	11	28	-
NON-HISPANIC	3,949	120	8	10	20	31	45	45	59	53	68	98	185	260	352	448	2,146	1
NOT STATED	21	-	-	-	-	2	-	1	-	2	-	1	2	-	-	2	10	1
MALE	4,871	189	17	23	68	116	115	142	129	149	153	192	281	393	560	640	1,693	11
HISPANIC	528	45	5	3	20	36	24	30	28	20	20	24	36	29	50	39	117	2
CUBAN	13	-	1	-	-	-	-	-	-	1	1	-	1	-	-	2	7	-
MEXICAN	353	25	1	-	11	26	16	14	16	10	16	17	28	16	43	26	88	-
PUERTO RICAN	9	1	-	1	1	1	1	1	-	1	-	-	-	1	-	-	1	-
OTHER HISPANIC	153	19	3	2	8	9	7	15	12	8	3	7	7	12	7	11	21	2
NON-HISPANIC	4,311	142	12	20	48	79	90	110	101	128	132	164	244	362	508	596	1,570	5
NOT STATED	32	2	-	-	-	1	1	2	-	1	1	4	1	2	2	5	6	4
SAN DIEGO	16,636	393	32	49	117	230	278	299	326	339	366	479	693	1,131	1,709	2,029	8,129	37
HISPANIC	1,194	87	8	5	24	55	50	52	50	36	40	43	64	83	110	98	369	20
CUBAN	12	-	-	-	-	1	-	-	-	-	1	1	-	2	-	3	4	-
MEXICAN	936	68	8	4	16	46	36	37	36	23	32	35	54	65	94	75	303	4
PUERTO RICAN	25	-	-	1	-	-	-	2	1	3	-	1	-	3	2	2	10	-
OTHER HISPANIC	221	19	-	-	8	8	14	13	13	10	7	6	10	13	14	18	52	16
NON-HISPANIC	15,373	303	24	44	90	175	228	245	276	302	322	434	628	1,043	1,592	1,924	7,738	5
NOT STATED	69	3	-	-	3	-	-	2	-	1	4	2	1	5	7	7	22	12
FEMALE	7,935	169	14	19	30	35	56	72	82	105	147	178	269	464	724	922	4,641	8
HISPANIC	482	35	5	3	8	9	7	13	13	10	14	15	20	30	44	48	206	2
CUBAN	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-
MEXICAN	389	30	5	2	5	8	5	10	12	7	14	12	17	22	40	35	165	-
PUERTO RICAN	13	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	8	-
OTHER HISPANIC	75	5	-	-	3	1	2	3	1	3	-	2	3	6	3	11	30	2
NON-HISPANIC	7,428	131	9	16	20	26	49	59	69	94	132	163	248	434	679	873	4,423	3
NOT STATED	25	3	-	-	2	-	-	-	-	1	1	-	1	-	1	1	12	3
MALE	8,701	224	18	30	87	195	222	227	244	234	219	301	424	667	985	1,107	3,488	29
HISPANIC	712	52	3	2	16	46	43	39	37	26	26	28	44	53	66	50	163	18
CUBAN	7	-	-	-	-	1	-	-	-	-	1	-	2	-	-	2	1	-
MEXICAN	547	38	3	2	11	38	31	27	24	16	18	23	37	43	54	40	138	4
PUERTO RICAN	12	-	-	-	-	-	-	2	1	3	-	1	-	1	1	1	2	-
OTHER HISPANIC	146	14	-	-	5	7	12	10	12	7	7	4	7	7	11	7	22	14
NON-HISPANIC	7,945	172	15	28	70	149	179	186	207	208	190	271	380	609	913	1,051	3,315	2
NOT STATED	44	-	-	-	1	-	-	2	-	-	3	2	-	5	6	6	10	9
SAN FRANCISCO	8,453	90	10	9	32	51	131	292	451	393	283	334	371	519	704	843	3,934	6
HISPANIC	459	9	-	-	5	9	15	29	42	18	27	23	26	29	37	30	159	1
CUBAN	7	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	2	-
MEXICAN	176	5	-	-	2	5	5	6	19	6	11	7	8	18	10	8	66	-
PUERTO RICAN	39	-	-	-	-	-	-	3	4	2	2	2	3	-	7	6	9	1
OTHER HISPANIC	237	4	-	-	3	4	10	19	18	10	14	12	15	11	19	16	82	-
NON-HISPANIC	7,616	67	10	8	25	38	112	233	378	341	233	278	312	456	644	791	3,698	2
NOT STATED	378	14	-	1	2	4	14	30	31	34	23	33	33	34	23	22	77	3
FEMALE	3,538	43	5	1	9	14	24	28	51	48	53	88	115	190	292	360	2,216	1
HISPANIC	180	8	-	-	2	1	1	-	3	3	7	5	9	10	18	14	99	-
CUBAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
MEXICAN	70	5	-	-	1	1	-	-	1	1	3	1	4	6	5	3	39	-
PUERTO RICAN	14	-	-	-	-	-	-	-	1	-	-	-	2	-	4	2	5	-
OTHER HISPANIC	93	3	-	-	1	-	1	-	1	2	4	4	3	4	8	9	53	-
NON-HISPANIC	3,266	28	5	1	5	12	20	24	45	41	45	80	98	173	268	338	2,082	1
NOT STATED	92	7	-	-	2	1	3	4	3	4	1	3	8	7	6	8	35	-
MALE	4,915	47	5	8	23	37	107	264	400	345	230	246	256	329	412	483	1,718	5
HISPANIC	279	1	-	-	3	8	14	29	39	15	20	18	17	19	19	16	60	1
CUBAN	4	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
MEXICAN	106	-	-	-	1	4	5	6	18	5	8	6	4	12	5	5	27	-
PUERTO RICAN	25	-	-	-	-	-	-	3	3	2	2	2	1	-	3	4	4	1
OTHER HISPANIC	144	1	-	-	2	4	9	19	17	8	10	8	12	7	11	7	29	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SAN FRANCISCO (CONT'D)																		
NON-HISPANIC	4,350	39	5	7	20	26	82	209	333	300	188	198	214	283	376	453	1,616	1
NOT STATED	286	7	-	1	-	3	11	26	28	30	22	30	25	27	17	14	42	3
SAN JOAQUIN	3,803	113	12	13	37	52	58	76	74	83	93	108	183	271	374	444	1,811	1
HISPANIC	363	21	3	3	6	20	18	23	16	13	15	12	23	27	37	23	103	-
MEXICAN	321	20	2	3	3	17	14	20	15	11	13	12	23	25	32	21	90	-
PUERTO RICAN	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-
OTHER HISPANIC	38	1	1	-	3	3	4	3	1	2	1	-	-	2	5	1	11	-
NON-HISPANIC	3,426	89	9	10	31	32	39	53	58	70	77	96	160	243	336	420	1,702	1
NOT STATED	14	3	-	-	-	-	1	-	-	-	1	-	-	1	1	1	6	-
FEMALE	1,736	59	7	5	10	7	20	18	22	31	32	38	85	111	151	179	960	1
HISPANIC	117	9	1	2	2	2	1	4	1	3	3	1	14	9	17	9	39	-
MEXICAN	101	9	1	2	1	-	1	4	-	3	3	1	14	8	14	8	32	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
OTHER HISPANIC	13	-	-	-	1	2	-	-	1	-	-	-	-	1	3	-	5	-
NON-HISPANIC	1,615	49	6	3	8	5	18	14	21	28	29	37	71	102	134	169	920	1
NOT STATED	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
MALE	2,067	54	5	8	27	45	38	58	52	52	61	70	98	160	223	265	851	-
HISPANIC	246	12	2	1	4	18	17	19	15	10	12	11	9	18	20	14	64	-
MEXICAN	220	11	1	1	2	17	13	16	15	8	10	11	9	17	18	13	58	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER HISPANIC	25	1	1	-	2	1	4	3	-	2	1	-	-	1	2	1	6	-
NON-HISPANIC	1,811	40	3	7	23	27	21	39	37	42	48	59	89	141	202	251	782	-
NOT STATED	10	2	-	-	-	-	-	-	-	-	1	-	-	1	1	-	5	-
SAN LUIS OBISPO	1,665	22	2	1	6	8	13	13	19	35	30	38	55	105	187	206	924	1
HISPANIC	67	4	-	-	-	3	2	1	1	1	5	4	3	4	5	7	27	-
MEXICAN	44	1	-	-	-	2	1	1	1	-	3	3	2	3	5	3	19	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	22	3	-	-	-	1	1	-	-	-	2	1	1	1	-	4	7	-
NON-HISPANIC	1,596	18	2	1	6	5	11	12	18	34	25	34	52	101	182	199	895	1
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
FEMALE	800	9	1	1	3	1	2	1	8	17	10	16	23	47	68	91	502	-
HISPANIC	22	2	-	-	-	-	1	-	-	-	-	-	-	1	1	3	14	-
MEXICAN	15	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	9	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
NON-HISPANIC	776	7	1	1	3	1	1	1	8	17	10	16	23	46	67	88	486	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MALE	865	13	1	-	3	7	11	12	11	18	20	22	32	58	119	115	422	1
HISPANIC	45	2	-	-	-	3	1	1	1	1	5	4	3	3	4	4	13	-
MEXICAN	29	-	-	-	-	2	-	1	1	-	3	3	2	2	4	1	10	-
OTHER HISPANIC	16	2	-	-	-	1	1	-	-	1	2	1	1	1	-	3	3	-
NON-HISPANIC	820	11	1	-	3	4	10	11	10	17	15	18	29	55	115	111	409	1
SAN MATEO	4,831	77	2	5	15	52	55	58	81	114	111	141	241	400	490	605	2,382	2
HISPANIC	252	12	-	2	1	9	4	7	9	8	10	8	24	24	18	29	86	1
CUBAN	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	4	-
MEXICAN	106	6	-	1	1	9	1	3	5	6	3	4	8	12	8	11	27	1
PUERTO RICAN	14	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	9	-
OTHER HISPANIC	126	6	-	1	-	-	2	4	4	2	6	3	14	12	8	18	46	-
NON-HISPANIC	4,530	61	2	3	14	42	50	51	72	103	101	130	216	373	467	568	2,277	-
NOT STATED	49	4	-	-	-	1	1	-	-	3	-	3	1	3	5	8	19	1
FEMALE	2,363	37	1	-	5	13	14	14	15	31	45	59	81	150	224	266	1,408	-
HISPANIC	110	5	-	-	1	1	1	1	1	2	4	4	9	12	8	10	51	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	43	1	-	-	1	1	-	1	1	2	1	3	3	5	4	3	17	-
PUERTO RICAN	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	-
OTHER HISPANIC	59	4	-	-	-	-	1	-	-	-	3	1	6	7	3	7	27	-
NON-HISPANIC	2,232	29	1	-	4	11	12	13	14	28	41	54	72	138	216	251	1,348	-
NOT STATED	21	3	-	-	-	1	1	-	-	1	-	1	-	-	-	5	9	-
MALE	2,468	40	1	5	10	39	41	44	66	83	66	82	160	250	266	339	974	2
HISPANIC	142	7	-	2	-	8	3	6	8	6	6	4	15	12	10	19	35	1
CUBAN	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-
MEXICAN	63	5	-	1	-	8	1	2	4	4	2	1	5	7	4	8	10	1
PUERTO RICAN	8	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	4	-
OTHER HISPANIC	67	2	-	1	-	-	1	4	4	2	3	2	8	5	5	11	19	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 OVER	UNKNOWN
SAN MATEO (CONT'D)																		
NON-HISPANIC	2,298	32	1	3	10	31	38	38	58	75	60	76	144	235	251	317	929	-
NOT STATED	28	1	-	-	-	-	-	-	-	2	-	2	1	3	5	3	10	1
SANTA BARBARA	2,677	46	3	9	12	33	24	35	47	49	58	78	110	165	269	318	1,421	-
HISPANIC	228	17	-	1	2	16	4	5	12	5	9	11	11	26	17	18	74	-
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	163	12	-	1	1	13	2	3	4	3	7	9	7	21	13	11	56	-
PUERTO RICAN	8	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	4	-
OTHER HISPANIC	56	4	-	-	1	3	2	1	7	1	1	2	4	5	4	7	14	-
NON-HISPANIC	2,444	29	3	8	10	17	20	30	35	44	49	67	99	138	251	300	1,344	-
NOT STATED	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-
FEMALE	1,319	16	1	3	3	4	5	10	11	18	20	33	45	63	116	141	830	-
HISPANIC	96	5	-	-	-	1	-	3	6	1	1	4	6	10	7	9	43	-
CUBAN	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MEXICAN	65	4	-	-	-	1	-	1	1	1	1	2	4	9	4	7	30	-
PUERTO RICAN	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-
OTHER HISPANIC	25	-	-	-	-	-	-	-	1	-	-	2	2	1	3	2	10	-
NON-HISPANIC	1,220	11	1	3	3	3	5	7	5	17	19	29	39	52	109	132	785	-
NOT STATED	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
MALE	1,358	30	2	6	9	29	19	25	36	31	38	45	65	102	153	177	591	-
HISPANIC	132	12	-	1	2	15	4	2	6	4	8	7	5	16	10	9	31	-
MEXICAN	98	8	-	1	1	12	2	2	3	2	6	7	3	12	9	4	26	-
PUERTO RICAN	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-
OTHER HISPANIC	31	4	-	-	1	3	2	-	3	1	1	-	2	4	1	5	4	-
NON-HISPANIC	1,224	18	2	5	7	14	15	23	30	27	30	38	60	86	142	168	559	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
SANTA CLARA	8,642	220	16	19	75	91	145	160	190	187	250	328	475	678	856	928	4,020	4
HISPANIC	857	65	4	2	16	23	32	31	32	28	38	49	53	75	78	76	255	-
CUBAN	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	-
MEXICAN	557	44	4	2	10	14	19	17	18	14	23	33	42	52	53	51	161	-
PUERTO RICAN	28	1	-	-	1	-	1	2	-	-	1	3	1	2	3	2	11	-
OTHER HISPANIC	264	20	-	-	5	9	12	12	14	14	14	13	10	20	22	23	76	-
NON-HISPANIC	7,724	151	12	17	58	67	113	127	155	158	208	278	420	598	773	844	3,741	4
NOT STATED	61	4	-	-	1	1	-	2	3	1	4	1	2	5	5	8	24	-
FEMALE	4,287	95	7	4	22	20	40	45	53	75	106	126	182	286	361	425	2,440	-
HISPANIC	349	26	2	1	3	5	10	9	11	7	13	14	16	25	26	46	135	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	219	17	2	1	2	2	4	4	4	4	6	7	11	19	20	30	86	-
PUERTO RICAN	13	1	-	-	-	-	1	1	-	-	-	2	-	-	-	1	7	-
OTHER HISPANIC	116	8	-	-	1	3	5	4	7	3	7	5	5	6	6	15	41	-
NON-HISPANIC	3,917	69	5	3	19	14	30	36	42	68	91	111	166	260	334	376	2,293	-
NOT STATED	21	-	-	-	-	1	-	-	-	-	2	1	-	1	1	3	12	-
MALE	4,355	125	9	15	53	71	105	115	137	112	144	202	293	392	495	503	1,580	4
HISPANIC	508	39	2	1	13	18	22	22	21	21	25	35	37	50	52	30	120	-
CUBAN	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	6	-
MEXICAN	338	27	2	1	8	12	15	13	14	10	17	26	31	33	33	21	75	-
PUERTO RICAN	15	-	-	-	1	-	-	1	-	-	1	1	1	2	3	1	4	-
OTHER HISPANIC	148	12	-	-	4	6	7	8	7	11	7	8	5	14	16	8	35	-
NON-HISPANIC	3,807	82	7	14	39	53	83	91	113	90	117	167	254	338	439	468	1,448	4
NOT STATED	40	4	-	-	1	-	-	2	3	1	2	-	2	4	4	5	12	-
SANTA CRUZ	1,796	35	3	1	10	19	24	27	38	42	28	44	50	120	150	209	995	1
HISPANIC	95	9	-	1	3	6	8	5	8	2	2	6	4	3	6	8	24	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	69	7	-	1	3	6	5	3	4	2	2	6	3	2	4	5	16	-
OTHER HISPANIC	25	2	-	-	-	-	3	2	4	-	-	-	-	1	2	3	7	-
NON-HISPANIC	1,687	25	3	-	7	13	16	21	30	40	25	37	45	117	143	201	964	-
NOT STATED	14	1	-	-	-	-	-	1	-	-	1	-	1	-	1	-	7	1
FEMALE	903	12	2	-	4	8	8	13	13	10	12	15	18	53	63	89	583	-
HISPANIC	33	3	-	-	1	2	2	-	2	-	2	1	2	2	2	4	10	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	24	2	-	-	1	2	1	-	-	-	2	1	2	1	1	2	7	-
OTHER HISPANIC	8	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	2	-
NON-HISPANIC	864	9	2	-	3	6	6	13	11	10	10	14	16	51	61	85	567	-
NOT STATED	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-
MALE	893	23	1	1	6	11	18	14	25	32	16	29	32	67	87	120	412	1

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
SANTA CRUZ (CONT'D)																		
HISPANIC	62	6	-	1	2	4	6	5	6	2	-	5	2	1	4	4	14	-
MEXICAN	45	5	-	1	2	4	4	3	2	2	-	5	1	1	3	3	9	-
OTHER HISPANIC	17	1	-	-	-	-	2	2	4	-	-	-	1	-	1	1	5	-
NON-HISPANIC	823	16	1	-	4	7	10	8	19	30	15	23	29	66	82	116	397	-
NOT STATED	8	1	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1	1
SHASTA	1,415	30	5	1	13	16	12	29	20	42	31	51	68	116	148	185	648	-
HISPANIC	8	1	-	-	1	-	-	-	1	1	-	-	-	1	-	1	2	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	4	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
OTHER HISPANIC	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	1,406	29	5	1	12	16	12	29	19	41	31	50	68	115	148	184	646	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	657	10	4	-	5	3	5	6	6	20	15	18	32	49	60	74	350	-
HISPANIC	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
MEXICAN	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
NON-HISPANIC	654	10	4	-	5	3	5	6	6	19	15	18	32	48	60	73	350	-
MALE	758	20	1	1	8	13	7	23	14	22	16	33	36	67	88	111	298	-
HISPANIC	5	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER HISPANIC	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
NON-HISPANIC	752	19	1	1	7	13	7	23	13	22	16	32	36	67	88	111	296	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SIERRA	31	-	-	-	-	-	-	-	-	2	-	1	3	4	4	1	16	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	30	-	-	-	-	-	-	-	-	2	-	1	3	4	4	1	15	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	9	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NON-HISPANIC	16	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	8	-
MALE	14	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	7	-
NON-HISPANIC	14	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	7	-
SISKIYOU	437	5	1	2	3	5	4	7	9	5	9	15	12	35	42	69	214	-
HISPANIC	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
MEXICAN	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NON-HISPANIC	433	5	1	2	3	5	4	7	8	5	8	15	12	35	41	68	214	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	185	2	-	-	-	2	1	-	3	3	2	2	5	15	9	29	112	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	184	2	-	-	-	2	1	-	3	3	2	2	5	15	9	28	112	-
MALE	252	3	1	2	3	3	3	7	6	2	7	13	7	20	33	40	102	-
HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NON-HISPANIC	249	3	1	2	3	3	3	7	5	2	6	13	7	20	32	40	102	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
SOLANO	1,925	62	5	6	16	34	38	40	57	47	54	78	91	165	218	223	791	-
HISPANIC	64	3	-	2	-	2	3	5	3	1	2	4	2	9	2	6	20	-
MEXICAN	34	2	-	1	-	1	2	4	2	-	1	1	2	5	1	3	9	-
PUERTO RICAN	5	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	1	-
OTHER HISPANIC	25	1	-	1	-	1	-	-	1	1	1	3	-	3	1	2	10	-
NON-HISPANIC	1,859	59	5	4	16	31	35	34	54	46	52	74	89	156	216	217	771	-
NOT STATED	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	943	23	3	3	5	7	13	11	16	17	24	35	39	76	96	97	478	-
HISPANIC	21	1	-	1	-	-	1	[illegible]	1	-	1	-	1	3	-	2	9	-
MEXICAN	13	-	-	1	-	-	1	[illegible]	-	-	-	-	1	3	-	1	5	-
PUERTO RICAN	1	-	-	-	-	-	-	[illegible]	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	7	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	3	-
NON-HISPANIC	922	22	3	2	5	7	12	10	15	17	23	35	38	73	96	95	469	-

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS: UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UNKNOWN
SOLANO (CONT'D)																		
MALE	982	39	2	3	11	27	25	29	41	30	30	43	52	89	122	126	313	-
HISPANIC	43	2	-	1	-	2	2	4	2	1	1	4	1	6	2	4	11	-
MEXICAN	21	2	-	-	-	1	1	3	2	-	1	1	1	2	1	2	4	-
PUERTO RICAN	4	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-
OTHER HISPANIC	18	-	-	1	-	1	-	-	-	1	-	3	-	3	1	1	7	-
NON-HISPANIC	937	37	2	2	11	24	23	24	39	29	29	39	51	83	120	122	302	-
NOT STATED	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
SONOMA	3,310	63	7	4	22	23	33	56	83	61	71	74	130	208	302	396	1,777	-
HISPANIC	77	7	2	-	5	2	6	1	2	2	2	4	2	4	7	4	27	-
MEXICAN	57	5	1	-	5	2	6	1	2	1	1	4	2	3	4	4	16	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	19	2	1	-	-	-	-	-	-	1	1	-	-	1	3	-	10	-
NON-HISPANIC	3,219	53	5	4	17	21	27	55	81	59	69	70	127	204	293	389	1,745	-
NOT STATED	14	3	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	-
FEMALE	1,560	20	2	1	3	1	7	15	19	14	14	35	55	87	122	164	1,001	-
HISPANIC	28	2	1	-	-	-	1	-	1	-	-	-	1	1	4	-	17	-
MEXICAN	18	1	1	-	-	-	1	-	1	-	-	-	1	-	2	-	11	-
OTHER HISPANIC	10	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	6	-
NON-HISPANIC	1,529	17	1	1	3	1	6	15	18	14	14	35	54	86	118	163	983	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
MALE	1,750	43	5	3	19	22	26	41	64	47	57	39	75	121	180	232	776	-
HISPANIC	49	5	1	-	5	2	5	1	1	2	2	4	1	3	3	4	10	-
MEXICAN	39	4	-	-	5	2	5	1	1	1	1	4	1	3	2	4	5	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	9	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	4	-
NON-HISPANIC	1,690	36	4	3	14	20	21	40	63	45	55	35	73	118	175	226	762	-
NOT STATED	11	2	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	-
STANISLAUS	2,812	63	8	7	30	34	39	46	43	62	85	80	156	205	272	350	1,331	1
HISPANIC	160	18	4	2	4	5	10	11	5	4	8	7	15	12	17	9	28	1
MEXICAN	133	16	4	1	3	4	7	11	4	3	8	7	11	11	10	8	24	1
OTHER HISPANIC	27	2	-	1	1	1	3	-	1	1	-	-	4	1	7	1	4	-
NON-HISPANIC	2,642	42	3	5	26	29	29	35	37	58	74	72	141	193	255	341	1,302	-
NOT STATED	10	3	1	-	-	-	-	-	1	-	3	1	-	-	-	-	1	-
FEMALE	1,331	35	3	3	5	6	8	10	17	20	38	26	63	87	110	160	740	-
HISPANIC	65	12	2	1	-	2	3	3	3	1	2	1	5	5	8	2	15	-
MEXICAN	55	12	2	1	-	1	2	3	3	-	2	1	5	4	4	2	13	-
OTHER HISPANIC	10	-	-	-	-	1	1	-	-	1	-	-	-	1	4	-	2	-
NON-HISPANIC	1,260	21	1	2	5	4	5	7	13	19	34	25	58	82	102	158	724	-
NOT STATED	6	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-
MALE	1,481	28	5	4	25	28	31	36	26	42	47	54	93	118	162	190	591	1
HISPANIC	95	6	2	1	4	3	7	8	2	3	6	6	10	7	9	7	13	1
MEXICAN	78	4	2	-	3	3	5	8	1	3	6	6	6	7	6	6	11	1
OTHER HISPANIC	17	2	-	1	1	-	2	-	1	-	-	-	4	-	3	1	2	-
NON-HISPANIC	1,382	21	2	3	21	25	24	28	24	39	40	47	83	111	153	183	578	-
NOT STATED	4	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
SUTTER	572	10	2	1	1	15	7	16	11	14	10	13	27	47	55	64	279	-
HISPANIC	20	2	-	-	-	3	1	2	1	1	-	1	2	3	1	1	2	-
MEXICAN	17	2	-	-	-	3	1	1	1	-	-	1	2	3	1	-	2	-
OTHER HISPANIC	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
NON-HISPANIC	550	8	2	1	1	11	6	14	10	13	10	12	25	44	54	63	276	-
NOT STATED	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE	271	2	-	1	1	5	-	7	3	5	5	2	14	22	24	32	148	-
HISPANIC	8	-	-	-	-	1	-	-	-	-	-	-	1	3	1	1	1	-
MEXICAN	7	-	-	-	-	1	-	-	-	-	-	-	1	3	1	-	1	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
NON-HISPANIC	263	2	-	1	1	4	-	7	3	5	5	2	13	19	23	31	147	-
MALE	301	8	2	-	-	10	7	9	8	9	5	11	13	25	31	32	131	-
HISPANIC	12	2	-	-	-	2	1	2	1	1	-	1	1	-	-	-	1	-
MEXICAN	10	2	-	-	-	2	1	1	1	-	-	1	1	-	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
NON-HISPANIC	287	6	2	-	-	7	6	7	7	8	5	10	12	25	31	32	129	-
NOT STATED	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
TEHAMA	536	12	2	2	5	5	4	6	6	4	16	17	25	33	64	69	265	1

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
TEHAMA (CONT'D)																		
HISPANIC	10	-	-	1	-	-	1	-	-	1	-	-	1	1	2	1	2	-
MEXICAN	9	-	-	1	-	-	1	-	-	1	-	-	1	-	2	1	2	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	526	12	2	1	5	5	3	6	6	3	16	17	24	32	62	68	263	1
FEMALE	248	3	1	-	3	1	-	2	-	1	5	9	8	16	28	23	148	-
HISPANIC	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	246	3	1	-	3	1	-	2	-	1	5	9	8	15	27	23	148	-
MALE	288	9	1	2	2	4	4	4	6	3	11	8	17	17	36	46	117	1
HISPANIC	8	-	-	1	-	-	1	-	-	1	-	-	1	-	1	1	2	-
MEXICAN	8	-	-	1	-	-	1	-	-	1	-	-	1	-	1	1	2	-
NON-HISPANIC	280	9	1	1	2	4	3	4	6	2	11	8	16	17	35	45	115	1
TRINITY	132	1	-	-	-	2	1	2	2	3	3	6	5	15	15	15	62	-
NON-HISPANIC	129	-	-	-	-	2	1	2	2	3	3	6	5	14	14	15	62	-
NOT STATED	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE	55	-	-	-	-	-	-	1	1	1	1	1	3	6	7	4	30	-
NON-HISPANIC	54	-	-	-	-	-	-	1	1	1	1	1	3	6	6	4	30	-
NOT STATED	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MALE	77	1	-	-	-	2	1	1	1	2	2	5	2	9	8	11	32	-
NON-HISPANIC	75	-	-	-	-	2	1	1	1	2	2	5	2	8	8	11	32	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TULARE	2,427	44	7	8	28	40	46	40	49	41	58	65	128	168	226	297	1,181	1
HISPANIC	332	22	3	3	14	25	19	12	10	13	16	8	24	24	39	24	75	1
MEXICAN	294	19	2	2	12	25	15	10	7	12	12	8	21	23	34	23	68	1
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	37	3	1	1	2	-	4	2	3	1	4	-	3	1	5	1	6	-
NON-HISPANIC	2,059	16	3	5	12	15	27	26	38	25	41	56	102	142	181	271	1,099	-
NOT STATED	36	6	1	-	2	-	-	2	1	3	1	1	2	2	6	2	7	-
FEMALE	1,089	24	2	6	7	8	7	11	12	11	23	22	47	67	104	115	623	-
HISPANIC	120	14	1	2	4	3	3	3	1	3	6	1	9	7	16	11	36	-
MEXICAN	105	11	1	2	4	3	2	2	1	3	4	1	8	7	13	10	33	-
OTHER HISPANIC	15	3	-	-	-	-	1	1	-	-	2	-	1	-	3	1	3	-
NON-HISPANIC	958	10	-	4	3	5	4	7	11	8	16	21	37	59	86	104	583	-
NOT STATED	11	-	1	-	-	-	-	1	-	-	1	-	1	1	2	-	4	-
MALE	1,338	20	5	2	21	32	39	29	37	30	35	43	81	101	122	182	558	1
HISPANIC	212	8	2	1	10	22	16	9	9	10	10	7	15	17	23	13	39	1
MEXICAN	189	8	1	-	8	22	13	8	6	9	8	7	13	16	21	13	35	1
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
OTHER HISPANIC	22	-	1	1	2	-	3	1	3	1	2	-	2	1	2	-	3	-
NON-HISPANIC	1,101	6	3	1	9	10	23	19	27	17	25	35	65	83	95	167	516	-
NOT STATED	25	6	-	-	2	-	-	1	1	3	-	1	1	1	4	2	3	-
TUOLUMNE	473	3	-	-	3	5	12	3	7	3	11	14	28	39	61	57	227	-
HISPANIC	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-
MEXICAN	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
NON-HISPANIC	463	2	-	-	3	5	12	3	7	3	10	13	26	37	61	57	224	-
NOT STATED	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
FEMALE	216	2	-	-	2	3	2	-	-	-	2	6	14	18	24	31	112	-
HISPANIC	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MEXICAN	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NON-HISPANIC	213	2	-	-	2	3	2	-	-	-	1	6	14	17	24	31	111	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
MALE	257	1	-	-	1	2	10	3	7	3	9	8	14	21	37	26	115	-
HISPANIC	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-
MEXICAN	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
NON-HISPANIC	250	-	-	-	1	2	10	3	7	3	9	7	12	20	37	26	113	-
NOT STATED	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VENTURA	3,944	88	9	7	36	53	60	62	58	71	112	122	204	305	397	442	1,917	1
HISPANIC	418	33	3	1	10	18	20	13	9	18	20	13	28	34	30	33	134	1

TABLE 5-7 (CONTINUED)

DEATHS BY SEX, SPANISH/HISPANIC ORIGINS, AND AGE

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY, SEX AND RACE/ETHNICITY	ALL AGES	AGE IN YEARS																
		UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & OVER	UN-KNOWN
VENTURA (CONT'D)																		
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	318	26	3	1	10	13	14	5	7	15	17	8	22	29	21	26	101	-
PUERTO RICAN	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	3	-
OTHER HISPANIC	92	7	-	-	-	5	6	7	2	3	3	5	6	5	8	6	28	1
NON-HISPANIC	3,508	54	5	6	26	34	40	47	49	53	92	108	174	270	366	405	1,779	-
NOT STATED	18	1	1	-	-	1	-	2	-	-	-	1	2	1	1	4	4	-
FEMALE	1,939	41	2	2	10	16	21	14	22	24	47	42	85	108	177	196	1,131	1
HISPANIC	173	17	1	-	1	3	4	3	3	6	5	5	18	15	17	13	61	1
MEXICAN	136	14	1	-	1	1	2	1	3	5	4	3	16	14	11	10	50	-
PUERTO RICAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
OTHER HISPANIC	35	3	-	-	-	2	2	2	-	1	1	2	2	1	5	3	10	1
NON-HISPANIC	1,759	23	1	2	9	13	17	10	19	18	42	36	66	92	160	183	1,068	-
NOT STATED	7	1	-	-	-	-	-	1	-	-	-	1	1	1	-	-	2	-
MALE	2,005	47	7	5	26	37	39	48	36	47	65	80	119	197	220	246	786	-
HISPANIC	245	16	2	1	9	15	16	10	6	12	15	8	10	19	13	20	73	-
CUBAN	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
MEXICAN	182	12	2	1	9	12	12	4	4	10	13	5	6	15	10	16	51	-
PUERTO RICAN	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-
OTHER HISPANIC	57	4	-	-	-	3	4	5	2	2	2	3	4	4	3	3	18	-
NON-HISPANIC	1,749	31	4	4	17	21	23	37	30	35	50	72	108	178	206	222	711	-
NOT STATED	11	-	1	-	-	1	-	1	-	-	-	-	1	-	1	4	2	-
YOLO	917	19	2	1	12	6	21	17	22	20	33	22	54	64	92	132	398	2
HISPANIC	87	5	-	-	4	3	4	8	4	3	1	3	4	3	13	10	22	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	72	3	-	-	4	2	3	7	3	2	1	3	3	3	10	9	19	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	13	2	-	-	-	1	1	1	1	1	-	-	-	-	3	1	2	-
NON-HISPANIC	826	14	2	1	8	3	17	9	18	17	32	19	50	60	79	120	375	2
NOT STATED	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-
FEMALE	400	7	-	-	4	1	6	4	8	10	14	8	26	19	26	55	212	-
HISPANIC	31	3	-	-	1	-	2	1	2	2	1	2	2	1	2	5	7	-
MEXICAN	27	2	-	-	1	-	1	1	1	2	1	2	2	1	1	5	7	-
OTHER HISPANIC	4	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
NON-HISPANIC	367	4	-	-	3	1	4	3	6	8	13	6	24	17	24	50	204	-
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
MALE	517	12	2	1	8	5	15	13	14	10	19	14	28	45	66	77	186	2
HISPANIC	56	2	-	-	3	3	2	7	2	1	-	1	2	2	11	5	15	-
CUBAN	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
MEXICAN	45	1	-	-	3	2	2	6	2	-	-	1	1	2	9	4	12	-
PUERTO RICAN	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER HISPANIC	9	1	-	-	-	-	-	1	-	1	-	-	-	-	2	1	2	-
NON-HISPANIC	459	10	2	1	5	2	13	6	12	9	19	13	26	43	55	70	171	2
NOT STATED	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
YUBA	488	13	2	1	3	6	7	10	11	6	12	17	22	43	46	76	213	-
HISPANIC	15	2	-	-	1	-	1	-	1	-	-	3	-	2	1	2	2	-
MEXICAN	10	1	-	-	1	-	1	-	-	-	-	1	-	2	1	2	1	-
OTHER HISPANIC	5	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-
NON-HISPANIC	472	11	1	1	2	6	6	10	10	6	12	14	22	41	45	74	211	-
NOT STATED	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	224	5	2	-	-	1	1	6	2	2	6	11	6	16	19	35	112	-
HISPANIC	10	1	-	-	-	-	-	-	-	-	-	3	-	1	1	2	2	-
MEXICAN	7	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-
OTHER HISPANIC	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-
NON-HISPANIC	213	4	1	-	-	1	1	6	2	2	6	8	6	15	18	33	110	-
NOT STATED	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALE	264	8	-	1	3	5	6	4	9	4	6	6	16	27	27	41	101	-
HISPANIC	5	1	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-
MEXICAN	3	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
OTHER HISPANIC	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NON-HISPANIC	259	7	-	1	2	5	5	4	8	4	6	6	16	26	27	41	101	-

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-8

DEATHS BY MONTH OF DEATH

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

COUNTY	TOTAL DEATHS	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
CALIFORNIA	215,185	20,354	20,083	19,156	17,223	17,486	16,552	17,164	16,691	16,536	17,170	16,969	19,801
ALAMEDA	9,907	902	904	892	844	809	781	741	739	762	806	788	939
ALPINE	11	1	1	1	1	-	-	1	1	-	1	2	2
AMADOR	267	31	20	21	25	27	27	19	20	16	21	22	18
BUTTE	1,901	202	176	179	164	141	133	157	127	142	162	146	172
CALAVERAS	289	23	26	25	22	30	18	14	33	25	24	17	32
COLUSA	167	15	12	24	16	15	12	19	9	14	9	8	14
CONTRA COSTA	5,606	500	488	514	460	467	469	436	420	451	444	462	495
DEL NORTE	202	28	16	13	18	21	14	19	23	9	12	7	22
EL DORADO	854	75	66	101	60	71	54	71	79	43	73	68	93
FRESNO	4,629	436	382	415	350	384	359	414	350	357	357	356	469
GLENN	240	21	29	16	16	18	23	20	21	24	14	17	21
HUMBOLDT	1,101	96	88	86	99	90	90	113	75	89	84	86	105
IMPERIAL	742	69	76	64	55	64	48	47	45	66	57	60	91
INYO	207	16	25	16	22	20	17	8	11	16	16	20	20
KERN	3,884	346	373	342	303	336	308	357	274	284	311	306	344
KINGS	627	54	68	49	61	56	38	49	49	45	47	46	65
LAKE	765	68	70	73	66	63	70	54	57	59	68	55	62
LASSEN	187	16	17	16	18	17	15	10	8	19	17	18	16
LOS ANGELES	64,709	6,442	6,146	5,887	5,012	5,260	4,960	5,207	4,963	4,953	5,181	5,000	5,898
MADERA	652	48	60	69	51	44	53	61	51	51	55	42	67
MARIN	1,774	153	148	161	159	146	128	147	143	131	142	145	171
MARIPOSA	133	11	11	12	14	7	9	10	13	9	11	10	16
MENDOCINO	760	59	64	59	65	70	51	74	73	61	59	66	59
MERCED	1,166	117	119	105	98	90	81	91	94	90	106	82	93
MODOC	119	8	8	9	13	5	15	11	6	9	12	17	6
MONO	35	3	3	3	3	1	5	4	-	3	2	4	4
MONTEREY	2,256	179	206	207	189	196	159	164	186	199	183	178	210
NAPA	1,039	100	92	88	78	78	90	82	88	83	76	63	121
NEVADA	645	57	68	55	50	57	51	51	63	49	55	41	48
ORANGE	14,748	1,453	1,438	1,285	1,159	1,162	1,166	1,128	1,119	1,111	1,200	1,185	1,342
PLACER	1,293	116	124	117	119	98	102	95	117	91	105	106	103
PLUMAS	170	12	12	19	12	23	19	14	13	8	12	11	15
RIVERSIDE	9,133	877	923	800	714	754	676	684	689	665	766	750	835
SACRAMENTO	7,628	722	713	707	604	616	539	615	620	572	621	570	729
SAN BENITO	240	14	21	15	14	30	22	18	21	21	25	18	21
SAN BERNARDINO	9,177	873	854	874	716	753	701	695	751	665	705	776	814
SAN DIEGO	16,636	1,563	1,583	1,514	1,304	1,298	1,252	1,340	1,307	1,324	1,311	1,348	1,492
SAN FRANCISCO	8,453	748	767	727	734	688	680	659	654	707	640	673	776
SAN JOAQUIN	3,803	309	365	347	317	310	279	330	322	286	296	290	352
SAN LUIS OBISPO	1,665	155	173	140	130	137	117	117	125	139	132	134	166
SAN MATEO	4,831	433	448	445	385	418	393	387	372	386	372	351	441
SANTA BARBARA	2,677	253	251	223	219	221	214	216	208	216	204	204	248
SANTA CLARA	8,642	779	819	707	743	760	631	705	671	665	691	687	784
SANTA CRUZ	1,796	141	169	157	131	134	142	145	113	158	160	162	184
SHASTA	1,415	132	119	109	112	120	101	113	106	120	118	118	147
SIERRA	31	4	1	2	5	-	2	2	4	3	2	3	3
SISKIYOU	437	45	35	50	45	30	30	32	43	34	25	28	40
SOLANO	1,925	203	188	163	150	136	148	159	168	127	153	166	164
SONOMA	3,310	305	270	284	280	279	266	264	257	232	249	277	347
STANISLAUS	2,812	270	231	285	228	219	240	216	218	207	214	233	251
SUTTER	572	42	58	64	42	30	41	45	38	46	53	54	59
TEHAMA	536	60	46	38	41	42	39	49	44	47	44	38	48
TRINITY	132	11	9	14	12	9	9	11	6	13	8	16	14
TULARE	2,427	213	202	221	210	178	205	183	202	201	225	179	208
TUOLUMNE	473	36	35	44	46	38	48	33	40	35	29	42	47
VENTURA	3,944	390	339	357	313	308	303	339	320	299	304	314	358
YOLO	917	75	91	95	67	77	69	68	80	63	65	72	95
YUBA	488	44	37	51	39	35	40	51	42	36	36	32	45

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-9

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING
CALIFORNIA COUNTIES, 1988

(BY PLACE OF OCCURRENCE)

COUNTY	UNINTENTIONAL DEATHS E800-869, E880-929	TRANSPORT INJURIES			NONTRANSPORT INJURIES						
		TOTAL E800-848	MOTOR VEHICLE E810-825	OTHER E800-807, E826-848	TOTAL E850-869, E880-928	POISIONING BY SOLIDS AND LIQUIDS E850-866	POISIONING BY GASES AND VAPORS E867-869	FALLS E880-888	FIRE AND FLAMES E890-899	DROWNING 910	OTHER E900-909, 911-928
CALIFORNIA	10,636	6,007	5,693	314	4,465	1,592	53	1,001	307	509	1,003
ALAMEDA	381	150	143	7	223	58	3	54	24	16	58
ALPINE	2	1	1	-	1	-	1	-	-	-	-
AMADOR	13	8	8	-	5	-	2	2	-	-	1
BUTTE	107	62	58	4	45	8	-	13	4	8	12
CALAVERAS	22	17	17	-	5	-	1	1	-	1	2
COLUSA	10	7	7	-	3	-	-	1	1	1	-
CONTRA COSTA	198	110	99	11	84	27	-	18	5	9	25
DEL NORTE	11	10	10	-	1	-	-	-	-	-	1
EL DORADO	51	40	37	3	11	3	-	4	-	1	3
FRESNO	376	236	229	7	137	31	-	26	13	30	37
GLENN	8	5	5	-	3	-	-	1	1	1	-
HUMBOLDT	76	46	44	2	29	6	-	4	2	3	14
IMPERIAL	122	83	68	15	38	7	-	1	2	22	6
INYO	20	16	12	4	4	-	-	2	-	-	2
KERN	311	201	187	14	108	41	-	18	1	16	32
KINGS	38	33	32	1	5	1	-	-	-	1	3
LAKE	32	20	19	1	10	1	-	2	1	-	6
LASSEN	13	10	10	-	3	-	-	2	-	-	1
LOS ANGELES	2,720	1,372	1,332	40	1,292	610	14	254	94	121	199
MADERA	67	53	45	8	14	4	-	1	2	5	2
MARIN	52	21	19	2	29	4	-	14	3	2	6
MARIPOSA	16	9	7	2	7	1	-	3	1	-	2
MENDOCINO	62	37	35	2	25	1	-	5	4	6	9
MERCED	100	72	66	6	28	8	-	7	2	4	7
MODOC	11	9	8	1	2	-	-	1	1	-	-
MONO	21	17	16	1	4	-	-	1	-	-	3
MONTEREY	143	81	75	6	59	13	4	20	1	10	11
NAPA	43	32	26	6	11	1	1	4	1	2	2
NEVADA	20	12	12	-	8	3	2	1	-	1	1
ORANGE	616	314	305	9	290	119	5	58	17	26	55
PLACER	54	28	25	3	25	4	1	6	-	7	7
PLUMAS	18	12	12	-	6	-	-	-	1	-	5
RIVERSIDE	358	366	342	24	188	66	1	31	15	22	53
SACRAMENTO	375	234	226	8	137	47	-	25	13	19	33
SAN BENITO	15	10	10	-	5	1	-	-	-	-	4
SAN BERNARDINO	648	455	431	24	186	53	1	33	20	21	58
SAN DIEGO	809	468	446	22	325	139	7	61	18	31	69
SAN FRANCISCO	345	86	83	3	255	133	1	60	16	12	33
SAN JOAQUIN	257	161	155	6	95	19	1	20	6	24	23
SAN LUIS OBISPO	82	55	51	4	23	1	1	11	1	4	5
SAN MATEO	154	68	63	5	81	24	1	33	2	2	19
SANTA BARBARA	119	61	54	7	58	29	-	10	2	4	13
SANTA CLARA	371	198	193	5	162	49	1	48	16	18	30
SANTA CRUZ	82	51	50	1	30	6	1	8	2	4	9
SHASTA	93	61	59	2	32	6	-	8	-	3	15
SIERRA	10	6	5	1	4	-	-	-	-	1	3
SISKIYOU	33	14	12	2	18	1	1	8	3	1	4
SOLANO	80	50	41	9	29	3	-	12	1	1	12
SONOMA	148	96	89	7	48	2	-	17	1	9	19
STANISLAUS	185	102	96	6	79	12	-	24	1	14	28
SUTTER	32	23	22	1	9	1	1	4	-	-	3
TEHAMA	30	13	13	-	16	1	-	2	-	4	9
TRINITY	15	12	12	-	3	-	-	-	-	1	2
TULARE	173	103	100	3	69	18	1	14	2	8	26
TUOLUMNE	20	15	12	3	5	1	-	1	-	-	3
VENTURA	174	106	94	12	58	21	-	23	2	9	13
YOLO	43	35	35	-	8	2	1	1	2	1	1
YUBA	51	34	30	4	17	6	-	3	1	3	4

TABLE 5-9 (CONTINUED)

DEATHS FROM SELECTED EXTERNAL CAUSES OF INJURY AND POISONING
CALIFORNIA COUNTIES, 1988

(BY PLACE OF OCCURRENCE)

CNTY	LATE EFFECTS OF UNINTENTIONAL INJURY 929	MEDICAL				SUICIDE 950-959	HOMICIDE 960-969	LEGAL INTERVENTION 970-978	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED 980-989	INJURY RESULTING FROM OPERATIONS OF WAR 990-999
		TOTAL 870-879, 930-949	MISADVENTURES: SURGICAL AND MEDICAL 870-876	ADVERSE PATIENT REACTION: SURGICAL AND MEDICAL 878-879	ADVERSE PATIENT REACTION: DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES 930-949					
CALIFORNIA	164	224	56	159	9	4,019	3,119	60	250	1
ALAMEDA	8	22	2	19	1	161	168	1	24	-
ALPINE	-	-	-	-	-	1	1	-	-	-
AMADOR	-	1	-	1	-	8	-	-	1	-
BUTTE	-	5	1	4	-	31	6	-	-	-
CALAVERAS	-	-	-	-	-	10	5	-	-	-
COLUSA	-	-	-	-	-	4	1	-	-	-
CONTRA COSTA	4	6	1	5	-	93	79	-	3	-
DEL NORTE	-	-	-	-	-	3	5	-	-	-
EL DORADO	-	1	-	1	-	32	5	-	-	-
FRESNO	3	4	2	2	-	80	71	1	2	-
GLENN	-	-	-	-	-	4	-	-	-	-
HUMBOLDT	1	-	-	-	-	22	13	1	-	-
IMPERIAL	1	-	-	-	-	9	12	-	-	-
INYO	-	1	-	1	-	8	4	1	1	-
KERN	2	6	2	3	1	63	60	2	4	-
KINGS	-	-	-	-	-	10	5	-	-	-
LAKE	2	1	-	1	-	19	4	-	-	-
LASSEN	-	-	-	-	-	1	1	-	-	-
LOS ANGELES	36	49	18	30	1	1,072	1,433	13	24	1
MADERA	-	1	-	1	-	8	8	-	-	-
MARIN	2	3	-	3	-	45	6	-	9	-
MARIPOSA	-	-	-	-	-	2	4	-	-	-
MENDOCINO	-	2	-	2	-	19	10	-	1	-
MERCED	-	1	-	1	-	20	5	-	-	-
MODOC	-	-	-	-	-	4	1	-	-	-
MONO	-	-	-	-	-	4	-	-	-	-
MONTEREY	3	4	-	4	-	44	13	-	3	-
NAPA	-	2	-	2	-	16	5	-	1	-
NEVADA	-	-	-	-	-	14	2	-	-	-
ORANGE	12	11	4	7	-	262	117	9	18	-
PLACER	1	-	-	-	-	27	8	-	-	-
PLUMAS	-	-	-	-	-	7	-	-	1	-
RIVERSIDE	4	5	-	5	-	166	92	1	4	-
SACRAMENTO	4	10	-	9	1	178	113	4	28	-
SAN BENITO	-	-	-	-	-	4	5	-	-	-
SAN BERNARDINO	7	6	-	6	-	194	150	7	19	-
SAN DIEGO	16	18	6	12	-	337	238	16	27	-
SAN FRANCISCO	4	12	3	8	1	173	96	-	25	-
SAN JOAQUIN	1	7	2	3	2	51	68	-	-	-
SAN LUIS OBISPO	4	1	-	1	-	42	2	-	-	-
SAN MATEO	5	8	4	4	-	73	15	-	10	-
SANTA BARBARA	-	3	1	2	-	58	25	-	-	-
SANTA CLARA	11	11	4	7	-	180	84	-	9	-
SANTA CRUZ	1	2	-	2	-	42	12	-	1	-
SHASTA	-	2	-	2	-	37	11	-	2	-
SIERRA	-	-	-	-	-	1	1	-	-	-
SISKIYOU	1	1	-	1	-	13	4	-	-	-
SOLANO	1	4	2	2	-	47	23	-	12	-
SONOMA	4	2	1	1	-	61	14	1	4	-
STANISLAUS	4	5	2	1	2	54	22	-	-	-
SUTTER	-	-	-	-	-	12	5	-	-	-
TEHAMA	1	-	-	-	-	11	2	-	2	-
TRINITY	-	-	-	-	-	1	1	1	-	-
TULARE	1	2	-	2	-	38	25	1	2	-
TUOLUMNE	-	-	-	-	-	10	-	-	-	-
VENTURA	-	3	-	3	-	73	28	1	7	-
YOLO	-	1	1	-	-	19	9	-	3	-
YUBA	-	1	-	1	-	17	2	-	3	-

NOTE: NUMBERS APPEARING IN COLUMN HEADINGS ARE NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES NUMBERS.
SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

TABLE 5-10

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
001-999	TOTAL, ALL CAUSES	215,185	760.0	9,907	11	267	1,901	289	167	5,606	202	854	4,629
001-139	INFECTIOUS AND PARASITIC DISEASES	5,462	19.3	273	-	6	21	3	3	144	2	25	71
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	63	0.2	1	-	-	-	-	-	3	-	-	1
010-018	TUBERCULOSIS	235	0.8	9	-	-	2	-	-	6	-	3	4
036	MENINGOCOCCAL INFECTION	66	0.2	2	-	-	1	-	-	2	-	-	-
042-044	ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS)	3,177	11.2	141	-	1	4	-	-	61	-	5	22
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	93	0.3	2	-	-	1	-	1	4	-	2	-
070	VIRAL HEPATITIS	274	1.0	12	-	-	-	-	-	3	-	1	8
090-097	SYPHILIS	10	0.0	2	-	-	-	-	-	1	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	1,544	5.5	104	-	5	13	3	2	64	2	14	36
140-208	MALIGNANT NEOPLASMS	47,709	168.5	2,207	2	81	423	79	38	1,331	44	208	980
140-149	LIP,ORAL CAVITY AND PHARYNX	874	3.1	42	-	-	4	-	-	23	3	2	11
151	STOMACH	1,460	5.2	76	-	2	12	1	2	49	-	4	40
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	10,134	35.8	496	2	18	83	14	6	267	10	33	202
162	TRACHEA, BRONCHUS AND LUNG	12,828	45.3	575	-	27	114	25	14	362	17	46	264
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	489	1.7	20	-	2	5	-	-	12	-	6	3
174-175	BREAST	4,145	28.9AB	195	-	4	32	4	2	110	2	18	81
180	CERVIX UTERI	441	3.1B	16	-	-	1	1	1	8	-	2	9
179,181-182	OTHER PARTS OF UTERUS	585	4.1B	29	-	3	5	-	2	21	-	2	11
183-184	OTHER FEMALE GENITAL ORGANS	1,415	9.9B	46	-	2	6	2	1	53	3	8	23
185-187	MALE GENITAL ORGANS	2,900	20.8B	128	-	3	31	12	3	91	3	21	55
188-189	BLADDER AND OTHER URINARY ORGANS	1,858	6.6	71	-	3	18	3	-	43	1	8	32
170-173,190-199	OTHER AND UNSPECIFIED SITES	6,035	21.3	292	-	9	60	11	5	173	2	27	126
201	HODGKIN'S DISEASE	152	0.5	5	-	-	1	-	1	3	-	2	-
204-208	LEUKEMIA	1,795	6.3	75	-	2	21	3	1	46	2	15	60
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	2,598	9.2	141	-	6	30	3	-	70	1	14	63
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	659	2.3	36	-	-	5	1	1	16	1	2	9
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	4,518	16.0	223	-	6	36	6	2	135	3	21	137
250	DIABETES MELLITUS	3,416	12.1	169	-	2	23	5	2	94	1	13	103
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	1,102	3.9	63	-	4	13	1	-	41	2	8	34
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	706	2.5	34	-	1	9	-	-	27	1	6	12
280-285	ANEMIAS	292	1.0	12	-	1	1	-	-	12	-	2	6
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	414	1.5	22	-	-	8	-	-	15	1	4	6
290-319	MENTAL DISORDERS	2,328	8.2	129	-	3	21	-	1	66	9	5	61
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3,612	12.8	178	-	3	39	2	4	100	3	19	58
320-322	MENINGITIS	147	0.5	8	-	-	1	-	-	2	-	-	3
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	59	0.2	3	-	-	-	-	-	1	-	-	1
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3,406	12.0	167	-	3	38	2	4	97	3	19	54

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
390-459	DISEASES OF THE CIRCULATORY SYSTEM	92,741	327.5	4,283	3	97	826	110	74	2,274	89	318	1,970
390-398,402, 404-429	DISEASES OF THE HEART	70,747	249.9	3,212	1	68	572	84	53	1,652	69	242	1,542
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	772	2.7	37	-	-	9	1	1	29	-	3	20
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	3,006	10.6	321	-	1	11	3	1	76	1	3	68
410-411	ACUTE ISCHAEMIC HEART DISEASE	19,926	70.4	632	-	21	146	32	22	417	28	61	481
412	OLD MYOCARDIAL INFARCTION	100	0.4	4	-	-	-	-	-	-	-	-	2
413	ANGINA PECTORIS	60	0.2	3	-	-	1	-	-	3	-	-	3
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	28,267	99.8	1,335	-	33	227	22	12	699	29	90	645
424	OTHER DISEASES OF ENDOCARDIUM	1,311	4.6	68	-	1	32	2	2	58	1	7	42
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	17,305	61.1	812	1	12	146	24	15	370	10	78	281
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	881	3.1	50	-	1	7	-	-	25	-	5	28
430-438	CEREBROVASCULAR DISEASE	15,994	56.5	782	1	22	174	15	13	475	16	50	306
440	ATHEROSCLEROSIS	2,355	8.3	115	-	3	36	2	2	50	-	4	55
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	2,304	8.1	100	1	3	32	9	4	62	4	16	36
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	460	1.6	24	-	-	3	-	2	10	-	1	3
460-519	DISEASES OF THE RESPIRATORY SYSTEM	21,240	75.0	888	-	33	239	25	22	603	18	103	405
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	94	0.3	2	-	-	4	-	-	2	-	2	2
487	INFLUENZA	217	0.8	1	-	1	7	-	-	-	-	-	5
480,483	VIRAL PNEUMONIA	141	0.5	6	-	-	3	-	-	2	-	-	3
481-482	BACTERIAL PNEUMONIA	766	2.7	25	-	2	3	-	1	12	-	2	11
484-486	OTHER AND UNSPECIFIED PNEUMONIA	8,258	29.2	349	-	11	73	12	7	225	5	36	119
490	BRONCHITIS, UNSPECIFIED	94	0.3	3	-	-	2	-	-	4	-	-	2
491	CHRONIC BRONCHITIS	471	1.7	13	-	-	3	-	-	18	1	-	6
492	EMPHYSEMA	2,169	7.7	80	-	4	28	2	3	45	5	13	41
493	ASTHMA	597	2.1	36	-	1	4	1	1	18	-	-	11
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	6,369	22.5	284	-	13	89	8	8	173	6	27	153
515	POSTINFLAMMATORY PULMONARY FIBROSIS	521	1.8	20	-	-	6	-	-	15	-	4	8
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	1,543	5.4	69	-	1	17	2	2	89	1	19	44
520-579	DISEASES OF THE DIGESTIVE SYSTEM	8,855	31.3	391	2	10	80	14	6	274	7	44	213
531-533	ULCER OF STOMACH AND DUODENUM	879	3.1	27	-	2	8	1	-	23	1	4	17
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	535	1.9	28	-	2	7	2	2	12	-	1	12
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	4,186	14.8	187	2	4	26	3	2	122	4	21	91
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	290	1.0	14	-	-	1	-	-	8	-	1	10
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	2,965	10.5	135	-	2	38	8	2	109	2	17	83
580-629	DISEASES OF THE GENITOURINARY SYSTEM	3,436	12.1	167	-	2	27	2	3	84	1	10	99
580	ACUTE GLOMERULONEPHRITIS	7	0.0	-	-	-	-	-	-	-	-	-	1
581	NEPHROTIC SYNDROME	15	0.1	-	-	-	1	-	-	1	-	-	1
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	143	0.5	6	-	-	1	-	-	3	-	-	4
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	1,387	4.9	87	-	-	15	2	1	29	1	4	61
590	INFECTIONS OF KIDNEY	186	0.7	2	-	-	1	-	-	6	-	-	4
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	194	0.7	5	-	-	1	-	1	9	-	-	5
600	HYPERPLASIA OF PROSTATE	64	0.58	5	-	-	-	-	-	1	-	1	1
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	1,440	5.1	62	-	2	8	-	1	35	-	5	22

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	CALIFORNIA		ALAMEDA	ALPINE	AMADOR	BUTTE	CALA-VERAS	COLUSA	CONTRA COSTA	DEL NORTE	EL DORADO	FRESNO
		NUMBER	RATE										
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	55	1.0C	3	-	-	-	-	-	1	-	-	2
740-759	CONGENITAL ANOMALIES	1,569	5.5	52	-	-	9	3	-	26	2	5	31
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1,988	3.7D	84	-	2	7	-	-	26	-	7	57
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	893	3.2	57	-	-	11	1	-	19	-	3	23
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1,278	4.5	81	-	-	12	1	1	47	3	6	23
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	725	1.4D	52	-	-	3	1	1	26	1	5	10
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	553	2.0	29	-	-	9	-	-	21	2	1	13
800-949	ACCIDENTS AND ADVERSE EFFECTS	10,788	38.1	458	2	16	98	30	8	239	13	46	330
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	5,504	19.4	173	1	10	52	24	4	108	10	23	207
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	156	0.6	3	-	-	1	-	-	6	-	3	2
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	322	1.1	17	-	-	5	-	-	10	1	4	4
910	DROWNINGS	501	1.8	24	-	-	7	2	1	11	-	1	19
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1,506	5.3	58	-	1	6	1	-	26	1	2	27
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	9	0.0	1	-	-	-	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	112	0.4	6	1	-	-	1	-	3	-	-	1
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	56	0.2	4	-	-	1	-	-	1	-	-	1
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	158	0.6	17	-	1	4	-	-	7	-	1	2
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	2,464	8.7	155	-	4	22	2	3	67	1	12	67
950-959	SUICIDE	3,989	14.1	173	1	6	31	10	4	104	3	22	77
960-969	HOMICIDE	3,054	10.8	166	1	-	7	2	-	84	3	4	68
970-978	LEGAL INTERVENTION	55	0.2	1	-	-	-	-	-	1	-	-	1
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	249	0.9	23	-	1	-	-	-	5	-	-	2
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	1	0.0	-	-	-	-	-	-	-	-	-	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
001-999	TOTAL, ALL CAUSES	240	1,101	742	207	3,884	627	765	187	64,709	652	1,774	133
001-139	INFECTIOUS AND PARASITIC DISEASES	3	16	14	2	63	12	12	2	1,810	9	42	1
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	-	1	-	1	1	-	-	23	-	-	-
010-018	TUBERCULOSIS	-	-	1	-	7	2	1	-	97	1	1	-
036	MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	37	-	-	-
042-044	ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS)	-	4	1	-	10	1	4	-	1,214	2	29	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	-	-	-	-	-	-	-	28	1	-	-
070	VIRAL HEPATITIS	-	1	-	-	7	-	1	-	94	-	2	-
090-097	SYPHILIS	-	-	-	-	-	-	-	-	5	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	3	11	11	2	38	8	6	2	312	5	10	1
140-208	MALIGNANT NEOPLASMS	51	246	158	38	821	140	173	51	13,487	154	444	27
140-149	LIP,ORAL CAVITY AND PHARYNX	-	5	4	-	12	8	1	2	260	1	11	-
151	STOMACH	5	8	2	-	24	7	4	-	466	5	16	2
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	14	47	30	14	162	25	41	9	2,925	35	96	5
162	TRACHEA, BRONCHUS AND LUNG	7	73	54	9	246	45	62	15	3,437	43	112	8
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	1	3	-	-	7	-	1	1	165	1	3	-
174-175	BREAST	4	23	10	3	54	8	16	-	1,202	14	51	1
180	CERVIX UTERI	-	3	-	-	5	-	1	2	146	-	2	-
179,181-182	OTHER PARTS OF UTERUS	1	1	1		7	3	-	1	183	1	3	2
183-184	OTHER FEMALE GENITAL ORGANS	-	5	7	-	20	7	-	3	430	3	11	1
185-187	MALE GENITAL ORGANS	4	18	15	4	51	9	6	2	801	9	24	2
188-189	BLADDER AND OTHER URINARY ORGANS	-	11	5	2	31	2	4	2	520	10	24	1
170-173,190-199	OTHER AND UNSPECIFIED SITES	6	32	19	4	122	12	25	8	1,690	19	48	4
201	HODGKIN'S DISEASE	1	-	-	-	4	-	-	-	53	-	1	-
204-208	LEUKEMIA	3	7	4	-	35	9	4	2	505	6	19	-
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	5	10	7	2	41	5	8	4	704	7	23	1
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	1	3	2	-	11	-	3	-	166	1	14	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	3	33	21	8	117	21	21	5	1,279	25	34	3
250	DIABETES MELLITUS	2	26	14	6	84	19	14	3	1,043	22	29	2
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	1	7	7	2	33	2	7	2	236	3	5	1
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	3	-	-	14	2	3	1	166	2	3	-
280-285	ANEMIAS	-	2	-	-	6	1	1	1	68	1	1	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	1	-	-	8	1	2	-	98	1	2	-
290-319	MENTAL DISORDERS	-	26	3	4	24	2	5	2	540	5	16	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	3	18	12	-	59	12	14	2	869	7	43	3
320-322	MENINGITIS	1	-	1	-	5	-	-	1	55	-	-	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	-	-	-	1	-	-	-	15	-	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	2	18	11	-	53	12	14	1	799	7	43	3

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	95	416	287	85	1,589	273	300	73	29,898	259	727	63
390-398,402, 404-429	DISEASES OF THE HEART	70	318	218	59	1,304	201	220	65	23,544	197	518	45
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	-	4	3	1	9	1	2	1	222	-	4	1
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	-	5	3	-	56	13	9	3	1,135	10	17	2
410-411	ACUTE ISCHAEMIC HEART DISEASE	22	111	100	29	341	62	64	13	6,153	53	119	18
412	OLD MYOCARDIAL INFARCTION	-	-	-	-	-	-	-	-	25	-	-	-
413	ANGINA PECTORIS	-	2	-	-	1	2	-	-	10	1	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	30	125	49	19	642	77	100	30	8,714	96	245	15
424	OTHER DISEASES OF ENDOCARDIUM	3	9	2	-	15	1	6	-	311	4	10	2
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	15	62	61	10	240	45	39	18	6,974	33	123	7
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	-	-	1	2	17	-	1	-	318	3	10	1
430-438	CEREBROVASCULAR DISEASE	13	72	51	18	202	54	69	6	4,612	39	129	9
440	ATHEROSCLEROSIS	4	14	6	3	23	11	3	1	835	10	35	3
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	5	10	10	2	37	4	7	1	492	10	31	3
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	3	2	1	1	6	3	-	-	97	-	4	2
460-519	DISEASES OF THE RESPIRATORY SYSTEM	40	116	73	29	428	49	107	25	5,678	43	197	17
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	-	-	1	-	-	-	-	21	-	3	-
487	INFLUENZA	-	-	-	3	1	-	-	-	55	1	2	-
480,483	VIRAL PNEUMONIA	-	1	-	-	1	-	-	-	52	1	1	-
481-482	BACTERIAL PNEUMONIA	-	5	2	1	12	-	2	3	255	1	7	1
484-486	OTHER AND UNSPECIFIED PNEUMONIA	13	30	27	8	154	19	49	11	2,470	13	68	4
490	BRONCHITIS, UNSPECIFIED	1	-	-	-	2	1	-	-	23	1	-	-
491	CHRONIC BRONCHITIS	1	1	1	1	9	1	4	-	140	3	6	-
492	EMPHYSEMA	5	14	11	3	53	4	18	1	516	7	36	3
493	ASTHMA	1	3	-	-	9	2	3	-	162	2	9	-
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	13	50	24	9	141	17	18	7	1,571	13	45	8
515	POSTINFLAMMATORY PULMONARY FIBROSIS	1	3	2	1	6	1	2	2	144	-	3	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	5	9	6	2	40	4	11	1	269	1	17	1
520-579	DISEASES OF THE DIGESTIVE SYSTEM	12	58	48	11	168	23	46	5	2,519	26	69	5
531-533	ULCER OF STOMACH AND DUODENUM	1	2	7	1	10	2	7	-	294	3	6	-
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	2	4	1	-	13	1	3	-	117	1	5	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	5	30	18	5	70	12	18	1	1,369	11	32	1
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	-	1	2	-	7	1	1	-	87	1	1	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	4	21	20	5	68	7	17	4	652	10	25	4
580-629	DISEASES OF THE GENITOURINARY SYSTEM	9	16	18	6	69	17	11	4	1,027	18	23	-
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	1	-	-	-	2	-	1	-
581	NEPHROTIC SYNDROME	-	-	-	-	1	-	-	-	3	1	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	-	-	-	3	-	-	-	40	1	2	-
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	2	8	12	4	38	11	5	3	339	12	8	-
590	INFECTIONS OF KIDNEY	2	2	1	1	3	-	1	1	32	1	3	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	-	1	-	5	1	-	-	41	-	1	-
600	HYPERPLASIA OF PROSTATE	-	2	-	-	1	-	1	-	15	-	-	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	5	4	4	1	17	5	4	-	555	3	8	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	GLENN	HUM-BOLDT	IM-PERIAL	INYO	KERN	KINGS	LAKE	LASSEN	LOS ANGELES	MADERA	MARIN	MARI-POSA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	-	3	-	-	-	23	-	-	1
740-759	CONGENITAL ANOMALIES	1	10	9	-	34	7	5	-	533	8	7	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1	10	4	-	75	5	-	-	764	6	7	-
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	-	4	2	1	16	3	1	2	198	6	7	1
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	4	11	12	-	12	4	7	2	301	2	10	-
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	2	6	2	-	8	2	7	1	199	1	-	-
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	2	5	10	-	4	2	-	1	102	1	10	-
800-949	ACCIDENTS AND ADVERSE EFFECTS	12	81	61	14	264	42	36	11	2,900	63	71	8
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	7	47	32	8	149	25	20	7	1,421	38	29	5
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1	1	-	-	6	-	-	-	39	1	-	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	-	1	2	-	8	3	-	-	52	3	5	-
910	DROWNINGS	1	2	13	-	12	2	-	-	133	7	4	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	-	6	7	-	28	2	1	1	583	4	7	1
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	1	-	-	-	1	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	-	-	-	-	1	-	-	25	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	-	-	-	2	-	-	-	17	1	-	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	-	-	-	1	4	-	1	-	30	-	-	-
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	3	24	7	5	54	9	14	3	599	9	26	2
950-959	SUICIDE	4	21	8	7	58	12	17	1	1,085	9	43	1
960-969	HOMICIDE	-	13	10	2	55	3	4	1	1,421	9	8	2
970-978	LEGAL INTERVENTION	-	-	-	-	-	-	-	-	17	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	-	-	-	4	-	-	-	27	-	9	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
001-999	TOTAL, ALL CAUSES	760	1,166	119	35	2,256	1,039	645	14,748	1,293	170	9,133	7,628
001-139	INFECTIOUS AND PARASITIC DISEASES	12	19	2	-	36	16	10	254	20	4	138	173
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	1	-	-	-	-	-	3	1	-	2	3
010-018	TUBERCULOSIS	-	1	-	-	3	1	1	10	-	-	8	4
036	MENINGOCOCCAL INFECTION	-	1	-	-	2	-	-	2	-	-	4	1
042-044	ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS)	5	3	-	-	11	11	2	125	5	-	70	77
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	-	-	-	-	-	-	6	-	-	5	3
070	VIRAL HEPATITIS	2	-	-	-	2	-	-	30	1	-	11	9
090-097	SYPHILIS	-	-	-	-	-	-	-	1	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	5	13	2	-	18	4	7	77	13	4	38	76
140-208	MALIGNANT NEOPLASMS	171	240	22	8	527	240	160	3,601	272	42	1,949	1,725
140-149	LIP,ORAL CAVITY AND PHARYNX	4	4	-	-	12	3	1	59	5	-	36	34
151	STOMACH	2	14	1	-	14	4	4	106	8	1	60	39
150.152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	53	44	5	3	100	54	32	775	43	8	419	333
162	TRACHEA, BRONCHUS AND LUNG	49	83	3	2	139	65	50	1,010	75	10	557	512
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	3	-	-	7	4	1	36	4	1	14	11
174-175	BREAST	13	20	-	2	55	24	13	331	31	2	151	148
180	CERVIX UTERI	3	3	-	-	6	2	1	41	-	1	16	14
179.181-182	OTHER PARTS OF UTERUS	1	1	-	-	7	2	3	32	5	-	20	17
183-184	OTHER FEMALE GENITAL ORGANS	2	3	1	-	15	3	6	116	16	1	64	40
185-187	MALE GENITAL ORGANS	9	19	2	-	36	13	14	192	12	6	136	115
188-189	BLADDER AND OTHER URINARY ORGANS	8	9	1	-	20	14	4	134	19	2	86	67
170-173,190-199	OTHER AND UNSPECIFIED SITES	19	18	7	-	60	32	18	406	36	5	218	231
201	HODGKIN'S DISEASE	-	-	-	-	2	1	-	7	1	-	7	4
204-208	LEUKEMIA	3	9	-	-	22	7	7	148	6	2	67	53
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	5	10	2	1	32	12	6	208	11	3	98	107
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	2	2	-	-	10	7	3	48	4	1	22	23
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	15	36	4	1	57	11	15	239	30	5	139	168
250	DIABETES MELLITUS	12	28	3	-	42	5	9	169	22	3	102	124
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	3	8	1	1	15	6	6	70	8	2	37	44
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	3	2	1	-	6	5	-	54	4	1	33	28
280-285	ANEMIAS	2	2	-	-	2	1	-	19	3	1	13	13
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	-	1	-	4	4	-	35	1	-	20	15
290-319	MENTAL DISORDERS	15	9	3	-	21	11	13	129	19	2	67	115
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	5	23	3	-	41	19	9	205	19	4	141	139
320-322	MENINGITIS	-	4	-	-	1	-	1	4	-	-	5	4
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	-	-	-	1	-	1	5	-	-	3	3
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	5	19	3	-	39	19	7	196	19	4	133	132

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
390-459	DISEASES OF THE CIRCULATORY SYSTEM	289	471	40	12	897	480	265	6,398	565	59	4,167	3,088
390-398,402, 404-429	DISEASES OF THE HEART	215	355	27	9	622	346	189	4,985	408	43	3,204	2,257
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	2	5	-	1	9	2	1	69	5	-	26	26
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	7	11	1	-	15	16	4	184	5	1	55	77
410-411	ACUTE ISCHAEMIC HEART DISEASE	60	133	3	1	181	84	59	1,625	131	12	1,162	622
412	OLD MYOCARDIAL INFARCTION	-	1	-	-	2	-	-	14	-	-	3	3
413	ANGINA PECTORIS	-	-	-	-	-	-	-	1	-	-	3	5
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	113	136	13	3	235	136	92	2,048	172	13	1,336	884
424	OTHER DISEASES OF ENDOCARDIUM	6	7	1	1	20	5	8	75	12	-	36	49
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	27	62	9	3	160	103	25	969	83	17	583	591
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	2	10	1	-	5	6	2	41	7	1	23	34
430-438	CEREBROVASCULAR DISEASE	47	75	8	3	201	89	54	1,016	101	7	687	592
440	ATHEROSCLEROSIS	10	15	2	-	24	18	6	113	18	5	116	94
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	15	9	2	-	36	19	12	185	28	3	113	102
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	-	7	-	-	9	2	2	58	3	-	24	9
460-519	DISEASES OF THE RESPIRATORY SYSTEM	96	123	20	2	227	128	81	1,514	142	17	1,014	817
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	1	-	-	-	-	-	7	-	-	2	-
487	INFLUENZA	1	1	2	-	4	4	-	11	2	-	11	5
480,483	VIRAL PNEUMONIA	-	-	-	-	2	-	-	4	1	1	9	5
481-482	BACTERIAL PNEUMONIA	4	2	-	-	17	1	2	45	7	1	36	27
484-486	OTHER AND UNSPECIFIED PNEUMONIA	29	53	7	1	72	66	39	650	49	6	415	273
490	BRONCHITIS, UNSPECIFIED	-	1	-	-	1	-	-	9	-	-	4	2
491	CHRONIC BRONCHITIS	3	4	1	-	7	1	2	28	1	-	25	12
492	EMPHYSEMA	13	14	2	1	13	13	5	152	9	3	96	66
493	ASTHMA	5	2	-	-	7	5	6	36	2	-	15	25
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	36	27	7	-	75	19	20	464	51	5	328	301
515	POSTINFLAMMATORY PULMONARY FIBROSIS	-	10	-	-	8	-	2	40	3	-	33	20
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	5	8	1	-	21	19	5	68	17	1	40	81
520-579	DISEASES OF THE DIGESTIVE SYSTEM	33	54	6	1	99	33	27	616	47	9	340	293
531-533	ULCER OF STOMACH AND DUODENUM	3	4	2	-	7	3	1	67	10	1	35	19
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	6	6	-	-	7	1	1	46	2	-	26	16
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	12	21	3	1	36	13	11	296	21	5	149	133
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	1	2	-	-	2	-	2	20	-	1	8	3
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	11	21	1	-	47	16	12	187	14	2	122	122
580-629	DISEASES OF THE GENITOURINARY SYSTEM	13	22	3	1	34	16	13	218	29	5	113	116
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	1	1	-	-	-	-
581	NEPHROTIC SYNDROME	-	-	-	-	-	-	1	1	-	-	-	1
582-583,387	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	1	1	-	-	3	1	-	6	1	-	4	8
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	1	14	1	-	15	4	6	64	12	3	47	57
590	INFECTIONS OF KIDNEY	4	1	-	-	3	-	1	15	1	-	9	10
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	2	1	1	-	-	2	-	12	2	1	6	7
600	HYPERPLASIA OF PROSTATE	1	-	-	1	1	1	1	3	-	-	2	1
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	4	5	1	-	12	8	3	116	13	1	45	32

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	MENDO-CINO	MERCED	MODOC	MONO	MON-TEREY	NAPA	NEVADA	ORANGE	PLACER	PLUMAS	RIVER-SIDE	SACRA-MENTO
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	-	1	-	-	-	-	-	1	1
740-759	CONGENITAL ANOMALIES	4	7	-	-	28	7	1	133	4	-	52	63
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1	12	1	-	23	-	4	131	14	-	76	57
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	3	7	-	-	8	5	2	52	11	-	45	32
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	2	9	2	-	22	4	2	67	8	-	58	110
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	2	7	1	-	16	2	2	33	5	-	34	44
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	-	2	1	-	6	2	-	34	3	-	24	66
800-949	ACCIDENTS AND ADVERSE EFFECTS	62	105	7	5	155	37	25	663	65	15	510	373
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	34	67	2	4	76	23	15	316	38	8	278	220
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	-	1	-	-	7	-	2	15	-	-	14	2
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	2	3	-	-	5	1	2	25	4	-	15	7
910	DROWNINGS	2	5	-	-	6	-	-	18	3	-	24	21
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	2	7	-	-	16	1	2	116	5	-	64	43
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	-	-	-	-	-	-	-	-	1
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	-	-	-	4	1	-	8	1	-	1	5
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	1	-	-	-	-	-	4	1	-	1	1
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	2	1	-	-	4	2	-	6	-	2	6	6
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	20	20	5	1	37	9	4	155	13	5	107	67
950-959	SUICIDE	21	19	4	5	42	15	14	269	30	6	174	175
960-969	HOMICIDE	11	6	1	-	19	5	-	131	8	-	86	107
970-978	LEGAL INTERVENTION	1	-	-	-	-	-	-	8	-	-	4	1
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	1	-	-	-	3	-	1	18	2	-	4	24
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
001-999	TOTAL, ALL CAUSES	240	9,177	16,636	8,453	3,803	1,665	4,831	2,677	8,642	1,796	1,415	31
001-139	INFECTIOUS AND PARASITIC DISEASES	2	119	434	920	67	13	92	42	186	42	17	-
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	5	4	6	1	-	1	-	-	1	-	-
010-018	TUBERCULOSIS	-	9	12	21	4	-	2	1	8	1	4	-
036	MENINGOCOCCAL INFECTION	-	2	3	-	3	1	-	-	3	-	-	-
042-044	ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS)	-	37	237	796	12	4	53	22	74	15	6	-
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	2	13	2	3	-	4	1	6	1	-	-
070	VIRAL HEPATITIS	-	8	27	13	5	1	2	2	6	-	1	-
090-097	SYPHILIS	-	-	1	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	2	56	137	82	39	7	30	16	89	24	6	-
140-208	MALIGNANT NEOPLASMS	51	1,900	3,853	1,733	806	392	1,226	633	2,114	394	349	9
140-149	LIP,ORAL CAVITY AND PHARYNX	1	40	68	43	13	5	21	9	37	6	4	1
151	STOMACH	-	44	111	58	26	11	41	15	53	12	6	-
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	12	386	764	433	165	78	278	149	448	100	71	1
162	TRACHEA, BRONCHUS AND LUNG	11	530	1,081	407	224	124	320	140	523	110	108	2
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	21	40	17	5	6	15	7	18	-	5	-
174-175	BREAST	4	167	349	146	70	20	114	61	205	25	27	-
180	CERVIX UTERI	-	14	34	20	10	3	10	4	27	-	2	-
179,181-182	OTHER PARTS OF UTERUS	1	23	52	12	10	7	15	9	31	5	5	-
183-184	OTHER FEMALE GENITAL ORGANS	4	59	115	46	21	12	23	25	75	13	15	2
185-187	MALE GENITAL ORGANS	4	104	258	93	47	31	73	40	110	16	30	-
188-189	BLADDER AND OTHER URINARY ORGANS	2	81	153	64	30	17	54	35	71	19	7	-
170-173,190-199	OTHER AND UNSPECIFIED SITES	6	246	510	222	105	36	142	78	306	55	38	1
201	HODGKIN'S DISEASE	-	2	11	6	5	3	8	-	7	1	1	1
204-208	LEUKEMIA	2	71	140	57	33	22	43	23	89	15	8	-
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	4	112	187	109	42	17	71	38	114	17	22	1
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	-	30	52	36	10	4	20	9	31	7	6	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	3	217	321	166	104	24	84	55	222	38	31	1
250	DIABETES MELLITUS	3	155	236	120	84	18	62	39	173	26	19	1
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	-	62	85	46	20	6	22	16	49	12	12	-
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	32	62	24	16	6	17	12	43	5	10	-
280-285	ANEMIAS	-	14	28	7	9	-	5	4	18	5	3	-
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	18	34	17	7	6	12	8	25	-	7	-
290-319	MENTAL DISORDERS	1	112	219	97	49	24	58	41	155	31	18	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	120	381	125	58	29	113	50	194	48	28	-
320-322	MENINGITIS	-	11	10	8	1	-	4	-	5	1	1	-
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	2	9	1	1	-	2	1	4	-	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	107	362	116	56	29	107	49	185	47	27	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	96	3,826	6,877	3,299	1,584	754	2,033	1,177	3,521	768	569	13
390-398,402, 404-429	DISEASES OF THE HEART	66	2,960	5,114	2,459	1,224	571	1,445	860	2,624	558	445	10
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	-	24	59	26	10	8	23	12	34	5	9	-
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	-	88	199	134	30	9	54	44	131	34	19	-
410-411	ACUTE ISCHAEMIC HEART DISEASE	31	990	1,630	622	312	177	396	237	641	137	132	2
412	OLD MYOCARDIAL INFARCTION	-	6	10	4	2	-	3	1	8	3	-	-
413	ANGINA PECTORIS	-	4	7	1	2	-	-	-	-	3	2	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	25	1,354	2,019	873	611	280	673	300	1,024	215	182	5
424	OTHER DISEASES OF ENDOCARDIUM	1	40	96	57	30	9	29	16	68	15	15	1
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	9	454	1,094	742	227	88	267	250	718	146	86	2
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	1	41	62	29	9	9	16	12	36	1	3	-
430-438	CEREBROVASCULAR DISEASE	18	652	1,280	628	261	132	431	247	667	171	94	2
440	ATHEROSCLEROSIS	4	71	180	52	38	19	53	20	97	16	10	-
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	5	88	212	111	44	19	64	30	85	19	16	-
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	2	14	29	20	8	4	24	8	12	3	1	1
460-519	DISEASES OF THE RESPIRATORY SYSTEM	24	1,015	1,722	752	392	192	481	267	757	194	139	-
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	9	9	3	3	-	5	-	4	-	2	-
487	INFLUENZA	2	3	31	1	2	7	3	7	12	3	2	-
480,483	VIRAL PNEUMONIA	1	7	10	2	1	-	3	7	2	1	1	-
481-482	BACTERIAL PNEUMONIA	-	75	60	29	9	2	13	18	19	6	6	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	4	366	618	308	157	57	179	61	290	59	37	-
490	BRONCHITIS, UNSPECIFIED	-	10	6	3	1	-	3	3	1	-	1	-
491	CHRONIC BRONCHITIS	1	27	52	5	10	5	5	9	12	5	6	-
492	EMPHYSEMA	9	104	140	100	28	30	73	34	82	16	9	-
493	ASTHMA	-	35	45	25	11	2	22	17	19	6	3	-
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	1	300	583	174	129	66	116	65	232	75	57	-
515	POSTINFLAMMATORY PULMONARY FIBROSIS	1	27	34	19	8	3	16	9	18	5	3	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	5	52	134	83	33	20	43	37	66	18	12	-
520-579	DISEASES OF THE DIGESTIVE SYSTEM	15	385	618	418	164	71	229	102	396	71	70	3
531-533	ULCER OF STOMACH AND DUODENUM	1	44	64	21	9	11	12	10	36	6	6	-
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	-	31	32	22	15	2	8	11	26	4	9	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	8	180	281	218	68	27	116	36	179	32	28	2
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	1	10	21	8	4	1	13	4	16	4	3	-
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	5	120	220	149	68	30	80	41	139	25	24	1
580-629	DISEASES OF THE GENITOURINARY SYSTEM	8	165	278	124	60	18	83	35	117	21	15	-
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	-	-	-	-
581	NEPHROTIC SYNDROME	-	-	2	-	-	-	-	-	-	-	-	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	1	8	14	7	2	2	2	3	4	-	1	-
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	2	56	109	62	28	9	34	18	60	11	4	-
590	INFECTIONS OF KIDNEY	3	10	15	9	1	1	7	4	3	-	3	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	16	16	5	9	3	3	1	17	3	-	-
600	HYPERPLASIA OF PROSTATE	-	4	6	3	-	-	1	-	3	1	1	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	2	71	116	38	20	3	36	9	30	6	6	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SAN BENITO	SAN BER-NARDINO	SAN DIEGO	SAN FRAN-CISCO	SAN JOAQUIN	SAN LUIS OBISPO	SAN MATEO	SANTA BARBARA	SANTA CLARA	SANTA CRUZ	SHASTA	SIERRA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	3	5	2	-	-	3	-	2	-	-	-
740-759	CONGENITAL ANOMALIES	3	102	113	29	34	8	28	14	64	16	7	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	4	124	138	42	35	9	24	17	77	13	6	-
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	-	48	90	35	20	9	25	10	46	11	9	-
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	47	101	45	33	9	20	5	48	8	16	-
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	-	31	55	17	17	5	10	5	36	6	11	-
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	16	46	28	16	4	10	-	12	2	5	-
800-949	ACCIDENTS AND ADVERSE EFFECTS	20	596	804	335	249	59	174	124	399	83	80	3
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	13	372	414	90	131	28	64	53	200	45	40	2
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	1	12	12	-	3	-	2	1	3	1	1	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	-	19	28	8	9	2	6	7	15	4	3	-
910	DROWNINGS	-	22	35	14	24	2	3	5	24	-	5	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1	54	116	107	18	4	27	25	42	5	8	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	1	2	-	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	-	3	21	6	3	1	5	4	1	2	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	-	5	2	2	-	3	1	3	1	-	1
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	-	4	11	8	6	1	3	2	7	2	1	-
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	5	110	162	99	51	21	61	26	104	23	22	-
950-959	SUICIDE	4	171	328	160	51	40	78	58	182	37	34	1
960-969	HOMICIDE	2	138	204	89	70	4	32	26	79	7	10	-
970-978	LEGAL INTERVENTION	-	8	10	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	19	26	22	1	-	11	-	9	2	1	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SIS-KIYOU	SOLANO	SONOMA	STANI-SLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUO-LUMNE	VENTURA	YOLO	YUBA
001-999	TOTAL, ALL CAUSES	437	1,925	3,310	2,812	572	536	132	2,427	473	3,944	917	488
001-139	INFECTIOUS AND PARASITIC DISEASES	5	44	82	42	3	2	-	48	7	55	15	7
007-009	CERTAIN OTHER INTESTINAL INFECTIONS	-	-	1	1	-	-	-	2	-	-	-	-
010-018	TUBERCULOSIS	-	4	-	-	1	-	-	4	-	2	-	-
036	MENINGOCOCCAL INFECTION	1	1	-	-	-	-	-	-	-	-	-	-
042-044	ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS)	-	15	52	13	-	-	-	12	2	12	4	3
045-049,053.0, 053.1,054.3, 054.7,055.0, 056.0,062-064, 072.1,072.2, 138,139.0	CENTRAL NERVOUS SYSTEM VIRAL DISEASES	-	1	2	1	-	-	-	-	-	3	1	-
070	VIRAL HEPATITIS	1	2	3	6	-	-	-	6	-	3	4	-
090-097	SYPHILIS	-	-	-	-	-	-	-	-	-	-	-	-
REMAINDER OF 001-139	OTHER INFECTIOUS AND PARASITIC DISEASES	3	21	24	21	2	2	-	24	5	35	6	4
140-208	MALIGNANT NEOPLASMS	83	444	798	625	139	136	29	482	114	957	208	94
140-149	LIP,ORAL CAVITY AND PHARYNX	1	6	10	13	1	2	-	14	2	21	7	2
151	STOMACH	3	15	14	13	4	3	1	12	3	28	7	2
150,152-159	OTHER DIGESTIVE ORGANS AND PERITONEUM	21	87	173	120	27	29	10	113	24	187	39	18
162	TRACHEA, BRONCHUS AND LUNG	18	118	220	189	45	33	8	236	36	259	65	31
160-161,163-165	OTHER RESPIRATORY AND INTRATHORACIC ORGANS	-	4	4	13	-	4	1	3	3	8	2	2
174-175	BREAST	7	48	64	51	9	8	2	30	5	87	16	6
180	CERVIX UTERI	1	3	8	6	-	-	-	4	-	9	1	1
179,181-182	OTHER PARTS OF UTERUS	2	2	13	5	2	-	2	8	1	12	2	2
183-184	OTHER FEMALE GENITAL ORGANS	2	10	22	17	3	4	-	13	4	30	1	1
185-187	MALE GENITAL ORGANS	5	19	57	33	14	12	-	23	5	59	12	9
188-189	BLADDER AND OTHER URINARY ORGANS	5	23	32	18	7	6	3	19	4	39	9	5
170-173,190-199	OTHER AND UNSPECIFIED SITES	13	69	116	86	15	14	2	59	13	118	30	11
201	HODGKIN'S DISEASE	-	3	2	4	1	-	-	2	-	2	-	-
204-208	LEUKEMIA	1	16	20	23	6	7	-	19	8	42	6	1
200,202-203	OTHER MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUES	4	21	43	34	5	14	-	27	6	56	11	3
210-239	BENIGN NEOPLASMS, CARCINOMA IN SITU AND NEOPLASMS OF UNCERTAIN BEHAVIOUR AND OF UNSPECIFIED NATURE	-	5	10	12	2	1	-	8	1	16	2	3
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	6	65	55	66	10	12	1	50	7	91	20	10
250	DIABETES MELLITUS	3	54	40	47	6	10	-	38	5	67	15	9
240-246,251-279	OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	3	11	15	19	4	2	1	12	2	24	5	1
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	1	4	11	7	2	3	1	4	1	19	1	3
280-285	ANEMIAS	1	3	6	2	1	3	1	3	1	6	-	1
286-289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	-	1	5	5	1	-	-	1	-	13	1	2
290-319	MENTAL DISORDERS	6	28	47	20	3	4	2	16	4	50	8	5
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	55	76	72	14	10	3	35	5	98	19	11
320-322	MENINGITIS	-	1	1	5	-	-	-	1	-	-	1	1
323-324,326	OTHER INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	-	1	-	-	-	1	-	3	-	-	-	-
REMAINDER OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	6	53	75	67	14	9	3	31	5	98	18	10

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SISKIYOU	SOLANO	SONOMA	STANISLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUOLUMNE	VENTURA	YOLO	YUBA
390-459	DISEASES OF THE CIRCULATORY SYSTEM	194	731	1,401	1,110	218	228	55	1,054	197	1,633	363	200
390-398,402, 404-429	DISEASES OF THE HEART	157	545	990	786	157	163	40	827	158	1,241	272	161
390-398	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE	2	11	10	7	5	2	-	9	3	18	1	-
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	7	7	34	14	1	2	1	34	4	30	11	5
410-411	ACUTE ISCHAEMIC HEART DISEASE	40	176	243	289	44	44	13	259	42	338	75	58
412	OLD MYOCARDIAL INFARCTION	-	1	2	1	1	-	-	2	-	1	1	-
413	ANGINA PECTORIS	-	-	3	1	-	-	1	1	-	-	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	80	204	446	299	61	76	9	344	65	546	101	60
424	OTHER DISEASES OF ENDOCARDIUM	6	18	29	20	4	4	-	18	6	20	13	-
415-423,425-429	ALL OTHER FORMS OF HEART DISEASE	22	128	223	155	41	35	16	140	38	288	70	38
401,403	HYPERTENSION WITH OR WITHOUT RENAL DISEASE	-	9	6	11	2	2	-	10	-	18	3	-
430-438	CEREBROVASCULAR DISEASE	26	130	315	220	52	52	9	173	28	292	71	33
440	ATHEROSCLEROSIS	5	17	42	19	3	6	1	18	2	40	4	2
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	6	27	43	34	4	4	5	23	9	39	10	4
451-459	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM	-	3	5	40	-	1	-	3	-	3	3	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM	57	187	333	368	67	57	13	287	64	383	109	61
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	-	1	4	2	1	-	-	1	-	1	1	1
487	INFLUENZA	-	-	2	8	-	-	-	2	3	11	1	-
480,483	VIRAL PNEUMONIA	-	2	3	3	1	-	-	3	-	2	-	-
481-482	BACTERIAL PNEUMONIA	1	-	6	10	2	2	-	4	1	12	4	-
484-486	OTHER AND UNSPECIFIED PNEUMONIA	21	64	133	171	25	17	5	113	20	131	42	17
490	BRONCHITIS, UNSPECIFIED	-	3	2	3	-	-	1	-	-	-	1	-
491	CHRONIC BRONCHITIS	1	4	6	5	-	2	1	8	3	9	2	1
492	EMPHYSEMA	6	31	59	29	11	7	2	31	10	53	14	12
493	ASTHMA	-	6	8	7	1	3	-	3	1	13	2	2
494-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	19	49	69	108	19	20	4	90	18	110	35	20
515	POSTINFLAMMATORY PULMONARY FIBROSIS	5	5	11	5	1	-	-	8	-	5	4	-
REMAINDER OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	4	22	30	17	6	6	-	24	8	36	3	8
520-579	DISEASES OF THE DIGESTIVE SYSTEM	18	82	119	137	23	17	12	83	22	141	48	22
531-533	ULCER OF STOMACH AND DUODENUM	1	11	10	21	4	2	3	11	3	13	7	5
550-553,560	HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	-	5	11	15	4	1	-	6	1	7	1	-
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	8	31	42	42	6	8	6	31	7	68	22	5
574-575	CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER	-	1	7	4	1	1	-	4	1	5	4	3
REMAINDER OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	9	34	49	55	8	5	3	31	10	48	14	9
580-629	DISEASES OF THE GENITOURINARY SYSTEM	11	43	62	43	10	3	1	50	3	68	15	7
580	ACUTE GLOMERULONEPHRITIS	-	-	-	-	-	-	-	-	-	-	-	-
581	NEPHROTIC SYNDROME	-	1	-	-	-	-	-	-	-	-	1	-
582-583,587	CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC AND RENAL SCLEROSIS, UNSPECIFIED	-	3	1	3	-	-	-	-	-	5	1	1
584-586,588-589	RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION AND SMALL KIDNEY OF UNKNOWN CAUSE	5	16	26	20	5	3	1	20	2	21	5	4
590	INFECTIONS OF KIDNEY	1	3	4	6	3	-	-	4	-	5	-	-
591,593	HYDRONEPHROSIS AND OTHER DISORDERS OF KIDNEY AND URETER	-	1	2	1	-	-	-	7	1	4	1	-
600	HYPERPLASIA OF PROSTATE	-	1	2	1	-	-	-	-	-	2	1	-
REMAINDER OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	5	18	27	12	2	-	-	19	-	31	6	2

TABLE 5-10 (CONTINUED)

DEATHS FROM SELECTED CAUSES

CALIFORNIA COUNTIES, 1988

(BY PLACE OF RESIDENCE)

NINTH REVISION ICD NUMBER	CAUSE OF DEATH	SIS-KIYOU	SOLANO	SONOMA	STANI-SLAUS	SUTTER	TEHAMA	TRINITY	TULARE	TUO-LUMNE	VENTURA	YOLO	YUBA
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	-	-	-	1	-	1	-	-	-	1	1	-
740-759	CONGENITAL ANOMALIES	1	8	20	24	4	8	1	11	-	23	10	-
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	-	16	15	1[illegible]	4	1	-	18	-	45	3	4
680-739	DISEASES OF THE SKIN, SUBCUTANEOUS TISSUE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2	7	14	12	2	2	-	8	1	17	3	2
780-799	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	5	19	24	4	5	3	1	11	5	35	6	4
798.0	SUDDEN INFANT DEATH SYNDROME (SIDS)	4	16	17	3	1	1	-	5	2	6	2	2
REMAINDER OF 780-799	OTHER SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	1	3	7	1	4	2	1	6	3	29	4	2
800-949	ACCIDENTS AND ADVERSE EFFECTS	29	22	148	175	44	34	9	190	27	202	48	39
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	12	58	82	88	30	14	6	110	14	107	30	20
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	-	-	4	2	1	-	-	3	1	5	-	-
800-807, 826-838, 840-848	OTHER TRANSPORT ACCIDENTS	2	3	3	10	4	2	1	1	1	11	3	1
910	DROWNINGS	1	-	8	10	-	2	-	11	1	10	3	3
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	1	4	5	10	2	1	-	25	2	26	1	4
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	-	-	-	2	-	-	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS	1	-	1	1	1	-	-	1	-	2	1	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	-	1	1	1	-	-	-	-	-	-	-	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	1	2	1	1	-	-	1	3	-	3	3	1
REMAINDER OF 800-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	11	24	43	50	6	15	1	36	8	38	7	10
950-959	SUICIDE	10	51	75	51	15	10	3	38	13	71	24	13
960-969	HOMICIDE	3	31	17	22	6	2	-	30	2	31	10	2
970-978	LEGAL INTERVENTION	-	-	-	-	-	-	1	-	-	1	1	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	-	13	3	2	1	2	-	2	-	7	3	1
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-

A 024 MALE DEATHS WERE ASSIGNED NINTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES NUMBER 175.
B SEX-SPECIFIC RATES (PER 100,000 POPULATION), CALIFORNIA MALE AND FEMALE POPULATION FOR 1988 WERE ESTIMATED TO BE 13,962,193 AND 14,351,721 RESPECTIVELY.
C PER 10,000 LIVE BIRTHS (1988 LIVE BIRTHS-532,708).
D PER 1,000 LIVE BIRTHS.

OURCE : STATE OF CALIFORNIA, DEPARTMENT OF FINANCE, 1988 POPULATION PROJECTIONS FOR CALIFORNIA COUNTIES, BASELINE 86, MARCH 1989. BASELINE 86 PROJECTIONS HAVE BEEN CONTROLLED TO REFLECT THE LATEST DEPARTMENT OF FINANCE POPULATION ESTIMATES (REPORT 88 E-2).

STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS.

Table 5—11

DEATHS FROM AIDS* (ACQUIRED IMMUNE DEFICIENCY SYNDROME) BY SEX, RACE/ETHNICITY, AND AGE CALIFORNIA, 1988 (By place of residence)

RACE/ETHNICITY	TOTAL	AGE IN YEARS														
		Under 1	1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 and Over	Unknown
Total Male and Female	3,177	6	3	8	2	71	328	651	732	545	335	222	128	63	80	3
Male Total	3,052	3	1	5	2	69	319	623	718	526	322	217	122	60	62	3
American Indian	4	—	—	—	—	1	—	1	1	—	—	1	—	—	—	—
Black	387	1	1	2	—	20	56	93	91	58	20	21	11	8	5	—
Cambodian	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Chinese	10	—	—	—	—	—	—	5	3	2	—	—	—	—	—	—
Eskimo/Aleut	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Filipino	20	—	—	—	—	—	4	3	6	3	1	1	2	—	—	—
Indian (India)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Japanese	4	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—
Korean	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pacific Islander	5	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—
Thai	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Vietnamese	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
White	2,606	2	—	3	2	48	254	515	610	460	298	194	108	52	57	3
Other Asian	4	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—
Other	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Not Stated	7	—	—	—	—	—	2	—	3	1	1	—	—	—	—	—
Female Total	125	3	2	3	—	2	9	28	14	19	13	5	6	3	18	—
American Indian	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	38	—	—	—	—	—	3	12	7	9	4	1	1	1	—	—
Cambodian	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chinese	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eskimo/Aleut	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Filipino	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Indian (India)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Japanese	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Korean	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Pacific Islander	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Thai	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vietnamese	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White	84	3	2	3	—	2	6	16	7	9	8	4	4	2	18	—
Other Asian	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* ICD Codes 042—044.

— Represents zero events.

Source: State of California, Department of Health Services, Death Records.

Figure 5-C

DEATH FROM AIDS* (ACQUIRED IMMUNE DEFICIENCY SYNDROME)
BY AGE
CALIFORNIA, 1988
(By place of residence)



* ICD Codes 042-044
Source: Table 5-11

Table 5—12

DEATHS FROM AIDS* BY SEX AND AGE GROUP
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY		TOTAL	Under 1	AGE IN YEARS 1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & Over	Unknown
	TOTAL	3,177	6	3	10	—	71	328	651	732	545	335	222	128	63	80	3
	Males	3,052	3	1	7	—	69	319	623	718	526	322	217	122	60	62	3
	Females	125	3	2	3	—	2	9	28	14	19	13	5	6	3	18	—
Alameda	Total	141	1	—	—	—	6	18	31	26	24	9	15	4	2	5	—
	Males	134	1	—	—	—	6	18	28	26	22	9	15	4	2	3	—
	Females	7	—	—	—	—	—	—	3	—	2	—	—	—	—	2	—
Alpine	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Amador	Total	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Males	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Butte	Total	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
	Males	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calaveras	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Colusa	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Contra Costa	Total	61	—	—	—	—	2	7	10	15	12	4	4	1	3	3	—
	Males	59	—	—	—	—	2	7	10	15	11	4	4	—	3	3	—
	Females	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Del Norte	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
El Dorado	Total	5	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—
	Males	5	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 5—12 (Continued)

DEATHS FROM AIDS* BY SEX AND AGE GROUP
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY		TOTAL	AGE IN YEARS														
			Under 1	1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & Over	Unknown
Fresno	Total	22	—	—	—	—	—	2	8	4	1	—	2	1	1	3	—
	Males	20	—	—	—	—	—	2	8	3	—	—	2	1	1	3	—
	Females	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Glenn	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Humboldt	Total	4	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—
	Males	4	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Imperial	Total	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Males	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Inyo	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kern	Total	10	—	—	—	—	1	2	1	3	2	—	—	—	—	1	—
	Males	10	—	—	—	—	1	2	1	3	2	—	—	—	—	1	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kings	Total	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Lake	Total	4	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—
	Males	4	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lassen	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Los Angeles	Total	1,214	4	1	5	—	27	129	256	250	192	146	97	53	30	24	—
	Males	1,160	2	—	3	—	25	123	244	246	185	138	94	52	29	19	—
	Females	54	2	1	2	—	2	6	12	4	7	8	3	1	1	5	—

Table 5—12 (Continued)

DEATHS FROM AIDS* BY SEX AND AGE GROUP
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY		TOTAL	AGE IN YEARS													
			Under 1	1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & Over	Unknown
Madera	Total	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	Males	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Marin	Total	29	—	—	—	—	—	2	1	4	8	4	1	4	2	3	—
	Males	29	—	—	—	—	—	2	1	4	8	4	1	4	2	3	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mariposa	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mendocino	Total	5	—	—	—	—	1	—	—	—	2	1	1	—	—	—	—
	Males	4	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—
	Females	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Merced	Total	3	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
	Males	3	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Modoc	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mono	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Monterey	Total	11	—	—	—	—	—	1	2	1	2	3	2	—	—	—	—
	Males	11	—	—	—	—	—	1	2	1	2	3	2	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Napa	Total	11	—	—	—	—	—	2	2	4	1	1	1	—	—	—	—
	Males	11	—	—	—	—	—	2	2	4	1	1	1	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nevada	Total	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Males	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Females	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—

Table 5—12 (Continued)

DEATHS FROM AIDS* BY SEX AND AGE GROUP
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY		TOTAL	Under 1	AGE IN YEARS 1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & Over	Unknown
Orange	Total	125	—	—	1	—	2	24	27	22	12	13	8	10	2	4	—
	Males	120	—	—	1	—	2	23	27	21	11	13	8	9	2	3	—
	Females	5	—	—	—	—	—	1	—	1	1	—	—	1	—	1	—
Placer	Total	5	—	—	—	—	—	1	1	1	—	1	—	—	—	1	—
	Males	4	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—
	Females	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Plumas	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Riverside	Total	70	1	—	1	—	4	12	15	9	12	5	5	3	2	1	—
	Males	67	—	—	1	—	4	12	15	9	12	5	5	2	2	—	—
	Females	3	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Sacramento	Total	77	—	—	—	—	3	15	17	12	9	8	2	5	1	5	—
	Males	73	—	—	—	—	3	15	17	10	8	8	2	5	1	4	—
	Females	4	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—
San Benito	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
San Bernardino	Total	37	—	1	1	—	2	4	10	8	3	3	—	—	1	3	1
	Males	29	—	—	—	—	2	3	9	6	3	2	—	—	1	2	1
	Females	8	—	1	1	—	—	1	1	2	—	1	—	—	—	1	—
San Diego	Total	237	—	1	2	—	6	35	50	51	41	23	11	8	2	7	—
	Males	230	—	1	2	—	6	35	48	49	41	22	10	7	2	7	—
	Females	7	—	—	—	—	—	—	2	2	—	1	1	1	—	—	—
San Francisco	Total	796	—	—	—	—	6	42	153	242	167	91	57	23	9	5	1
	Males	789	—	—	—	—	6	42	150	242	165	91	57	23	8	4	1
	Females	7	—	—	—	—	—	—	3	—	2	—	—	—	1	1	—
San Joaquin	Total	12	—	—	—	—	1	—	5	3	1	2	—	—	—	—	—
	Males	11	—	—	—	—	1	—	4	3	1	2	—	—	—	—	—
	Females	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—

Table 5—12 (Continued)

DEATHS FROM AIDS* BY SEX AND AGE GROUP
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY		TOTAL	Under 1	AGE IN YEARS 1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & Over	Unknown
San Luis Obispo	Total	4	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
	Males	3	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
	Females	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
San Mateo	Total	53	—	—	—	—	1	6	2	10	10	2	4	10	2	5	1
	Males	48	—	—	—	—	1	6	2	10	8	1	4	9	2	4	1
	Females	5	—	—	—	—	—	—	—	—	2	1	—	1	—	1	—
Santa Barbara	Total	22	—	—	—	—	1	1	4	3	5	3	—	2	—	3	—
	Males	18	—	—	—	—	1	1	3	3	4	2	—	2	—	2	—
	Females	4	—	—	—	—	—	—	1	—	1	1	—	—	—	1	—
Santa Clara	Total	74	—	—	—	—	1	10	13	24	10	6	5	1	2	2	—
	Males	72	—	—	—	—	1	9	13	24	10	6	4	1	2	2	—
	Females	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Santa Cruz	Total	15	—	—	—	—	—	2	4	5	3	1	—	—	—	—	—
	Males	13	—	—	—	—	—	2	2	5	3	1	—	—	—	—	—
	Females	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Shasta	Total	6	—	—	—	—	—	—	2	2	—	—	2	—	—	—	—
	Males	6	—	—	—	—	—	—	2	2	—	—	2	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sierra	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Siskiyou	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Solano	Total	15	—	—	—	—	2	2	3	2	2	—	1	—	2	1	—
	Males	14	—	—	—	—	2	2	3	2	2	—	1	—	2	—	—
	Females	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Sonoma	Total	52	—	—	—	—	1	2	13	16	12	5	1	2	—	—	—
	Males	52	—	—	—	—	1	2	13	16	12	5	1	2	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 5—12 (Continued)

DEATHS FROM AIDS* BY SEX AND AGE GROUP
CALIFORNIA COUNTIES, 1988
(By place of residence)

COUNTY		TOTAL	Under 1	AGE IN YEARS 1—4	5—14	15—19	20—24	25—29	30—34	35—39	40—44	45—49	50—54	55—59	60—64	65 & Over	Unknown
Stanislaus	Total	13	—	—	—	—	1	3	4	1	—	2	1	—	—	1	—
	Males	12	—	—	—	—	1	3	4	1	—	2	1	—	—	—	—
	Females	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Sutter	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tehama	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Trinity	Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Males	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tulare	Total	12	—	—	—	—	—	2	5	2	1	—	—	1	—	1	—
	Males	11	—	—	—	—	—	2	4	2	1	—	—	1	—	1	—
	Females	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Tuolumne	Total	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	Males	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ventura	Total	12	—	—	—	—	1	3	2	—	2	1	1	—	1	1	—
	Males	10	—	—	—	—	1	3	2	—	2	1	1	—	—	—	—
	Females	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Yolo	Total	4	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—
	Males	4	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—
	Females	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Yuba	Total	3	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—
	Males	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Females	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

* Acquired Immune Deficiency Syndrome, ICD Codes 042—044
— Represent zero events.
Source: State of California, Department of Health Services, Death Records.

Table 5—13
DEATH RATES FROM MALIGNANT NEOPLASMS BY SITE
CALIFORNIA COUNTIES, 1988
(By place of residence)

County	Death Rates By All Cancer Sites 104—208	Lip, Oral, Cavity, and Pharynx 140—149	Stomach 151	Other Digestive Organs and Peritoneum 150, 152—159	Trachea, Bronchus, and Lung 162	Other Respiratory and Intrathoracic Organs 160—161, 163—165	Breast* 174—175	Cervix Uteri* 180
California	168.5	3.1	5.2	35.8	45.3	1.7	28.9	3.1
Alameda	177.6	3.4	6.1	39.9	46.3	1.6	30.6	2.5
Alpine	a	—	—	a	—	—	—	—
Amador	289.6	—	a	64.4	96.5	a	a	—
Butte	242.3	a	6.9	47.5	65.3	2.9	35.6	a
Calaveras	253.3	—	a	44.9	80.1	—	a	a
Colusa	249.7	—	a	39.4	92.0	—	a	a
Contra Costa	174.2	3.0	6.4	34.9	47.4	1.6	28.1	2.0
Del Norte	220.5	a	—	50.1	85.2	—	a	—
El Dorado	172.1	a	a	27.3	38.1	5.0	29.7	a
Fresno	160.2	1.8	6.5	33.0	43.2	a	26.1	2.9
Glenn	218.1	—	21.4	59.9	29.9	a	a	—
Humboldt	212.9	4.3	6.9	40.7	63.2	a	39.4	a
Imperial	140.2	a	a	26.6	47.9	—	17.5	—
Inyo	211.0	—	—	77.7	50.0	—	a	—
Kern	158.4	2.3	4.6	31.3	47.5	1.4	21.4	2.0
Kings	148.8	8.5	7.4	26.6	47.8	—	18.1	—
Lake	336.7	a	a	79.8	120.7	a	60.8	a
Lassen	188.7	a	—	33.3	55.5	a	—	a
Los Angeles	156.7	3.0	5.4	34.0	39.9	1.9	27.3	3.3
Madera	186.6	a	6.1	42.4	52.1	a	34.0	—
Marin	193.2	4.8	7.0	41.8	48.7	a	43.2	a
Mariposa	185.5	—	a	34.4	55.0	—	a	—
Mendocino	224.7	a	a	69.6	64.4	—	33.8	a
Merced	140.2	a	8.2	25.7	48.5	a	23.3	a
Modoc	240.0	—	a	54.5	a	—	—	—
Mono	84.5	—	—	a	a	—	a	—
Monterey	151.4	3.4	4.0	28.7	39.9	2.0	32.7	3.6
Napa	225.8	a	a	50.8	61.1	a	44.1	a
Nevada	207.3	a	a	41.5	64.8	a	33.2	a
Orange	159.3	2.6	4.7	34.3	44.7	1.6	28.9	3.6
Placer	174.0	3.2	5.1	27.5	48.0	a	38.7	—
Plumas	210.1	—	a	40.0	50.0	a	a	a
Riverside	199.4	3.7	6.1	42.9	57.0	1.4	30.2	3.2
Sacramento	176.9	3.5	4.0	34.1	52.5	1.1	29.7	2.8
San Benito	148.0	a	—	34.8	31.9	—	a	—
San Bernardino	147.9	3.1	3.4	30.0	41.2	1.6	25.7	2.2
San Diego	162.6	2.9	4.7	32.2	44.8	1.7	29.9	2.9
San Francisco	236.3	5.9	7.9	59.0	55.5	2.3	38.9	5.3
San Joaquin	176.5	2.8	5.7	36.1	49.1	1.1	29.7	4.2
San Luis Obispo	189.1	2.4	5.3	37.6	59.8	2.9	20.1	a
San Mateo	195.1	3.3	6.5	43.9	50.9	2.4	35.3	3.1
Santa Barbara	184.2	2.6	4.4	43.4	40.8	2.0	34.8	a
Santa Clara	147.8	2.6	3.7	31.3	36.6	1.3	28.5	3.7
Santa Cruz	174.1	2.7	5.3	44.2	48.6	—	21.7	—
Shasta	250.0	a	4.3	50.9	77.4	3.6	37.6	a
Sierra	249.8	a	—	a	a	—	—	—
Siskiyou	191.8	a	a	48.5	41.6	—	32.1	a
Solano	141.8	1.9	4.8	27.8	37.7	a	31.5	a
Sonoma	218.1	2.7	3.8	47.3	60.1	a	33.7	4.2
Stanislaus	183.7	3.8	3.8	35.3	55.6	3.8	29.1	3.4
Sutter	225.2	a	a	43.7	72.9	—	28.6	—
Tehama	291.4	a	a	62.1	70.7	a	33.7	—
Trinity	208.3	—	a	71.8	57.5	a	a	—
Tulare	162.0	4.7	4.0	38.0	45.7	a	19.7	a
Tuolumne	246.0	a	a	51.8	77.7	a	22.3	—
Ventura	148.0	3.2	4.3	28.9	40.0	1.2	26.6	2.8
Yolo	154.1	5.2	5.2	28.9	48.2	a	23.6	a
Yuba	165.7	a	a	31.7	54.7	a	21.2	a

Table 5—13 (Continued)

DEATH RATES FROM MALIGNANT NEOPLASMS BY SITE
CALIFORNIA COUNTIES, 1988

(By place of residence)

County	Other Parts of Uterus* 179, 181—182	Other Female Genital Organs* 183—184	Male Genital Organs* 185—187	Bladder and Other Urinary Organs 188—189	Other and Unspecified Sites 170—173, 190—199	Hodgkin's Disease 201	Leukemia 204—208	Other Malignant Neoplasm of Lymphatic and Haematopoietic Tissues 200, 202—203
California	4.1	9.9	20.8	6.6	21.3	0.5	6.3	9.2
Alameda	4.5	7.2	21.2	5.7	23.5	0.4	6.0	11.3
Alpine	—	—	—	—	—	—	—	—
Amador	a	a	a	a	32.2	—	a	21.5
Butte	5.6	6.7	36.7	10.3	34.4	a	12.0	17.2
Calaveras	—	a	78.2	a	35.3	—	a	a
Colusa	a	a	a	—	32.9	a	a	—
Contra Costa	5.4	13.5	24.5	5.6	22.6	a	6.0	9.2
Del Norte	—	a	a	a	a	—	a	a
El Dorado	a	13.2	34.8	6.6	22.3	a	12.4	11.6
Fresno	3.5	7.4	18.3	5.2	20.6	—	9.8	10.3
Glenn	a	—	a	—	25.7	a	a	21.4
Humboldt	a	8.6	31.4	9.5	27.7	—	6.1	8.7
Imperial	a	12.3	26.9	4.4	16.9	—	a	6.2
Inyo	—	—	a	a	a	—	—	a
Kern	2.8	7.9	19.2	6.0	23.5	a	6.8	7.9
Kings	a	15.8	18.1	a	12.8	—	9.6	5.3
Lake	—	—	23.9	a	48.7	—	a	15.6
Lassen	a	a	a	a	29.6	—	a	a
Los Angeles	4.2	9.8	19.0	6.0	19.6	0.6	5.9	8.2
Madera	a	a	21.8	12.1	23.0	—	7.3	8.5
Marin	a	9.3	21.5	10.4	20.9	a	8.3	10.0
Mariposa	a	a	a	a	a	—	—	a
Mendocino	a	a	23.9	10.5	25.0	—	a	6.6
Merced	a	a	22.2	5.3	10.5	—	5.3	5.8
Modoc	—	a	a	a	76.4	—	—	a
Mono	—	—	—	—	—	—	—	a
Monterey	4.2	8.9	20.0	5.7	17.2	a	6.3	9.2
Napa	a	a	25.1	13.2	30.1	a	6.6	11.3
Nevada	a	15.3	36.8	a	23.3	—	9.1	7.8
Orange	2.8	10.1	17.2	5.9	18.0	0.3	6.5	9.2
Placer	6.2	20.0	15.7	12.2	23.0	a	3.8	7.0
Plumas	—	a	60.2	a	25.0	—	a	a
Riverside	4.0	12.8	28.5	8.8	22.3	0.7	6.9	10.0
Sacramento	3.4	8.0	24.1	6.9	23.7	a	5.4	11.0
San Benito	a	a	a	a	17.4	—	a	a
San Bernardino	3.5	9.1	16.4	6.3	19.1	a	5.5	8.7
San Diego	4.5	9.9	21.4	6.5	21.5	0.5	5.9	7.9
San Francisco	3.2	12.3	26.0	8.7	30.3	0.8	7.8	14.9
San Joaquin	4.2	8.9	21.2	6.6	23.0	1.1	7.2	9.2
San Luis Obispo	7.0	12.1	28.7	8.2	17.4	a	10.6	8.2
San Mateo	4.6	7.1	23.9	8.6	22.6	1.3	6.8	11.3
Santa Barbara	5.1	14.3	23.8	10.2	22.4	—	6.7	11.1
Santa Clara	4.3	10.4	15.5	5.0	21.4	0.5	6.2	8.0
Santa Cruz	4.3	11.3	14.4	8.4	24.3	a	6.6	7.5
Shasta	7.0	20.9	44.2	5.0	27.2	a	5.7	15.8
Sierra	—	a	—	—	a	a	—	a
Siskiyou	a	a	23.3	11.6	30.0	—	a	a
Solano	a	6.6	11.8	7.3	22.0	a	5.1	6.7
Sonoma	6.8	11.6	32.4	8.7	31.7	a	5.5	11.8
Stanislaus	2.9	9.7	20.0	5.3	25.3	a	6.8	10.0
Sutter	a	a	46.2	11.3	24.3	a	9.7	8.1
Tehama	—	a	52.4	12.9	30.0	—	15.0	30.0
Trinity	a	—	—	a	a	—	—	—
Tulare	5.3	8.5	15.8	6.4	19.8	a	6.4	9.1
Tuolumne	a	a	20.9	a	28.1	—	17.3	12.9
Ventura	3.7	9.2	18.4	6.0	18.2	a	6.5	8.7
Yolo	a	a	17.8	6.7	22.2	—	4.4	8.2
Yuba	a	a	31.6	8.8	19.4	—	a	a

a Rates not calculated for fewer than five deaths.

* Sex-specific rates (per 100 000 population). California male and female population for 1988 were estimated to be 13,962,193 and 14,351,721 respectively.

— Represents zero events.

Note: Numbers appearing in column headings are International Classification of Diseases, ninth revision, numbers.

Source: State of California, Department of Finance, *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Death Records.

Figure 5-D
DEATH RATES FROM MALIGNANT NEOPLASMS BY SITE
CALIFORNIA, 1988
(By place of residence)



* Rates are per 100,000 sex-specific population.
Note: Rates are per 100,000 total population.
Source: Table 5-13.

Table 5—14

DEATH RATES BY AGE AND AGE-ADJUSTED DEATH RATES
CALIFORNIA, 1980—1988
(By place of residence)

Year	All Ages[1]	Years										Age-adjusted Rate[3]
		Under 1 Year[2]	1—4	5—14	15—24	25—34	35—44	45—54	55—64	65—74	75 Years and Over	
1988	7.6	9.9	0.5	0.2	1.1	1.5	2.2	4.5	10.8	24.5	80.2	7.1
1987	7.6	9.9	0.5	0.2	1.1	1.5	2.2	4.6	10.9	24.7	80.4	7.2
1986	7.5	9.5	0.5	0.2	1.1	1.5	2.2	4.6	10.9	25.4	79.4	7.2
1985	7.7	9.7	0.5	0.2	1.0	1.4	2.1	4.7	11.3	26.0	83.5	7.4
1984	7.6	9.6	0.5	0.2	1.0	1.4	2.0	4.7	11.6	26.3	82.4	7.4
1983	7.4	9.6	0.5	0.3	1.0	1.3	1.9	4.8	11.5	25.9	81.4	7.3
1982	7.6	9.8	0.5	0.3	1.1	1.3	2.0	5.0	11.9	27.1	83.0	7.5
1981	7.6	10.2	0.6	0.3	1.1	1.4	2.1	5.2	11.9	27.2	82.9	7.6
1980	7.8	11.7	0.6	0.3	1.2	1.4	2.2	5.3	12.3	28.2	85.5	7.8

1 Figures for age unknown are included in "All Ages" but are not distributed among age groups.

2 Death rates under one year (based on population data) differ from infant mortality rates (based on live births).

3 For method of computation, see Chapter 6.

Note: Rates are per 1,000 population.

Source: State of California, Department of Finance, *1988 Population Projections for California Counties, Baseline 86*, March 1989. Baseline 86 projections have been controlled to reflect the latest Department of Finance population estimates (Report 88 E-2).

State of California, Department of Health Services, Death Records.

NOTES

6. SOURCES, QUALITY, AND LIMITATIONS OF DATA

Page

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration 240
Registration Systems at Present 240
Live Birth, Death, and Fetal Death Registration 241
Marriage and Marriage Dissolution Registration 242

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records 242
Births, Deaths, and Fetal Deaths 242
California Birth Cohort File 243
Life Tables 244
Quality Control Procedures 245
Population 245

LIMITATIONS OF DATA

Cause of Death 246
Tabulations of Cause of Death 247
HIV Code Changes 247
Variability of Rates 248
Sampling Error and Vital Statistics 249
Time Periods and Geographic Bases 250
Race and Ethnicity 251
Age 253
Length of Gestation 254
Age-Adjusted Death Rates 254

VITAL STATISTICS REGISTRATION

History of Vital Statistics Registration

Less than a decade after the formation of California State Government in 1850, a law was enacted requiring the state registration of vital events. The law was repealed in 1860; births and deaths were then registered by local offices and were incomplete. Effective statewide registration of births, deaths, and marriages began in California in 1905 when the Bureau of Vital Statistics was established to direct the maintenance of a statewide registration and reporting system. Statewide registration and reporting of births, deaths, and marriages has continued without interruption since that date. California was admitted to the United States Death Registration Area in 1906, to the Birth Registration Area in 1919, to the Marriage Registration Area in 1957, and to the Divorce Registration Area in 1968.

In 1962, a statewide reporting system for divorces and annulments was established. Because the report of final decree contained very few items of information, only a limited index and simple counts by county were available. A more extensive divorce reporting system went into effect in 1966, requiring that initial complaints and final decrees be reported. The Family Law Act of 1969, implemented January 1, 1970, removed adversary proceedings, changed the name of the decrees of marital dissolution, and reduced the waiting period from initial filing to final decree. In 1978, the Legislature sharply reduced the scope of California's marriage dissolution reporting system, and in that same year, California was dropped from the U.S. Divorce Registration Area. Since 1978, county clerks report to the State Registrar only type of final decree, county case number, spouses' names, and date decree granted.

From 1905 through 1939, a stillbirth required filing both a birth and a death certificate. The birth certificate contained an item requiring the attendant at birth to indicate whether or not the child was born alive. Processing of these birth certificates was exactly the same as for certificates of live birth, except that they were excluded from the live birth tabulations. Beginning in 1940, stillbirths were registered on a Certificate of Stillbirth, which has been known as a Certificate of Fetal Death since 1952.

Registration Systems at Present

In California, the registration of vital events is uniformly governed by statutory provisions set forth in Division 9 of the California Health and Safety Code. The Director of the Department of Health Services is also the State Registrar of Vital Statistics. Forms, standards, and guidelines are provided by the Office of State Registrar, State Department of Health Services. (See "The Vital Statistics System in California", inside front cover, for further functional definitions.)

Live Birth, Death, and Fetal Death Registration

Births, deaths, and fetal deaths are registered with the local registrar in the county or registration jurisdiction where the event took place. Registration forms are furnished by the State Registrar. Local registrars prepare and maintain copies of original certificates; original certificates are then mailed to the State Registrar, indexed, and filed as permanent records.

The Health and Safety Code names local health officers of approved full-time local health departments as local registrars. Forty-seven of California's 58 counties have approved full-time local health departments. In the 11 counties (Alpine, Amador, Calaveras, Glenn, Lassen, Mariposa, Modoc, Mono, San Benito, Sierra, and Trinity) without approved full-time health departments, local registrars are appointed by the State Registrar.

Each live birth must be registered with the local registrar within ten days following the birth. For births occurring in a hospital, the hospital administrator or designee is responsible for registering the birth. For out-of-hospital births, the physician or other person in attendance is responsible for the registration; if no attendant is present, one of the parents must complete the registration (Health and Safety Code, Division 9, Chapter 3, Article 1).

Each fetal death in which the fetus has advanced to or beyond the 20th week of uterogestation must be registered with the local registrar within five days following delivery, prior to any disposition of the fetus (Health and Safety Code, Division 9, Chapter 4, Article 1). It is the responsibility of the attending physician or the coroner to certify the cause of death. It is the responsibility of the funeral director, or person acting in lieu thereof, to obtain all information other than that in the medical and health section, and to register the certificate.

Each death must be registered with the local registrar within five days after the death occurs, prior to any disposition of the human remains. The persons charged with this responsibility are the funeral director, or person acting in lieu thereof, and the physician in attendance or the coroner (Health and Safety Code, Division 9, Chapter 5, Article 1).

It is the responsibility of the physician last in attendance to complete the medical and health section of the death certificate, including the cause of death. However, in the event that no physician was in attendance within 20 days of the death, or the physician is unable to state the cause of death, the death becomes a coroner's case. In all cases where suicide or homicide is suspected, or where there was an accident or injury, it is the coroner's duty to investigate the death.

Marriage and Marriage Dissolution Registration

There are two types of marriage licenses which may be issued in California, a "public" license (Civil Code, Section 4100) and a "confidential" license (Civil Code, Section 4213). Both types of licenses are contained in a three-part form. The forms are furnished by the Office of State Registrar to the county clerks responsible for issuing them. The original portion, Part 1, becomes the marriage certificate after the ceremony has been solemnized.

A public license may be used anywhere in the State of California while a ceremony performed based upon the issuance of a confidential license may only be performed in the county in which the license was issued. Each marriage must be registered with the local registrar by the person performing the ceremony within four days after the solemnization. The county recorder is the local registrar of regular marriages and is responsible for transmitting the Certificate of Registry of Marriage to the Office of State Registrar.

The county clerk is the local registrar of confidential marriages and is responsible for transmitting a copy of the Certificate of Confidential Marriage to the Office of State Registrar. Unlike records of public marriage, records of confidential marriages are not open to public inspection in the local registrar's office or the Office of State Registrar, except upon order of the Superior Court.

Certificates of Final Decree of Dissolution of Marriage, Judgment of Nullity, or Legal Separation are transmitted to the State Registrar by the county clerk of the county in which the decree was granted.

SOURCES AND QUALITY OF VITAL STATISTICS DATA

Records

Vital statistics records of the State Department of Health Services are the source of data presented in this report. These records include certificates of live birth, death, fetal death, registry of marriage, and reports of marriage dissolution granted.

Births, Deaths, and Fetal Deaths

Certificates of live birth, death, and fetal death that occur out of state are reallocated to the state of residence. In this report, events occurring out of state to California residents are included in tables subtitled "by place of residence". Mortality

and natality data have been tabulated by place of residence since 1945; in all years since then, except 1947, reallocated certificates have been included in California residence data.

Reallocation of birth, death, and fetal death certificates to the state of residence has been virtually complete within the United States since 1955. This was made possible by a cooperative program among the states to exchange copies of certificates for nonresident events. There is no reallocation of records for events occurring in foreign countries.

California birth registration is considered to be complete for births occurring in California and nearly so for out-of-state births to California residents. An extensive study of the completeness of birth registration was conducted by the Bureau of the Census.[1] It found that during a five-year period in the United States, birth registration was 99.2 percent complete.

Death registration is considered to be almost 100 percent complete because a death certificate must be filed before a burial permit is issued. Some underregistration may occur for deaths of children under one year of age and particularly to children dying in the first day of life.

Though no thorough study of the completeness of California's fetal death registration has been conducted recently, it appears that the legally mandated death registration of fetuses that have advanced to or beyond the 20th week of gestation is not complete. The extent and consistency of such nonreporting is unknown at this time.

California Birth Cohort File

In population research, a cohort is a group of individuals who have experienced the same significant demographic event during a specific period of time (usually a year), and who may be identified as a group at successive later dates by this common demographic experience. Cohort studies enable accurate descriptions of changes occurring in a specific group of individuals over time. The most common and important cohort is a birth cohort, persons born during the same year or years.

Since 1965, the Department of Health Services has linked California's live birth and infant death records on computer tapes to create the California Birth Cohort File. Each cohort consists of records of live births and fetal deaths registered in a calendar year. The death records of infants who die during their first year of life are then matched and linked to their respective live birth records in the California Birth Cohort

---

1. U. S. Department of Commerce, Bureau of the Census, **Test of Birth Registration Completeness, 1964-1968,** PHC (E)-2, 1973.

File. Rates computed from this birth cohort file are a direct measure of infant loss because they represent the mortality experience of a particular group (cohort) of infants from birth to one year of age.

The Birth Cohort File may be used to compute fetal, neonatal, perinatal, postneonatal, and infant mortality rates for a number of characteristics of the mother and child that are only available on the birth and fetal death certificates, such as age of mother, birth order, place of delivery, trimester prenatal care began, birthweight, gestational age, and race/ethnicity.

Studies have shown that the designation of race/ethnicity on the birth certificate is more accurate than on the death certificate.[2] The Birth Cohort File enables more accurate race-specific death rates, since race for both the numerator and the denominator of rates are taken from the birth certificate information. The category "White Spanish" for race of child in the Birth Cohort data is not comparable to "Spanish/Hispanic Origin" used in this report for live births and fetal deaths. The "White/Spanish" category is determined from the Spanish surname of the child and the White race of child. The "Spanish/Hispanic Origin" is determined from the mother's self-identification of her Spanish/Hispanic origin.

Life Tables

Life tables have been used for a long time as analytical tools in the study of mortality. There are basically two types of life tables -- the generation or cohort life table and the current life table. The generation life table provides a longitudinal perspective in that it includes the mortality experience of a particular cohort, all persons born in the year 1900 for example, from the moment of birth through consecutive ages until no one remains in the original cohort. The more widely used current life table may, by contrast, be characterized as cross-sectional.

A current life table for 1988 assumes a hypothetical cohort subject throughout its lifetime to the age- pecific mortality rates prevailing for the actual population in 1988. One of the obvious weaknesses of this type of life table is that it does not take into account later changes in the mortality experience of the population. Despite this limitation, the current life table is generally regarded as the best summary of the mortality

---

2. Frank D. Norris and Paul W. Shipley, "A Closer Look at Race Differentials in California's Infant Mortality, 1965-67," Health Services and Mental Health Administration Health Reports, Vol. 86, No. 9: 810-814, September 1971; Frost, F. and Shy, K. K.: "Racial Differences Between Linked Birth and Infant Death Records in Washington State," **American Journal of Public Health,** Vol. 70, No. 9: 974-976, September 1980.

experience of a given population and a useful analytical tool for comparing the mortality experiences of different population subgroups.

Life tables may also be distinguished according to the length of the age intervals used in constructing the tables. When the life table is constructed using every single year of age from birth to the last applicable age, the table is referred to as a complete life table. An abridged life table, on the other hand, is constructed using broader age intervals, generally five years.

The table presented in this report is derived from current abridged life tables for males and females by selected years. The methodology used in constructing life tables is described in detail in the report, "Methodology for Constructing Abridged Life Tables for California for 1977", Data Matters, 81-01021, Department of Health Services, January 1981. The standard life table methodology was employed utilizing Chiang's formulae and the "fraction of last year of life" adjustments in calculating the probability of death.[3]

Quality Control Procedures

Because about a million California certificates are processed annually, errors can be introduced into vital statistics data unless provisions are made for appropriate quality control measures. Selected certificate information is key-entered and verified onto computer tapes which are then edited for completeness and accuracy. Finally, a sample of records is reviewed to identify random errors. Error rates in the aggregate are less than one percent and identified errors are corrected.

Population

Vital statistics provide better measures of health status when they are related to the characteristics of the population. Because human populations vary in size and composition, and the number of vital events that occur depends on both of these factors, *rates* or *ratios* are used to make accurate comparisons. These control for population variability by reporting the number of events *per unit of population* (or other standard denominator).

The population data used as denominators for calculating rates of vital events per unit of population are prepared by the Population Research Unit of the California Department of Finance. The data employed include the resident military and civilian populations, as of July 1, for each year.

---

3. Chiang, Chin Long, Life Table and Mortality Analysis, World Health Organization, 1978

The population and rates for the years 1980-1984 were revised to reflect the latest population projections and estimates. Intercensal years prior to 1980 have already been adjusted by the Population Research Unit to reflect the respective censuses and were used as adjusted. This office revises its population denominators as the population data are revised by the Population Research Unit. For these reasons, care should be taken when comparing rates to earlier publications.

LIMITATIONS OF DATA

Limitations of the data must be recognized before valid interpretation is possible. For vital statistics data, these limitations are related to difficulties in reporting and classifying information and to some underregistration of events. It is necessary to exercise particular caution when evaluating vital statistics trend data because medical concepts, legal codes, definitions concerning vital statistics events, estimates of the population, race, and methods of assigning causes of death change over time.

Cause of Death

One of the most important uses of vital statistics data is the study of trends over time in the number and rate of deaths, by cause of death. Vital statistics trend research yields invaluable information on the health status of the population, and discloses which health and medical programs are succeeding. Even more importantly, studies of cause-of-death trends help identify emerging public health problems so that remedial strategies can be developed and needed resources focused and applied.

However, vital statistics trend data are complicated by technical difficulties which limit the comparability of data over time. Changes in the method of assigning or coding causes of death are perhaps the greatest concern.

Cause-of-death statistics are derived from the medical certification information reported on the death or fetal death certificate by the attending or certifying physician or coroner. The medical certification item on certificates of death and fetal death makes provision for the reporting of three causes of death -- immediate, intervening, and underlying -- plus additional information related to the cause of death. The cause of death selected for coding and tabulating in this report is the "underlying cause of death". This is generally defined as the disease or injury which initiated the sequence of morbid events leading directly to death.

Causes of death are coded according to the *Ninth Revision International Classification of Diseases (ICD)*, and the *Vital Statistics Instruction Manual, Part 2a, Instructions for Classifying the Underlying Cause of Death, 1981.* For the years 1969-1978, the causes of death were coded using the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA).*

Since its inception in 1898, the classification of diseases has been revised approximately every ten years. Each of the decennial revisions has produced some break in the comparability of cause-of-death statistics. These discontinuities have complicated the interpretation of trends in cause-of-death statistics over time. To facilitate trend analysis, comparability ratios between consecutive revisions of the *International Classification* may be calculated and applied. Ratios between the *Ninth Revision* and the *Eighth Revision* have not been calculated for California mortality data. However, the National Center for Health Statistics has published comparability ratios between the *Ninth* and the *Eighth Revisions* for deaths in the United States as a whole.[4] For an approximation, the ratios for the United States may be used to adjust California data for comparability between coding by the *Ninth Revision* (1979 to 1988), and coding by the *Eighth Revision* (1969-1978). For comparing the latter to 1960-1968 California deaths, see *Data Matters Topical Report*, "Comparability Between 7th and 8th Revisions, International Classification of Diseases", No. 725-0192-601, March 1976, State of California, Department of Health Services, Center for Health Statistics.

Tabulations of Cause of Death

Deaths by cause are presented in this report in several levels of detail. The table headed "Deaths from Each Cause by Sex and Age" presents the frequency of deaths assigned to each underlying cause of death in the Ninth Revision of the ICD for which there were one or more deaths in 1988. All fourth-digit subcategories are included. This table can be found on the microfiche attached to the inside of the back cover of this report.

HIV Code Changes

Beginning with mortality data for 1987, the National Center for Health Statistics (NCHS) introduced new category numbers *042-*044 for classifying and coding of AIDS and human

---

4. NCHS, "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revisions of the International Classification of Diseases," Monthly Vital Statistics Report, Vol. 28, No. 11, Supplement, February 29, 1980.

immunodeficiency virus (HIV) infection, formerly referred to as human T-cell lymphotropic virus-III, lymphadenopathy-associated virus (HTLV-III/LAV). The asterisk next to the category number indicates that these codes are not part of the Ninth Revision of the International Classification of Diseases (ICD-9).[5] In accord with NCHS, California reclassified its HIV mortality data beginning in 1987.

The United States established the new category numbers, *042-*044, in response to the urgent need of public health officials, clinical researchers, and medical care financiers to better identify and monitor the incidence of AIDS and HIV infection.

The new category numbers for deaths classified to HIV infections for 1987 and 1988 are included in all Other Infectious and Parasitic Diseases (ICD Codes 001-139) in Table 5-10, "Deaths from Selected Causes". Prior to 1987, deaths involving HIV infection were classified in six causes associated with Acquired Immune Deficiency: ICD Codes 078.5, 117.5, 136.3, 173.9, 279.1, and 279.3. Due to the new classification numbers, cause-of-death data for 1987-1988 are not strictly comparable with data for previous years.

Variability of Rates

Vital statistics rates are sensitive to variations in the size of both the numerator (the number of vital events that occurred), and the denominator (the estimated population, or the number of births). For example, in small counties, a variation of only a few cases in the numerator can cause a relatively large shift in a rate, while in a large county, it may cause no change at all. Alternatively, a minor revision in the estimate of the population in a small county may cause a relatively major change in a vital rate in that county.

All vital rates for the years 1980 through 1985 which were published prior to 1986 and are included in this publication, have been recalculated, using revised population estimates. Recalculated rates for some counties may differ from those previously published even more than the statewide rates do.

Rates and ratios based on the number of births, instead of the population, are not subject to variability caused by changes in the size of estimated denominators. However, in small counties, these rates are just as sensitive to small shifts in the numerator as are rates based on the population, since few births occur in counties with small populations, and the denominator is correspondingly small.

---

5. National Center for Health Statistics: **Annual Summary of Births, Marriages, Divorces, and Deaths: United States, 1987**, Monthly Vital Statistics Report, Vol. 36, No. 13: 27, July 29, 1988.

Sampling Error and Vital Statistics

The number of births and deaths for an area reported in California's Vital Statistics represents complete counts; as such, they are not subject to sampling error, although they are subject to errors in the registration process. However, when the figures are used for analytic purposes, such as comparison of rates over a time period or for different areas, the number of events that actually occurred may be considered as one of a larger series of possible results that could have arisen under the same circumstances.[6] The probable range of values may be estimated from the actual figures according to certain statistical assumptions. The problem of small frequencies is well presented in the Technical Appendix to "The Vital Statistics of the United States, 1978, Volume I, Natality"[7] and is repeated here:

"In general, distributions of vital events may be assumed to follow the binomial distribution. Estimates of standard error and tests of significance under this assumption are described in most standard statistics texts. When the number of events is large, the standard error, expressed as a percent of the number or rate, is usually small.

When the number of events is small (perhaps less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the conditions described by the figures. Events of rare nature may be assumed to follow a Poisson probability distribution. For this distribution, a simple approximation may be used to estimate the error as follows:

If N is the number of births and R is the corresponding rate, the chances are 19 in 20 that

1. The 'true' number of events lies between

$$N - 2\sqrt{N} \text{ and } N + 2\sqrt{N}$$

2. The 'true' rate lies between

$$R - 2\sqrt{\frac{R}{N}} \text{ and } R + 2\sqrt{\frac{R}{N}}$$

---

6. National Office of Vital Statistics: "Standard Error of the Age-Adjusted Death Rate" by C.L. Chiang, **Vital Statistics -- Special Reports,** Vol. 47, No. 9, Public Health Service, Washington, DC, August 1961.

7. National Center for Health Statistics: **Vital Statistics of the United States, 1978,** Vol. 1, DHHS Publ. No. (PHS) 82-1100, Public Health Service, Washington, DC, 1982.

If the rate R corresponding to N events is compared with the rate S corresponding to M events, the difference between the two rates may be regarded as statistically significant if it exceeds

$$2\sqrt{\frac{R^2}{N} + \frac{S^2}{M}}$$

For example, suppose that the observed birth rate for Area A was 15.0 per 1,000 population and that this rate was based on 20 recorded births. Given prevailing conditions, the chances are 19 in 20 that the 'true' or underlying birth rate for that area lies between 8.3 and 21.7 per 1,000 population. Let it be further supposed that the birth rate for Area A of 15.0 per 1,000 population were being compared with a rate of 20.0 per 1,000 population for Area B which is based on 10 recorded births. While the difference between the rates for the two areas is 5.0, this difference is less than twice the standard error of the difference

$$2\sqrt{\frac{(15.0)^2}{20} + \frac{(20.0)^2}{10}}$$

of the two rates which is computed to be 14.3. From this, it is concluded that the difference between the rates for the two areas is not statistically significant."

Time Periods and Geographic Bases

Before 1947, births and deaths were tabulated by year of registration. In 1947, births were tabulated by year of occurrence, while deaths were tabulated by year of registration. Beginning in 1948, births, deaths, fetal deaths, marriages, and marriage dissolutions have been tabulated by the calendar year in which the event occurred.

From 1949 through 1967, deaths in hospitals, sanitariums, and all other institutions were allocated to the previous residence regardless of the decedent's length of stay in the institution. Since 1968, deaths occurring in hospitals, sanitariums, and other resident institutions have been allocated to the last previous residence, unless the decedent resided in the institution for at least one year. All deaths in penal institutions and mental hospitals are allocated to the previous place of residence regardless of the length of stay in the institution.

Race and Ethnicity

Since 1979, information on the race and ethnicity of the father and mother has been reported voluntarily on the birth certificates. This information was mandatory prior to 1979. The percent of birth certificates with race/ethnicity reported was 96.5 in 1979, 98.3 in 1980, 98.6 in 1981, 99.2 in 1982 and 1983, 99.5 in 1984, 99.6 in 1985 and 1986, 99.5 in 1987, and 99.7 in 1988. The information obtained from the race and ethnicity items on both the birth and death certificates reflects the certificate informant's own responses. Therefore, underreporting for deaths and births may occur for some race/ethnicity groups, e.g., American Indians, some Asian groups, and Hispanics.

From 1970 to 1977, the race of father and mother on the birth certificate were coded independently and the race of child was generated from the parents' codes. Starting in 1978, ethnicity was added to the coding scheme. Race and ethnicity of both parents were then used to generate the race and ethnicity of the newborn child. In 1982, the race/ethnicity categories used for births and fetal deaths were changed in order to be comparable with those used in the 1980 Census and thus, differ greatly from the 1981 categories. For information on prior comparisons, please refer to Vital Statistics of California, 1982 (Tables 7-1 and 7-2 and microfiche), State of California, Department of Health Services, Health Data and Statistics Branch of the Rural and Community Health Division.

In 1981, race/ethnicity was classified into eight categories for statistical analysis purposes: White, Black, Mexican/ American, American Indian, Chinese, Japanese, Filipino, and Other. Statistically speaking, these groups were mutually exclusive; that is, an individual birth could be classified into only one of these categories. For example, the reporting of Mexican/American precluded being classified as White or any of the other groups. However, in 1982, the reporting of race/ethnicity and the reporting of Spanish/Hispanic origin were made completely independent of each other. A birth identified as one of the race/ethnicity groups could also be identified as Spanish/ Hispanic origin; conversely, a live birth identified as Spanish/Hispanic origin would also be identified as one of the race/ethnicity groups. As a result, a number of the live birth and fetal death tables in this report tabulated by race/ethnicity are repeated for Spanish/Hispanic origin.

Beginning with 1985 California vital events, the coding rules for determining specific race/ethnicity and Spanish/Hispanic origin were modified slightly to be consistent with the National Center for Health Statistics (NCHS) coding specifications. To be consistent, California had to modify the Spanish/Hispanic origin coding instructions and categories used previously. Three new categories were added to Spanish/Hispanic origin. They were "Central/South American", "Other Spanish/ Hispanic (born outside the U.S.)", and "Other Spanish/Hispanic (born inside the U.S.)". In order for 1985-1988 California vital statistics tape files to be comparable with 1984, Central/South American and Other

Spanish/Hispanic (born outside the U.S.) are now combined with "Other Hispanic". Other Spanish/ Hispanic (born inside the U.S.) is now combined with "Mexican".

One of the categories added to comply with State Law was "Other Pacific Islander", which is now combined with the previous "Pacific Islander" category. Prior to adding "Other Pacific Islander", those births were placed into the "Other Races" category.

In order to get comparable race/ethnicity categories for 1985 and 1984 deaths, a schemata was designed to recode the 1985 classifications so that the race/ethnicity of the deceased could be redistributed into the 1984 categories. The regrouping schemata is as follows:

1985-88 Classification	1978-84 Classification
Not Stated	White
White	White
Black	Black
American Indian	American Indian
Chinese	Chinese
Japanese	Japanese
Filipino	Filipino
Cambodian	Other
Indian (India)	Other
Korean	Other
Pacific Islander	Other
Thai	Other
Vietnamese	Other
Other Asian	Other
Other	Other

Since the 1985 report, the Spanish/Hispanic origin data have been reported separately for the death tabulations. The Spanish/ Hispanic death tables are reported in a similar fashion as in the Spanish/Hispanic birth tables.

Studies of self-reporting on the birth certificate compared with three different schemes to assign Spanish surname show that underreporting for Hispanics is less frequent on birth certificates. However, the degree of potential underreporting of many of the detailed race/ethnicity groups, including American Indian and certain Asian groups, is not known. Please note these uncertainties when analyzing or using the detailed race/ethnicity data presented in this report.

Tables 5-1 A-D, "Ten Leading Causes of Death by Race (White, Black, Hispanic, and Asian and Other), respectively" and Tables 5-2 A-D, "Five Leading Causes of Death by Sex, Age, and Race (White, Black, Hispanic, and Asian and Other), respectively" are unique in that the race\ethnicity categories are mutually exclusive.

In Tables 5-1 A-D and 5-2 A-D the classifications are:

White non-Hispanic: Classification includes decedent coded as White with no or unknown Spanish origin.

Black non-Hispanic: Classification includes Black non-Hispanic: Decedent coded as Black with no or unknown Spanish origin.

Hispanic: Decedent with Spanish origin listed as Mexican/Mexican-American/Chicano, Puerto Rican, Cuban, Central/South American or Other Spanish/Hispanic (specified), regardless of race/ethnicity classification.

Asian and Other non-Hispanic: Decedent coded as Asian (unspecified) or Asian (specified): Laotian, Chinese, Japanese, Korean, Vietnamese, Cambodian, or Thai: with no or unknown Spanish origin.

Other includes decedents coded as American Indian, East Indian, Filipino, Hawaiian, Guamanian, Samoan, Eskimo, Aleut, Pacific Islander, or Other (specified): with no or unknown Spanish origin.

Based on the birth cohort file, which links births and infant deaths, it has been shown that notable underreporting of infant deaths occurs for certain race/ethnicity groups, i.e., Hispanic, American Indian and certain Asian and Pacific Islander groups. The origin of race/ethnicity data are the birth and death certificates. Race/ethnicity on the birth certificate is usually reported by one of the parents. Race/ethnicity on the death certificate is sometimes questionable because it is not always obtained from a family member of the decedent. It is unknown to what extent the underreporting found for infant deaths applies to other age groups, therefore death data for Hispanics, American Indians and certain Asian and Pacific Islander groups should be used with caution when analyzing or using the detailed race/ethnicity data presented in this report.

Age

The death certificate contains both the age and the date of birth of the decedent. For computer tabulations, the age at death is generated from the difference between the date of birth and the date of death. For infants living less than 24 hours and for other deaths where date of birth is not reported, the stated age is accepted.

Length of Gestation

Length of gestation is calculated for live births and fetal deaths by subtracting the date the last normal menses began from the date of birth after first converting to days. The accuracy of this calculation is contingent upon the mother's recall of her last menstrual period. If only the month and year are given, 15 is used as the day for purposes of this calculation. If a date is not reported, no calculation is made.

Age-Adjusted Death Rates

Age-adjusted death rates are better indicators than crude death rates for showing changes in the risk of death over a period of time when the age distribution of the population is changing. These rates show what the level of mortality would be if there were no changes in the age composition of the population from year to year.

The age-adjusted rates presented in Table 5-14, "Death Rates by Age and Age-Adjusted Death Rates", are computed by using the distribution, in the age intervals shown, of the enumerated population of California in 1980 as the standard population. The direct method was used by applying the current age-specific death rates for specified groups to the standard population which was distributed into the same age groups. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was the same as that of California in 1980. The rates for the total population were adjusted using the same standard population. It is important not to compare age-adjusted death rates with crude rates.

The standard 1980 population, from the Department of Finance, is as follows:

All ages	23,779,716
Under 1 year	379,576
1-4 years	1,337,223
5-14 years	3,463,221
15-24 years	4,508,128
25-34 years	4,263,220
35-44 years	2,827,967
45-54 years	2,370,590
55-64 years	2,204,716
65-74 years	1,477,799
75 years and over	947,276

7. APPENDIX

Page

DEFINITIONS 256

RATES AND RATIOS 258

CERTIFICATES AND LISTS OF VARIABLES 260

Figure

7-A Certificate of live birth, 1988 261

7-B Certificate of live birth medical data supplemental worksheet 262

7-C Statistical information available for live births, 1988 264

7-D Certificate of fetal death, 1988 265

7-E Certificate of fetal death medical data supplemental worksheet 266

7-F Statistical information available for fetal deaths, 1988 268

7-G Certificate of death, 1988 269

7-H Statistical information available for deaths, 1988 270

VITAL STATISTICS REGISTRATION IN CALIFORNIA 271

DEFINITIONS

Following is a glossary of technical terms used in this report:

Place of occurrence:	The place where the event occurred (regardless of place of residence).
Place of residence:	The place where a person lives or maintains legal residency. For live births and fetal deaths, the mother's residence is used.

Births

Childbearing age:	Women 15 through 44 years of age.
Fetal death:	A death prior to the complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy); the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3. If the fetus is of 20 weeks or more gestational age, the death must be registered with the local registrar.
Live birth:	The complete expulsion or extraction from its mother of a product of conception (irrespective of the duration of pregnancy) which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. This definition was promulgated by the World Health Organization in 1950 and is set forth in the California Administrative Code, Title 17, Chapter 1, Article 3.
Total births:	Total deliveries: live births plus fetal deaths.
Live birth order:	The number of live births delivered by this mother including the current birth.
Low birthweight:	A live birth or fetal death weighing less than 2,500 grams (5 pounds, 8 ounces). (Prior to 1979, low birthweight was 2,500 grams or less. This definition complies with a change adopted by the National Center for Health Statistics, beginning with 1979 data.)
Premature:	A live birth or fetal death occurring before the 37th week of gestation.

Deaths

Maternal death:	A death resulting from complications of pregnancy or childbirth.
Fetal death:	(See Births).
Neonatal death:	A death occurring during the first 27 days of life.
Postneonatal death:	A death occurring between the 28th day and the end of the first year of life.
Perinatal deaths:	All fetal deaths of 20 or more weeks' gestation, plus neonatal deaths.
Infant death:	A death occurring during the first year of life.

RATES AND RATIOS

Birth Rates and Ratios

$$\text{Age-specific birth rate} = \frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$$

$$\text{Fetal death ratio} = \frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000$$

$$\text{General fertility rate} = \frac{\text{number of live births}}{\text{estimated female population 15—44 years old}} \times 1{,}000$$

$$\text{Live birth rate (crude birth rate)} = \frac{\text{number of live births}}{\text{estimated total population}} \times 1{,}000$$

$$\text{Total fertility rate} = \text{sum of each age-specific birth rate multiplied by the number of years in each age group (e.g., for 5-year groups, 15—19, 20—24, . . . 40—44, the sum of the birth rates for each age group is multiplied by 5).}$$

Death Rates and Ratios

$$\text{Age-adjusted death rate (direct method)} = \frac{\text{total number of expected deaths in a standard population (if the person in this population had experienced the same age-specific death rates as the population being adjusted)}}{\text{total standard population}} \times 100{,}000$$

$$\text{Age-specific death rate} = \frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}} \times 1{,}000 \text{ (or } 100{,}000 \text{ as specified)}$$

$$\text{Death rate (crude death rate)} = \frac{\text{number of deaths}}{\text{estimated total population}} \times 1{,}000$$

$$\text{Death rate from a specific cause} = \frac{\text{number of deaths from a specific cause}}{\text{estimated total population}} \times 100{,}000$$

Fetal death ratio = (See Births)

Infant death rate = $\frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}}$ x 1,000 (or 100,000, as specified)

Maternal death rate = $\frac{\text{number of deaths due to complications of pregnancy and childbirth}}{\text{total number of live births}}$ x 10,000

Neonatal death rate = $\frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}}$ x 1,000 (or 100,000, as specified)

Postneonatal death rate = $\frac{\text{number of deaths between 28 days of age and 1 year of age}}{\text{total number of live births}}$ x 1,000 (or 100,000, as specified)

Perinatal death rate = $\frac{\text{number of fetal deaths of 20 or more weeks' gestation, plus neonatal deaths}}{\text{total number of births}}$ x 1,000 (or 100,000 as specified)

CERTIFICATES AND LISTS OF VARIABLES

The vital statistics data presented in this report constitute only a part of the information reported on vital records. Other variables which were processed for births, deaths, and fetal deaths are shown in this section. Upon request, tabulations and cross-tabulations for most of these items can be provided. A fee may be charged for developing special reports.

104 –

STATE BIRTH CERTIFICATE NUMBER

CERTIFICATE OF LIVE BIRTH
STATE OF CALIFORNIA

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS CHILD

1A. NAME OF CHILD—FIRST | 1B. MIDDLE | 1C. LAST

2. SEX | 3A. THIS BIRTH, SINGLE, TWIN, ETC. | 3B. IF MULTIPLE, THIS CHILD 1ST, 2ND, ETC. | 4A. DATE OF BIRTH—MONTH, DAY, YEAR | 4B. HOUR—(24 HOUR CLOCK TIME)

PLACE OF BIRTH

5A. PLACE OF BIRTH—NAME OF HOSPITAL OR FACILITY | 5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)

5C. CITY OR TOWN | 5D. COUNTY

FATHER OF CHILD

6A. NAME OF FATHER—FIRST | 6B. MIDDLE | 6C. LAST | 7. STATE OF BIRTH | 8. AGE OF FATHER

MOTHER OF CHILD

9A. NAME OF MOTHER—FIRST | 9B. MIDDLE | 9C. LAST (BIRTH NAME) | 10. STATE OF BIRTH | 11. AGE OF MOTHER

PARENT'S CERTIFICATION

I CERTIFY THAT I HAVE REVIEWED THE STATED INFORMATION AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE | 12A. PARENT OR OTHER INFORMANT—SIGNATURE | 12B. RELATIONSHIP TO CHILD | 12C. DATE SIGNED

ATTENDANT'S CERTIFICATION

I CERTIFY THAT I ATTENDED THIS BIRTH AND THAT THE CHILD WAS BORN ALIVE AT THE HOUR, DATE AND PLACE STATED | 13A. PHYSICIAN OR OTHER ATTENDANT—SIGNATURE—DEGREE OR TITLE | 13B. LICENSE NUMBER | 13C. DATE SIGNED

14. | 13D. TYPED NAME AND ADDRESS

LOCAL REGISTRAR

15. DEATH—ENTER DATE OF DEATH | 16. LOCAL REGISTRAR—SIGNATURE | 17. DATE ACCEPTED FOR REGISTRATION

CONFIDENTIAL INFORMATION FOR PUBLIC HEALTH USE ONLY

FATHER

18. RACE/ETHNICITY | 19. SPANISH/HISPANIC ☐ NO | 20A. USUAL OCCUPATION | 20B. KIND OF BUSINESS OR INDUSTRY

MOTHER

21. RACE/ETHNICITY | 22. SPANISH/HISPANIC ☐ NO | 23A. USUAL OCCUPATION | 23B. KIND OF BUSINESS OR INDUSTRY

24A. RESIDENCE (STREET, NUMBER OR LOCATION) | 24C. COUNTY

24D. CITY OR TOWN | 24E. STATE | 24F. ZIP CODE

MEDICAL DATA

25A. DATE LAST NORMAL MENSES BEGAN (MONTH, DAY, YEAR) | 25B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND . . . 8TH, 9TH) | 26. BIRTHWEIGHT GRAMS | 27. PREGNANCY HISTORY (COMPLETE EACH SECTION)

	LIVE BIRTHS (DO NOT COUNT THIS CHILD)		OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)	
ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 28 THRU 32 FROM THE VS 10A SUPPLEMENTAL WORKSHEET: IF NONE CHECK ONE	NOW LIVING (NUMBER) A	NOW DEAD (NUMBER) B	BEFORE 20 WKS (NUMBER) C	AFTER 20 WKS (NUMBER) D

28. CESAREAN SECTION ☐ NO

29. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE

30. BIRTH INJURY TO CHILD ☐ NONE

DATE OF LAST LIVE BIRTH (MONTH, DAY, YEAR) E | DATE OF LAST TERMINATION (MONTH, YEAR) F

31. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE

32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE

STATE REGISTRAR

A. | B. | C. | D. | E. | F. | CENSUS TRACT

NOTICE: THE INFORMATION YOU PROVIDE IN COMPLETING THE BOTTOM HALF OF THE BIRTH CERTIFICATE WILL BE KEPT STRICTLY CONFIDENTIAL AND WILL BE USED FOR HEALTH AND MEDICAL PURPOSES ONLY.

VS 10 (Rev 9-83) PENALTY FOR UNAUTHORIZED RELEASE, $500 FINE OR SIX MONTHS IMPRISONMENT

Figure 7–A
CERTIFICATE OF LIVE BIRTH, 1988

Figure 7–B

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY ITEMS 28 THROUGH 32 ON CERTIFICATE OF LIVE BIRTH (FORM VS 10) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 28. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 29. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 30. BIRTH INJURY TO CHILD (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 31. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	8	Transport of Infant to Another Hospital Within 24 Hours of Birth
		9	Other

Item 32. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or number of the patient on this work sheet.

VS 10A (7/82)

Figure 7—B (Continued)

CERTIFICATE OF LIVE BIRTH
MEDICAL DATA SUPPLEMENTAL WORK SHEET

Item 32. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7—C

STATISTICAL INFORMATION AVAILABLE FOR LIVE BIRTHS, 1988

VARIABLE	CERTIFICATE ITEM NUMBER
THIS CHILD	
Name of child (first, middle, last)	1A,B,C
Sex of child	2
Single, twin, triplet, quadruplet, quintuplet or more	3A
If multiple birth, birth order	3B
Date of birth (month, day, year)	4A
Race/ethnicity of child (determined by race/ethnicity of mother and father)	18,21,
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	22
Birthweight (in grams)	26
PLACE OF BIRTH	
Maternity hospital or facility	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/ethnicity	21
Spanish/Hispanic origin	22
Usual residence	24C,E
Request omission from solicitation lists	14
FATHER OF CHILD	
Age	8
Race/ethnicity	18
Spanish/Hispanic origin	19
ATTENDANT'S CERTIFICATION	
Type of certifier	13A
LOCAL REGISTRAR	
Date of death if infant died	15
MEDICAL DATA	
First day of last normal menses	25A
Completed days of gestation	4A,25A
Month of pregnancy prenatal care began	25B
Previous deliveries to this mother	27A,B,C,D
Date of last live birth	27E
Date of last termination	27F
Complications of pregnancy	29
Complications of labor and delivery	31
Caesarean section	28
Birth injury to child	30
Congenital malformation	32

CERTIFICATE OF FETAL DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

THIS FETUS

1A. NAME—FIRST | 1B. MIDDLE | 1C. LAST

2. SEX | 3A. THIS DELIVERY, SINGLE, TWIN, ETC. | 3B. IF MULTIPLE, THIS FETUS 1ST, 2ND, ETC. | 4A. DATE OF DELIVERY—MONTH, DAY, YEAR | 4B. HOUR (24 HOUR CLOCK TIME)

PLACE OF DELIVERY

5A. PLACE OF DELIVERY—NAME OF HOSPITAL | 5B. STREET ADDRESS (STREET, NUMBER, OR LOCATION)

5C. CITY OR TOWN | 5D. COUNTY

FATHER

6A. NAME OF FATHER—FIRST | 6B. MIDDLE | 6C. LAST | 7. STATE OF BIRTH | 8. AGE OF FATHER

MOTHER

9A. NAME OF MOTHER—FIRST | 9B. MIDDLE | 9C. LAST (BIRTHNAME) | 10. STATE OF BIRTH | 11. AGE OF MOTHER

CERTIFICATION

I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE HOUR, DATE AND PLACE STATED AND FROM THE CAUSES STATED.

12A. PHYSICIAN OR CORONER—DEGREE OR TITLE AND TYPED NAME | 12B. DATE SIGNED

FUNERAL DIRECTOR AND LOCAL REGISTRAR

13. DISPOSITION | 14. DATE (MONTH, DAY, YEAR) | 15. NAME AND ADDRESS OF CEMETERY OR CREMATORY

16. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH) | 17. LOCAL REGISTRAR—SIGNATURE | 18. DATE ACCEPTED BY LOCAL REGISTRAR

CONFIDENTIAL HEALTH AND MEDICAL INFORMATION

CAUSE OF DEATH

19. FETAL DEATH WAS CAUSED BY — ENTER ONLY ONE CAUSE PER LINE FOR A, B AND C

FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH. IMMEDIATE CAUSE (A)

FETAL AND/OR MATERNAL CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST. DUE TO, OR AS A CONSEQUENCE OF (B)

DUE TO, OR AS A CONSEQUENCE OF (C)

20. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER—CONTRIBUTION TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN 19A. | 21. AUTOPSY (SPECIFY YES OR NO)

FATHER

22. RACE/ETHNICITY | 23. SPANISH/HISPANIC ☐ NO | 24A. USUAL OCCUPATION | 24B. KIND OF BUSINESS OR INDUSTRY

MOTHER

25. RACE/ETHNICITY | 26. SPANISH/HISPANIC ☐ NO | 27A. USUAL OCCUPATION | 27B. KIND OF BUSINESS OR INDUSTRY

28A. RESIDENCE (STREET, NUMBER OR LOCATION) | 28B. CITY OR TOWN | 28C. STATE | 28D. ZIP CODE | 28E. COUNTY

MEDICAL DATA

29A. DATE LAST NORMAL MENSES BEGAN MONTH | DAY | YEAR | 29B. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND ... 8TH, 9TH)

30. BIRTHWEIGHT GRAMS

31. PREGNANCY HISTORY (COMPLETE EACH SECTION)

LIVE BIRTHS (DO NOT COUNT THIS CHILD)		OTHER TERMINATIONS (EXCLUDE INDUCED ABORTIONS)	
NOW LIVING (NUMBER)	NOW DEAD (NUMBER)	BEFORE 20 WKS (NUMBER)	AFTER 20 WKS (NUMBER)
A	B	C	D

ENTER THE APPROPRIATE CODE OR CODES FOR EACH ITEM 32 THRU 36 FROM THE VS 12A SUPPLEMENTAL WORKSHEET. IF NONE CHECK—NONE

32. CESAREAN SECTION ☐ NO

33. COMPLICATION OF PREGNANCY AND CONCURRENT ILLNESSES ☐ NONE

34. BIRTH INJURY TO CHILD ☐ NONE

DATE OF LAST LIVE BIRTH MONTH | DAY | YEAR (E)

DATE OF LAST TERMINATION MONTH | YEAR (F)

35. COMPLICATIONS OF LABOR AND DELIVERY ☐ NONE

36. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD ☐ NONE

STATE REGISTRAR

A.	B.	C.	D.	E.	F.	CENSUS TRACT

VS 12 (REV 2-84) **PENALTY FOR UNAUTHORIZED RELEASE, $500 FINE OR SIX MONTHS IMPRISONMENT.** 31718-449 4-84 20M © OSP

Figure 7—D

CERTIFICATE OF FETAL DEATH, 1988

Figure 7–E

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

IF ANY OF ITEMS 32 THROUGH 36 ON CERTIFICATE OF FETAL DEATH (FORM VS 12) ARE ANSWERED YES, USE THE CODES INDICATED ON THIS WORK SHEET FOR THE APPROPRIATE ITEM NUMBER.

Item 32. IF CESAREAN SECTION WAS PERFORMED, ENTER APPROPRIATE CODE:

1	Elective* Primary	3	Nonelective Primary
2	Elective* Repeat	4	Nonelective Repeat

* Cesarean section before or at onset of labor.

Item 33. COMPLICATIONS OF PREGNANCY AND CONCURRENT ILLNESSES (Use as many codes as are appropriate)

01	Placental Complications	09	Pulmonary
02	Pre-Eclampsia/Eclampsia/Toxemia	10	Syphilis
03	Hemoglobinopathy	11	Rubella
04	Urinary Tract/Kidney Infection	12	Rh (D) Iso-Immunization
05	Anemia Less Than 10 GM HB	13	Unspecified Uterine Bleeding Not Associated with Labor
06	Transport of Mother From Another Hospital After Onset of Labor	14	Renal Disease
		15	Previous Cesarean Section
07	Heart Disease/Essential Hypertension	16	Other
08	Diabetes		

Item 34. BIRTH INJURY TO FETUS (Use as Many Codes as are Appropriate)

1	To Brain	3	To Bone or Nerve
2	To Spinal Cord	4	Other

Item 35. COMPLICATIONS OF LABOR AND DELIVERY (Use as Many Codes as are Appropriate)

1	Amnionitis/Sepsis	5	Fetal Distress
2	Hemorrhage Associated with Labor	6	Maternal Blood Transfusion
3	Cephalopelvic Disproportion	7	Postpartum Hemorrhage
4	Breech or Other Abnormal Presentation	9	Other

Item 36. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Use Codes on Reverse Side of This Sheet)

Do not enter any identification by name or number of the patient on this work sheet.

VS 12A (7/82)

Figure 7–E (Continued)

CERTIFICATE OF FETAL DEATH
MEDICAL DATA SUPPLEMENTAL WORK SHEET
For Hospital Use Only

Item 36. CONGENITAL ANOMALIES (ICD-9). Circle up to five most important anomalies.

CENTRAL NERVOUS SYSTEM (CNS)

01 Anencephaly (740.0) with or without spina bifida. Include craniorachisis (740.1) and iniencephaly (740.2).

02 Open spina bifida (741.0, 741.9). If hydrocephalus is also present, enter code 05 in addition to code 02.

03 Encephalocele (742.0).

04 Microcephalus (742.1).

05 Hydrocephalus (741.0, 742.3). If spina bifida is also present, enter code 02 in addition to code 05.

06 Other anomalies of central nervous system. (Remainder of 740–742).

EYE

07 Anophthalmos (743.0).

08 Congenital cataract (743.3).

09 Coloboma (743.4). Exclude other anomalies of anterior segments.

10. Other anomalies of eye. (Remainder of 743).

EAR, FACE, NECK

11 Branchial clefts (744.4).

12 Other anomalies of ear, face, and neck. (Remainder of 744).

CARDIAC

13 Truncus arteriosus (745.0).

14 Transposition of great vessels (745.1).

15 Tetralogy of Fallot (745.2).

16 Ventricular septal defect (VSD) (745.4).

17 Atrial septal defect (ASD) (745.5).

18 Endocardial cushion defects (745.6).

19 Valve stenosis and insufficiency (746.0–746.6).

20 Hypoplastic left heart syndrome (746.7).

21 Patent ductus arteriosus (747.0).

22 Coarctation of aorta (747.1).

23 Other anomalies of heart and circulatory system. (Remainder of 745–747).

RESPIRATORY SYSTEM

24 Bilateral choanal atresia (748.0).

25 Agenesis, hypoplasia and dysplasia of lung (748.5).

26 Other anomalies of respiratory system. (Remainder of 748).

CLEFT PALATE, LIP

27 Cleft palate (749.0).

28 Cleft lip (749.1).

29 Cleft palate with cleft lip (749.2).

DIGESTIVE SYSTEM

30 Tracheo-esophageal fistula, esophageal atresia and stenosis (750.3).

31 Atresia and stenosis of large intestine, rectum, and anal canal (751.2).

32 Other anomalies of digestive system. (Remainder of 750–751).

GENITO-URINARY SYSTEM

33 Hypospadias and epispadias (752.6).

34 Indeterminate sex and pseudohermaphroditism (752.7).

35 Renal agenesis (753.0). Include bilateral only.

36 Cystic kidney disease (753.1).

37 Congenital ureteral obstruction (753.2).

38 Exstrophy of urinary bladder (753.5).

39 Other anomalies of genito-urinary system. (Remainder of 752–753).

MUSCULOSKELETAL DEFORMITIES

40 Hip dislocation without CNS (754.3).

41 Talipes or clubfoot (754.5–754.7).

42 Accessory thumbs or preaxial polydactyly (755.0). Exclude other accessory digits.

43 Missing extremity, partial or complete (755.2–755.4).

44 Syndromes of craniosynostosis (756.0). Exclude acrocephaly, hypertelorism, and oxycephaly.

45 Chondrodystrophy (756.4).

46 Anomalies of diaphragm (756.6).

47 Anomalies of abdominal wall (756.7). Exclude umbilical hernia.

48 Other anomalies of musculoskeletal system. (Remainder of 754–756).

49 **SKIN, NAILS, HAIR** (757.0–757.9).

50 **VISIBLE AMNIOTIC BANDS** (658.0).

CHROMOSOMAL ANOMALIES

51 Down's syndrome (758.0).

52 Autosomal trisomies. Include 13 (758.1) and 18 (758.2).

53 Abnormalities of sex chromosomes. Include Turner's (758.6) and Klinefelter's (758.7).

54 Other conditions due to chromosome anomalies. (Remainder of 758).

55 **OTHER AND UNSPECIFIED CONGENITAL ANOMALIES** (759.0–759.9 except 759.7).

98 **MULTIPLE NONSPECIFIC ANOMALIES** (759.7)

Figure 7—F

STATISTICAL INFORMATION AVAILABLE
FOR FETAL DEATHS, 1988

VARIABLE	CERTIFICATE ITEM NUMBER
THIS FETUS	
Name (first, middle, last)	1A,B,C
Sex	2
Single, twin, triplet, quadruplet, quintuplet, or more	3A
If multiple birth, birth order	3B
Date of delivery (month, day, year)	4A
Race/Ethnicity of child (determined by race/ethnicity of mother and father)	22,25
Spanish/Hispanic origin (determined by Spanish/Hispanic origin of mother)	26
Birthweight	30
PLACE OF DELIVERY	
Maternity hospital code	5A
Type of hospital	5A
County of occurrence	5D
MOTHER OF CHILD	
Maiden surname	9C
Birthplace	10
Age	11
Race/Ethnicity	25
Spanish/Hispanic origin	26
County of residence	28E
FATHER OF CHILD	
Age	8
Race/Ethnicity	22
Spanish/Hispanic origin	23
MEDICAL AND HEALTH DATA	
Type of certifier	12A
Underlying cause of death	19C
Autopsy	21
Date last normal menses began	29A
Completed days of gestation	4A,29A
Month of pregnancy prenatal care began	29B
Previous deliveries to this mother	31A,B,C,D
Date of last live birth	31E
Date of last termination	31F
Caesarean section	32
Complications of pregnancy	33
Birth injury	34
Complications of labor and delivery	35
Congenital malformations	36

CERTIFICATE OF DEATH

STATE OF CALIFORNIA

STATE FILE NUMBER

LOCAL REGISTRATION DISTRICT AND CERTIFICATE NUMBER

DECEDENT PERSONAL DATA

1A. NAME OF DECEDENT—FIRST | 1B. MIDDLE | 1C. LAST | 2A. DATE OF DEATH (MONTH, DAY, YEAR) | 2B. HOUR

3. SEX | 4. RACE/ETHNICITY | 5. SPANISH/HISPANIC NO ☐ | 6. DATE OF BIRTH | 7. AGE YEARS | IF UNDER 1 YEAR MONTHS | DAYS | IF UNDER 24 HOURS HOURS | MINUTES

8. BIRTHPLACE OF DECEDENT (STATE OR FOREIGN COUNTRY) | 9. NAME AND BIRTHPLACE OF FATHER | 10. BIRTH NAME AND BIRTHPLACE OF MOTHER

11A. CITIZEN OF WHAT COUNTRY | 11B. IF DECEASED WAS EVER IN MILITARY GIVE DATES OF SERVICE. 19__ TO 19__ | 12. SOCIAL SECURITY NUMBER | 13. MARITAL STATUS | 14. NAME OF SURVIVING SPOUSE (IF WIFE, ENTER BIRTH NAME)

15. PRIMARY OCCUPATION | 16. NUMBER OF YEARS THIS OCCUPATION | 17. EMPLOYER (IF SELF-EMPLOYED, SO STATE) | 18. KIND OF INDUSTRY OR BUSINESS

USUAL RESIDENCE

19A. USUAL RESIDENCE—STREET ADDRESS (STREET AND NUMBER OR LOCATION) | 19B. | 19C. CITY OR TOWN

19D. COUNTY | 19E. STATE | 20. NAME AND ADDRESS OF INFORMANT—RELATIONSHIP

PLACE OF DEATH

21A. PLACE OF DEATH | 21B. COUNTY

21C. STREET ADDRESS (STREET AND NUMBER OR LOCATION) | 21D. CITY OR TOWN

CAUSE OF DEATH

22. DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR A, B, AND C)

IMMEDIATE CAUSE ◀

CONDITIONS, IF ANY, WHICH GAVE RISE TO THE IMMEDIATE CAUSE, STATING THE UNDERLYING CAUSE LAST.

(A) DUE TO, OR AS A CONSEQUENCE OF ◀

(B) DUE TO, OR AS A CONSEQUENCE OF ◀

(C)

APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH

24. WAS DEATH REPORTED TO CORONER?

25. WAS BIOPSY PERFORMED?

26. WAS AUTOPSY PERFORMED?

23. OTHER SIGNIFICANT CONDITIONS—CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN 22A

27. WAS OPERATION PERFORMED FOR ANY CONDITION IN ITEMS 22 OR 23? TYPE OF OPERATION | DATE

PHYSICIAN'S CERTIFICATION

28A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED.
I ATTENDED DECEDENT SINCE (ENTER MO. DA. YR.) | I LAST SAW DECEDENT ALIVE (ENTER MO. DA. YR.)

28B. PHYSICIAN—SIGNATURE AND DEGREE OR TITLE | 28C. DATE SIGNED | 28D. PHYSICIAN'S LICENSE NUMBER

28E. TYPE PHYSICIAN'S NAME AND ADDRESS

INJURY INFORMATION

29. SPECIFY ACCIDENT, SUICIDE, ETC. | 30. PLACE OF INJURY | 31. INJURY AT WORK | 32A. DATE OF INJURY—MONTH, DAY, YEAR | 32B. HOUR

33. LOCATION (STREET AND NUMBER OR LOCATION AND CITY OR TOWN) | 34. DESCRIBE HOW INJURY OCCURRED (EVENTS WHICH RESULTED IN INJURY)

CORONER'S USE ONLY

35A. I CERTIFY THAT DEATH OCCURRED AT THE HOUR, DATE AND PLACE STATED FROM THE CAUSES STATED. AS REQUIRED BY LAW I HAVE HELD AN (INQUEST-INVESTIGATION) | 35B. CORONER—SIGNATURE AND DEGREE OR TITLE | 35C. DATE SIGNED

36. DISPOSITION | 37. DATE—MONTH, DAY, YEAR | 38. NAME AND ADDRESS OF CEMETERY OR CREMATORY | 39. EMBALMER'S LICENSE NUMBER AND SIGNATURE

40A. NAME OF FUNERAL DIRECTOR (OR PERSON ACTING AS SUCH) | 40B. LICENSE NO. | 41. LOCAL REGISTRAR—SIGNATURE | 42. DATE ACCEPTED BY LOCAL REGISTRAR

STATE REGISTRAR | A. | B. | C. | D. | E. | F.

VS-11 (1-65)

Figure 7—G
CERTIFICATE OF DEATH, 1968

Figure 7—H

STATISTICAL INFORMATION AVAILABLE
FOR DEATHS, 1988

VARIABLE	CERTIFICATE ITEM NUMBER
DECEDENT PERSONAL DATA	
Name of decedent (first, middle, last)	1A,B,C
Date of death (month, day, year)	2A
Sex	3
Race/ethnicity	4
Spanish/Hispanic origin	5
Date of birth	6
Age	7
Birthplace	8
Father's surname	9
Mother's maiden surname	10
Citizenship	11A
Military service	11B
Social security number	12
Marital status	13
Initials of surviving spouse	14
Occupation code	15
Years in occupation	16
USUAL RESIDENCE	
County of residence	19D
PLACE OF DEATH	
Type of facility	21A
County of occurrence	21B
MEDICAL AND HEALTH DATA	
Underlying cause of death	22C
Special medical indicator	22,23
Reported to coroner	24
Biopsy performed	25
Autopsy performed	26
Operation performed	27
Accident, suicide, or homicide	29
Place of injury	30
Work injury	31
Date of injury	32A
County where injury occurred	33
Type of certifier	28B,35B
Cause of death group code	22
Days between injury and death	2A,32A

VITAL STATISTICS REGISTRATION IN CALIFORNIA

RECORD	PERSONS RESPONSIBLE FOR COMPLETING RECORDS	PERSONS RESPONSIBLE FOR FILING RECORD WITH LOCAL REGISTRAR	LOCAL REGISTRARS—TRANSMIT RECORDS TO STATE
Certificate of Live Birth.	Attending physician or parent for unattended birth.	In hospital birth, the hospital administrator or designee. Out-of-hospital birth, the physician or other person in attendance. Unattended birth, the parent.	Directors of full-time approved local health departments in 47 of California's 58 counties; others appointed by State Registrar.
Certificate of Fetal Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu thereof.	Directors of full-time approved local health departments in 47 of California's 58 counties; others appointed by State Registrar.
Certificate of Death.	Funeral director and physician or coroner for medical certification.	Funeral director or person acting in lieu thereof.	Directors of full-time approved local health departments in 47 of California's 58 counties; others appointed by State Registrar.
Certificate of Registry of Marriage.	Persons applying for license and clerk of county issuing license.	Minister or other person performing marriage ceremony.	County recorder of county in which marriage license was issued.
Copy of the Final Dissolution of Marriage, of Legal Separation, and of Declaration of Nullity.	Attorney for party obtaining the final decree.	Attorney for party obtaining the final decree.	County clerk of county granting decree.

Source: *Statutory Provisions Relating to Vital Statistics*, 1978, State of California, Office of State Registrar, 410 N Street, Sacramento, CA 95814.

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
1-999	ALL CAUSES	M	216,185	4,256	862	560	653	1,786	2,773	3,486	4,168	6,778	6,961	9,230	14,993	19,661	28,891	31,342	35,092	38,466	28,104	23,339	14,677	5,709	1151	166
		F	112,426	2,603	458	295	294	1,233	2,000	2,907	3,221	3,801	3,392	3,282	4,397	6,334	9,448	8,993	13,999	14,869	12,691	8,747	4,266	1,256	214	127
			103,747	1,653	404	265	359	553	773	579	947	1,271	1,569	1,966	2,596	4,127	6,393	8,093	11,092	13,397	15,213	14,592	10,411	4,373	937	37
1-139	TOTAL, INFECTIOUS AND PARASITIC DISEASES	M	4,462	117	85	26	13	21	105	190	727	826	627	424	326	255	243	223	271	256	238	191	67	27	9	3
		F	4,281	92	29	14	12	10	92	244	679	702	503	385	280	193	263	120	164	136	121	117	124	48	19	6
			1,171	80	26	10	1	11	13	84	68	46	46	39	46	62	69	98	107	120	117	74	65	19	6	3
1-9	INTESTINAL INFECTIOUS DISEASES	M	71	15	2	1	1	1	2	2	6	8	2	2	2	2	1	1	2	6	3	3	4	2	-	-
		F	37	10	2	1	-	1	2	2	4	2	2	1	1	1	1	1	2	4	2	3	3	2	-	-
			34	5	-	-	1	-	-	-	2	6	-	1	1	1	-	-	-	2	1	-	1	-	-	-
4	OTHER SALMONELLA INFECTIONS	M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.0	SALMONELLA GASTROENTERITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.1	SALMONELLA SEPTICAEMIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3.2	LOCALIZED SALMONELLA INFECTIONS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	SHIGELLOSIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	AMOEBIASIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6.3	AMOEBIC LIVER ABSCESS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	OTHER PROTOZOAL INTESTINAL DISEASES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7.3	COCCIDIOSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	INTESTINAL INFECTIONS DUE TO OTHER ORGANISMS	M	27	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			13	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.6	OTHER SPECIFIED BACTERIA	M	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.8	ENTERITIS DUE TO SPECIFIED VIRUS	M	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8.9	OTHER ORGANISM, NOT ELSEWHERE CLASSIFIED	M	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	ILL-DEFINED INTESTINAL INFECTIONS	M	35	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			20	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9.0	INFECTIOUS COLITIS, ENTERITIS AND GASTROENTERITIS	M	34	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			19	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9.2	INFECTIOUS DIARRHOEA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18	TUBERCULOSIS	M	238	3	-	-	-	-	-	-	10	11	22	27	22	22	33	17	23	18	24	8	12	1	-	-
		F	141	2	-	-	-	-	-	-	5	2	12	17	13	10	13	10	15	12	12	10	8	1	-	-
			94	2	-	-	-	-	-	-	5	9	10	10	9	12	20	7	8	6	12	2	4	-	-	-
11	PULMONARY TUBERCULOSIS	M	176	2	-	-	-	-	-	-	8	8	12	17	14	16	24	13	19	16	20	9	9	1	-	-
		F	111	2	-	-	-	-	-	-	5	2	6	7	6	6	8	6	6	8	10	5	3	1	-	-
			65	-	-	-	-	-	-	-	3	6	6	10	8	10	16	7	13	8	10	4	6	-	-	-
11.2	TUBERCULOSIS OF LUNG WITH CAVITATION	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11.3	TUBERCULOSIS OF BRONCHUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11.4	TUBERCULOUS FIBROSIS OF LUNG	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11.5	TUBERCULOUS BRONCHIECTASIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11.6	TUBERCULOUS PNEUMONIA (ANY FORM)	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11.9	UNSPECIFIED	M	120	-	-	-	-	-	-	-	2	7	10	10	8	12	20	10	19	16	20	9	9	1	-	-
		F	76	-	-	-	-	-	-	-	2	2	6	7	6	6	8	6	6	8	10	5	3	1	-	-
			44	-	-	-	-	-	-	-	2	5	4	3	2	6	12	4	13	8	10	4	6	-	-	-
12	OTHER RESPIRATORY TUBERCULOSIS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12.0	TUBERCULOUS PLEURISY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12.9	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	M	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13.0	TUBERCULOUS MENINGITIS	M	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13.9	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	TUBERCULOSIS OF BONES AND JOINTS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15.0	VERTEBRAL COLUMN	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15.1	KNEE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	TUBERCULOSIS OF OTHER ORGANS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17.0	SKIN AND SUBCUTANEOUS CELLULAR TISSUE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
154.3	ANUS, UNSPECIFIED	M	35	-	-	-	-	-	-	-	1	1	-	4	1	5	6	3	7	4	4	1	1	-	-	-
		F	18	-	-	-	-	-	-	-	1	1	-	2	1	-	4	4	4	2	4	1	1	-	-	-
154.8	OTHER	M	17	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	2	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS	M	911	-	2	1	2	8	11	9	18	18	28	38	55	79	107	144	143	126	91	47	21	3	1	-
		F	820	-	2	1	1	8	11	6	10	14	18	25	40	61	76	102	84	67	50	23	8	3	1	-
155.0	LIVER, PRIMARY	M	804	-	2	1	2	8	11	9	18	18	28	38	55	78	107	143	142	126	91	47	21	3	1	-
		F	570	-	2	1	1	8	11	6	10	14	18	25	40	61	76	102	84	67	50	23	8	3	1	-
155.1	INTRAHEPATIC BILE DUCTS	M	134	-	-	-	-	-	-	-	-	4	10	13	15	17	31	42	57	59	41	24	13	-	-	-
		F	120	-	-	-	-	-	-	-	-	3	4	12	24	17	31	40	57	59	36	21	13	-	-	-
155.2	LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY	M	66	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	1	-	-	-	-
		F	62	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	1	-	-	-	-
156	MALIGNANT NEOPLASM OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	M	270	-	-	-	-	-	-	1	1	3	3	11	11	15	32	32	34	25	18	4	1	-	-	-
		F	264	-	-	-	-	-	-	-	1	2	3	11	11	19	32	32	37	37	25	15	3	1	-	-	-
156.0	GALLBLADDER	M	128	-	-	-	-	-	-	-	-	1	1	5	6	9	14	14	17	12	7	3	1	-	-	-
		F	136	-	-	-	-	-	-	-	1	1	2	6	6	14	20	18	17	15	10	6	1	-	-	-
156.1	EXTRAHEPATIC BILE DUCTS	M	82	-	-	-	-	-	-	1	1	2	2	6	5	6	18	18	17	13	11	3	1	-	-	-
		F	130	-	-	-	-	-	-	-	-	2	1	6	13	5	12	21	21	12	10	6	2	-	1	-
156.2	AMPULLA OF VATER	M	103	-	-	-	-	-	-	-	1	1	1	2	4	4	6	7	8	8	6	2	1	-	-	-
		F	42	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	2	2	1	-	-	-	-
156.9	BILIARY TRACT, PART UNSPECIFIED	M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
157	MALIGNANT NEOPLASM OF PANCREAS	M	2,500	-	-	-	-	2	2	8	16	26	53	104	190	285	386	432	390	209	163	81	14	1	-	-
		F	2,232	-	-	-	-	2	2	8	16	26	53	104	190	285	386	432	390	209	163	81	14	1	-	-
		F	1,268	-	-	-	-	2	2	8	10	14	27	59	111	165	217	219	176	114	60	28	5	-	-	-
157.0	HEAD OF PANCREAS	M	49	-	-	-	-	-	-	2	6	12	19	47	83	120	169	221	214	177	103	55	9	1	-	-
		F	45	-	-	-	-	-	-	-	-	1	1	3	5	6	8	6	4	3	3	3	1	-	-	-
157.1	BODY OF PANCREAS	M	24	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	4	3	2	1	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	1	-	-	-	-
157.2	TAIL OF PANCREAS	M	23	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	1	1	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	1	-	-	-	-
157.3	PANCREATIC DUCT	M	12	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-	-
157.4	ISLETS OF LANGERHANS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157.9	PART UNSPECIFIED	M	2,423	-	-	-	-	2	2	8	14	26	53	104	190	285	386	432	390	209	163	81	14	1	-	-
		F	1,995	-	-	-	-	2	2	8	16	26	53	104	190	285	386	432	390	209	163	81	14	1	-	-
		F	1,230	-	-	-	-	2	2	8	10	14	27	59	111	165	217	219	176	114	60	28	5	-	-	-
158	MALIGNANT NEOPLASM OF RETROPERITONEUM AND PERITONEUM	M	43	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	4	3	2	1	-	-	-	-
		F	30	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	1	-	-	-	-
158.9	RETROPERITONEUM	M	23	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	2	1	1	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	1	-	-	-	-
158.8	SPECIFIED PARTS OF PERITONEUM	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158.9	PERITONEUM, UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM	M	122	-	-	-	-	-	-	-	-	1	1	2	4	6	6	15	14	28	14	6	1	-	-	-
		F	146	-	-	-	-	-	-	-	-	1	1	2	4	6	6	12	10	15	13	6	3	-	-	-
159.0	INTESTINAL TRACT, PART UNSPECIFIED	M	91	-	-	-	-	-	-	-	-	1	1	2	4	6	6	12	10	21	9	6	1	-	-	-
		F	109	-	-	-	-	-	-	-	-	1	1	2	4	6	6	10	6	12	10	5	3	-	-	-
159.1	SPLEEN, NOT ELSEWHERE CLASSIFIED	M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-	-	-	-
		F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-
159.9	ILL-DEFINED	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-
160-165	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	M	13,317	-	1	1	2	8	24	65	176	410	717	1,283	1,927	2,453	2,731	2,731	1,877	1,230	518	177	31	4	4	-
		M	8,149	-	1	1	2	8	9	37	113	228	456	774	1,278	1,673	1,921	1,921	1,176	769	309	92	15	4	4	-
		F	5,168	-	-	-	-	-	15	28	63	182	261	504	649	780	810	810	701	461	209	85	16	-	-	-
160	MALIGNANT NEOPLASM OF NASAL CAVITIES, MIDDLE EAR AND ACCESSORY SINUSES	M	51	-	-	-	-	-	-	-	-	1	1	2	2	3	4	4	4	3	2	1	-	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	1	-	-	-	-
160.0	NASAL CAVITIES	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.1	AUDITORY TUBE, MIDDLE EAR AND MASTOID AIR CELLS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.2	MAXILLARY SINUS	M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.3	ETHMOIDAL SINUS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.4	FRONTAL SINUS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.5	SPHENOIDAL SINUS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160.9	ACCESSORY SINUS, UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	MALIGNANT NEOPLASM OF LARYNX	M	333	-	-	-	-	-	-	1	2	5	9	27	44	53	66	49	60	45	24	14	7	1	-	-
		F	80	-	-	-	-	-	-	-	-	1	1	3	5	7	7	8	5	3	4	2	-	-	-	-
161.0	GLOTTIS	M	252	-	-	-	-	-	-	1	2	5	9	27	44	53	66	49	58	36	20	13	7	1	-	-
		F	71	-	-	-	-	-	-	-	-	1	1	3	5	7	7	8	5	3	4	2	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
238.0	BONE AND ARTICULAR CARTILAGE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.1	CONNECTIVE AND OTHER SOFT TISSUE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.4	POLYCYTHAEMIA VERA	M	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.6	PLASMA CELLS	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.7	OTHER LYMPHATIC AND HAEMATOPOIETIC TISSUES	M	73	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238.8	OTHER SPECIFIED SITES	M	39	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
238.9	SITE UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239	NEOPLASM OF UNSPECIFIED NATURE	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	325	4	2	2	2	8	4	6	8	17	8	6	6	12	29	31	34	32	48	43	17	4	-	-
		F	147	4	2	2	2	8	4	6	8	9	8	5	6	6	16	15	22	17	46	28	13	3	-	-
239.0	DIGESTIVE SYSTEM	M	178	-	-	-	-	-	-	-	-	8	-	1	-	6	13	16	12	15	32	15	4	1	-	-
		F	53	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	4	8	4	1	-	-
239.1	RESPIRATORY SYSTEM	M	103	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	2	2	1	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-
239.2	BONE, SOFT TISSUE AND SKIN	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
239.4	BLADDER	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.5	OTHER GENITOURINARY ORGANS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.6	BRAIN	M	206	3	2	2	2	5	8	11	15	13	6	6	7	10	23	22	30	18	27	20	7	2	-	-
		F	98	3	2	2	2	4	6	7	5	6	3	3	3	5	12	11	11	9	16	11	6	2	-	-
239.7	ENDOCRINE GLANDS, AND OTHER PARTS OF NERVOUS SYSTEM	M	108	-	-	-	-	1	2	4	3	7	3	3	4	5	11	11	19	9	11	9	1	-	-	-
		F	14	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	3	1	1	-	-	-
239.8	OTHER SPECIFIED SITES	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
239.9	SITE UNSPECIFIED	M	21	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	2	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
240-279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4,316	44	21	10	8	15	33	32	65	124	112	122	175	228	416	516	594	634	569	464	234	69	7	1
		F	1,950	24	12	2	2	7	19	26	45	74	74	46	85	115	200	233	256	234	332	156	36	21	1	-
			2,366	20	9	8	6	8	14	6	20	50	38	76	90	113	216	283	338	400	337	306	178	48	6	1
240-246	DISORDERS OF THYROID GLAND	M	51	1	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	5	8	8	12	1	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
240	SIMPLE AND UNSPECIFIED GOITRE	M	44	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	7	7	11	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
240.9	GOITRE, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
242	THYROTOXICOSIS WITH OR WITHOUT GOITRE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
242.9	THYROTOXICOSIS WITHOUT MENTION OF GOITRE OR OTHER CAUSE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
243	CONGENITAL HYPOTHYROIDISM	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
244	ACQUIRED HYPOTHYROIDISM	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
244.9	UNSPECIFIED HYPOTHYROIDISM	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
245	THYROIDITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
245.2	CHRONIC LYMPHOCYTIC THYROIDITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246	OTHER DISORDERS OF THYROID	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
246.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250-259	DISEASES OF OTHER ENDOCRINE GLANDS	M	3,477	9	5	3	4	4	13	25	43	78	76	69	133	188	348	435	502	540	445	341	147	38	3	1
		F	1,476	6	4	1	2	4	8	20	37	45	51	46	62	91	163	192	217	200	179	120	36	9	2	-
			2,001	3	1	2	2	-	5	5	6	33	25	23	71	97	185	243	285	340	266	221	111	29	1	1
250	DIABETES MELLITUS	M	2,416	1	1	1	1	2	12	15	24	44	73	86	131	170	347	431	496	536	439	337	145	57	3	1
		F	1,445	1	1	1	1	2	6	11	15	26	44	44	60	88	163	189	213	199	175	120	36	9	1	-
			971	-	-	-	-	-	6	4	9	18	29	42	71	82	184	242	283	337	264	217	109	28	2	1
250.0	DIABETES MELLITUS WITHOUT MENTION OF COMPLICATION	M	1,321	-	-	-	-	-	4	3	7	10	18	29	55	117	243	342	362	375	324	249	99	29	1	1
		F	673	-	-	-	-	-	2	1	2	3	11	13	30	59	118	129	133	134	132	94	26	7	1	-
250.1	DIABETES WITH KETOACIDOSIS	M	1,346	1	1	1	1	2	8	12	17	34	55	57	76	70	123	163	209	241	192	155	73	22	1	-
		F	806	1	1	1	1	2	4	10	13	23	33	29	45	43	58	80	129	134	132	94	26	7	1	-
			94	-	-	-	-	-	-	-	-	1	1	1	2	3	11	14	16	19	16	16	4	1	-	-	-
250.2	DIABETES WITH COMA	M	118	-	-	-	-	-	-	-	-	-	1	1	2	3	7	11	11	15	12	13	2	-	-	-
		F	124	-	-	-	-	-	-	-	-	-	-	-	-	4	6	7	14	15	20	13	3	-	-	-
			41	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	8	6	2	1	-	-	-
250.3	DIABETES WITH RENAL MANIFESTATIONS	M	811	-	-	-	-	-	-	1	1	2	3	4	3	10	20	30	49	52	32	20	2	-	-	-
		F	360	-	-	-	-	-	-	1	1	2	2	1	2	4	7	12	19	22	12	8	1	-	-	-
			164	-	-	-	-	-	-	-	-	-	1	3	1	6	13	18	30	30	20	12	-	-	-	-	-
250.4	DIABETES WITH OPHTHALMIC MANIFESTATIONS	M	196	-	-	-	-	-	-	-	-	-	-	1	1	4	6	11	14	19	14	12	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA: 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
330	CEREBRAL DEGENERATIONS USUALLY MANIFEST IN CHILDHOOD	M	21	1	6	3	2	1	1				1													
		F	14																							
330.0	LEUCODYSTROPHY	M	7																							
		F	6																							
330.1	CEREBRAL LIPIDOSES	M	9																							
		F	5																							
330.8	OTHER CEREBRAL DEGENERATIONS IN CHILDHOOD	M	4																							
		F	3																							
330.9	UNSPECIFIED	M	1																							
		F	2																							
331	OTHER CEREBRAL DEGENERATIONS	M	1,880	4												7	27	44	110	253	301	300	134	34	9	1
		F	310														27	37	57	133	130	97	31	5		
			770														27	37	53	120	170	203	105	29	8	1
331.0	ALZHEIMER'S DISEASE	M	1,163														32	69	95	132	264	279	125	31	6	
		F	446														18	37	44	121	141	188	98	47	7	
			715																							
331.1	PICK'S DISEASE	M	3																						1	
331.2	SENILE DEGENERATION OF BRAIN	M	7																						1	
		F																								
331.4	OBSTRUCTIVE HYDROCEPHALUS	M	35																10	13						
		F	25																6	4						
331.8	OTHER CEREBRAL DEGENERATION	M	5																			11	10	2		
		F	3																			3	7	2		
331.9	UNSPECIFIED	M	5																	5	8	12	3	2		
		F	2																	4	4	7	2			
332	PARKINSON'S DISEASE	M	67																9	17	17	12	3	1		
		F	381																32	104	102	121	38	14		
			304																41	68	70	69	25	5		
332.0	PARALYSIS AGITANS	M	677																32	121	172	132	38	14		
		F	391																41	104	102	90	25	5		
			806																73	225	272	222	63	19		
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS	M	44													1										
		F	28																							
			50													1										
333.0	OTHER DEGENERATIVE DISEASES OF THE BASAL GANGLIA	M	20																							
		F	9																							
			11																							
333.2	MYOCLONUS	M	1																							
		F	1																							
333.4	HUNTINGTON'S CHOREA	M	387																							
		F	217																							
333.5	OTHER CHOREAS	M	2																							
		F	2																							
333.6	IDIOPATHIC TORSION DYSTONIA	M	1																							
		F	1																							
333.9	OTHER AND UNSPECIFIED	M	1																							
		F	1																							
334	SPINOCEREBELLAR DISEASE	M	38																							
		F	20																							
			12																							
334.0	FRIEDREICH'S ATAXIA	M	5																							
		F	3																							
334.1	HEREDITARY SPASTIC PARAPLEGIA	M	3																							
		F	2																							
334.3	OTHER CEREBELLAR ATAXIA	M	4																							
		F	3																							
334.8	OTHER	M	8																							
		F	6																							
334.9	UNSPECIFIED	M	18																							
		F	10																							
335	ANTERIOR HORN CELL DISEASE	M	400	14													1									
		F	227																							
			173	12																						
335.0	WERDNIG-HOFFMANN DISEASE	M	17																							
		F	8																							
335.1	SPINAL MUSCULAR ATROPHY	M	3																							
		F	3																							
335.2	MOTOR NEURONE DISEASE	M	370														1						15			
		F	117																							
			142																							
335.9	UNSPECIFIED	M	11																							
		F	1																							
336	OTHER DISEASES OF SPINAL CORD	M	10																							
		F	6																							
336.0	SYRINGOMYELIA AND SYRINGOBULBIA	M	4																							
		F	3																							
336.1	VASCULAR MYELOPATHIES	M	1																							
		F	1																							
336.8	OTHER MYELOPATHY	M	1																							
		F	1																							
336.9	UNSPECIFIED DISEASES OF SPINAL CORD	M	4																							
		F	1																							
337	DISORDERS OF THE AUTONOMIC NERVOUS SYSTEM	M	38																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
441.3	ABDOMINAL ANEURYSM, RUPTURED	M	680	-	-	-	-	-	-	-	-	3	7	13	26	52	80	98	135	155	109	64	38	7	-	-
		F	310	-	-	-	-	-	-	-	-	-	3	6	6	20	40	64	100	125	81	45	17	4	-	-
441.4	ABDOMINAL ANEURYSM, WITHOUT MENTION OF RUPTURE	M	130	-	-	-	-	-	-	-	-	-	1	2	4	6	17	14	27	27	17	10	8	1	-	-
		F	137	-	-	-	-	-	-	-	-	-	-	1	2	3	6	11	27	34	15	9	2	1	-	-
441.5	AORTIC ANEURYSM OF UNSPECIFIED SITE, RUPTURED	M	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	250	-	-	-	-	-	-	-	-	-	1	2	5	9	17	35	67	40	22	15	3	-	-	-
441.6	AORTIC ANEURYSM OF UNSPECIFIED SITE, WITHOUT MENTION OF RUPTURE	M	194	-	-	-	-	-	-	-	-	-	1	1	3	5	15	37	67	40	22	15	3	-	-	-
		F	74	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	11	10	15	6	4	1	-	-
442	OTHER ANEURYSM	M	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
442.1	OF RENAL ARTERY	M	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
442.2	OF ILIAC ARTERY	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
442.3	OF ARTERY OF LOWER EXTREMITY	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
442.8	OF OTHER SPECIFIED ARTERY	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
442.9	OF UNSPECIFIED SITE	M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
443	OTHER PERIPHERAL VASCULAR DISEASE	M	270	-	-	-	-	-	-	-	-	-	1	2	4	6	10	20	30	27	22	4	2	-	-	-
		F	137	-	-	-	-	-	-	-	-	-	-	1	2	3	10	15	30	27	22	4	2	-	-	-
443.1	THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)	M	133	-	-	-	-	-	-	-	-	-	1	1	2	3	-	5	-	-	-	-	-	-	-	-
443.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	269	-	-	-	-	-	-	-	-	-	1	2	4	6	10	20	30	27	22	4	2	-	-	-
444	ARTERIAL EMBOLISM AND THROMBOSIS	M	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444.0	OF ABDOMINAL AORTA	M	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444.1	OF OTHER AORTA	M	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444.2	OF ARTERIES OF THE EXTREMITIES	M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444.8	OF OTHER SPECIFIED ARTERY	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444.9	OF UNSPECIFIED ARTERY	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.0	POLYARTERITIS NODOSA	M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.1	ACUTE FEBRILE MUCOCUTANEOUS LYMPHNODE SYNDROME (MCLS)	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.2	HYPERSENSITIVITY ANGIITIS	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.4	WEGENER'S GRANULOMATOSIS	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.5	GIANT CELL ARTERITIS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
446.6	THROMBOTIC MICROANGIOPATHY	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES	M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
447.1	STRICTURE OF ARTERY	M	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447.2	RUPTURE OF ARTERY	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447.6	ARTERITIS, UNSPECIFIED	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447.8	OTHER	M	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
447.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
448	DISEASES OF CAPILLARIES	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
448.0	HEREDITARY HAEMORRHAGIC TELANGIECTASIA	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
448.9	OTHER AND UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM	M	440	10	-	-	-	-	-	-	-	-	1	1	2	3	16	16	26	32	46	46	26	4	1	-
		F	319	7	-	-	-	-	-	-	-	-	-	-	1	2	6	12	17	32	44	37	10	4	1	-
			841	7	-	-	-	-	-	-	-	-	1	1	3	5	22	28	43	64	90	83	36	8	2	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
551.2	VENTRAL (INCISIONAL), WITH GANGRENE	M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
551.3	DIAPHRAGMATIC, WITH GANGRENE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
551.8	OF OTHER SPECIFIED SITES, WITH GANGRENE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
551.9	OF UNSPECIFIED SITE, WITH GANGRENE	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE	M	43	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	6	6	6	3	-	-	-
		F	115	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	6	6	6	6	3	-	-	-
552.0	FEMORAL, WITH OBSTRUCTION	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
552.1	UMBILICAL, WITH OBSTRUCTION	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
552.2	VENTRAL (INCISIONAL), WITH OBSTRUCTION	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
552.3	DIAPHRAGMATIC, WITH OBSTRUCTION	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
552.8	OF OTHER SPECIFIED SITES, WITH OBSTRUCTION	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
552.9	OF UNSPECIFIED SITE, WITH OBSTRUCTION	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	M	50	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
		F	110	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
553.1	UMBILICAL	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.2	VENTRAL (INCISIONAL)	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
553.3	DIAPHRAGMATIC	M	45	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
		F	101	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
553.9	OF UNSPECIFIED SITE	M	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
555-556	NONINFECTIVE ENTERITIS AND COLITIS	M	873	6	4	1	1	2	2	3	6	12	9	15	18	22	36	60	121	135	157	107	68	20	2	-
		F	1,235	6	4	1	1	2	2	3	6	10	10	10	16	22	36	60	121	135	157	107	68	20	2	-
555	REGIONAL ENTERITIS	M	548	-	1	1	1	2	2	3	6	12	9	15	18	22	36	60	121	135	157	107	68	20	2	-
		F	1,235	6	4	1	1	2	2	3	6	10	10	10	16	22	36	60	121	135	157	107	68	20	2	-
555.0	SMALL INTESTINE	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
555.1	LARGE INTESTINE	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
555.9	UNSPECIFIED SITE	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
556	IDIOPATHIC PROCTOCOLITIS	M	325	-	-	-	-	-	-	-	-	-	-	11	18	22	36	60	110	134	146	89	29	23	2	-
		F	473	-	-	-	-	-	-	-	-	-	-	11	18	22	36	60	110	134	146	89	29	23	2	-
557	VASCULAR INSUFFICIENCY OF INTESTINE	M	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	473	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
557.0	ACUTE	M	488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
557.1	CHRONIC	M	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
557.9	UNSPECIFIED	M	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	M	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM	M	1,024	46	33	10	6	5	10	7	10	10	22	28	28	28	41	53	103	153	147	133	92	34	6	-
		F	401	46	33	10	6	5	10	7	10	10	22	28	28	28	41	53	103	153	147	133	92	34	6	-
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	M	623	36	25	7	4	3	6	5	8	8	16	17	17	17	25	32	62	88	115	104	73	26	6	-
		F	364	36	25	7	4	3	6	5	8	8	16	17	17	17	25	32	62	88	115	104	73	26	6	-
560.0	INTUSSUSCEPTION	M	143	10	8	3	2	2	4	2	2	2	6	11	11	11	16	21	40	65	68	44	40	16	3	-
		F	241	10	8	3	2	2	4	2	2	2	6	11	11	11	16	21	40	65	68	44	33	15	3	-
560.1	PARALYTIC ILEUS	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560.2	VOLVULUS	M	112	6	5	1	-	-	-	-	1	-	1	1	1	1	2	2	3	5	3	3	1	-	-	-
		F	80	6	5	1	-	-	-	-	1	-	1	1	1	1	2	2	3	5	3	3	1	-	-	-
560.3	IMPACTION OF INTESTINE	M	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
560.8	OTHER INTESTINAL OBSTRUCTION	M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560.9	UNSPECIFIED INTESTINAL OBSTRUCTION	M	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
562	DIVERTICULA OF INTESTINE	M	206	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-
		F	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	350	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	219	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
693	ERYTHEMATOUS CONDITIONS	M	15	-	1	1	-	-	-	-	1	-	1	-	1	-	-	1	4	4	1	2	-	-	-	-
		F	7	-	1	1	-	-	-	-	1	-	1	-	1	-	-	1	2	2	1	1	-	-	-	-
693.1	ERYTHEMA MULTIFORME	M	11	-	1	1	-	-	-	-	1	-	1	-	1	-	-	1	2	2	1	1	-	-	-	-
		F	8	-	1	1	-	-	-	-	1	-	1	-	1	-	-	1	1	1	1	1	-	-	-	-
693.8	OTHER ERYTHEMATOSUS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
693.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
696	PSORIASIS AND SIMILAR DISORDERS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
696.1	OTHER PSORIASIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	M	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	14	18	24	20	9	-	-
		F	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	6	8	9	4	3	-	-
707	CHRONIC ULCER OF SKIN	M	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	14	10	15	16	6	-	-
		F	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	6	8	9	4	3	-	-
707.0	DECUBITUS ULCER	M	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	14	10	15	16	6	-	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	6	8	9	4	3	-	-
707.1	ULCER OF LOWER LIMBS, EXCEPT DECUBITUS	M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	6	2	2	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	-	-
707.8	CHRONIC ULCER OF OTHER SPECIFIED SITES	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
707.9	CHRONIC ULCER OF UNSPECIFIED SITE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	M	67	-	1	-	-	1	3	17	19	11	24	25	20	2	2	4	6	2	7	7	4	1	-	-
		F	187	-	1	1	1	2	6	13	15	10	21	22	19	6	6	7	9	5	7	7	4	1	-	-
710-719	ARTHROPATHIES AND RELATED DISORDERS	M	49	-	1	-	-	1	3	12	16	9	20	22	19	2	2	4	6	2	7	7	4	1	-	-
		F	126	-	1	1	1	2	6	11	14	9	20	21	18	6	6	7	9	5	7	7	4	1	-	-
710	DIFFUSE DISEASES OF CONNECTIVE TISSUE	M	46	-	-	-	-	-	2	6	9	5	11	11	8	1	1	2	3	1	2	1	-	-	-	-
		F	147	-	-	-	-	1	3	9	11	8	15	16	14	5	5	5	6	4	5	4	3	1	-	-
710.0	SYSTEMIC LUPUS ERYTHEMATOSUS	M	23	-	-	-	-	-	1	3	4	2	5	5	3	-	-	1	1	-	1	-	-	-	-	-
		F	115	-	-	-	-	1	3	8	10	7	13	14	12	4	4	4	5	3	4	3	2	1	-	-
710.1	SYSTEMIC SCLEROSIS	M	21	-	-	-	-	-	1	2	4	3	5	5	4	1	1	1	2	1	1	1	-	-	-	-
		F	26	-	-	-	-	-	-	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	-	-
710.2	SICCA SYNDROME	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
710.3	DERMATOMYOSITIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
710.4	POLYMYOSITIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
710.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
711.0	PYOGENIC ARTHRITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-
714.0	RHEUMATOID ARTHRITIS	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
		F	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-
714.1	FELTY'S SYNDROME	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
715	OSTEOARTHROSIS AND ALLIED DISORDERS	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
715.0	GENERALIZED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
715.3	LOCALIZED, NOT SPECIFIED WHETHER PRIMARY OR SECONDARY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
715.8	INVOLVING OR WITH MENTION OF MORE THAN ONE SITE BUT NOT SPECIFIED AS GENERALIZED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
715.9	UNSPECIFIED WHETHER GENERALIZED OR LOCALIZED	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
716	OTHER AND UNSPECIFIED ARTHROPATHIES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
716.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
720-724	DORSOPATHIES	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
720.0	ANKYLOSING SPONDYLITIS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	M	269	269																						1
		F	157	157																						
779.0	CONVULSIONS IN NEWBORN	M	112	112																						
		F	2	2																						
779.2	CEREBRAL DEPRESSION, COMA AND OTHER ABNORMAL CEREBRAL SIGNS	M	1	1																						
		F	1	1																						
779.6	TERMINATION OF PREGNANCY (FETUS)	M	1	1																						
		F	1	1																						
779.8	OTHER	M	265	264																						1
		F	153	152																						1
			112	112																						
780-796	SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	M	81	9	3				4	4	11	11														
		F	44	8	3				2	4	2															
780-789	SYMPTOMS	M	35	9	3				2	4	2	10														
		F	76	8	3				4	4	11	1														
780	GENERAL SYMPTOMS AND SPECIAL SENSES	M	42	8	3				2	4	2	1														
		F	20	8	3																					
780.3	CONVULSIONS	M	8	8																						
		F	12	8	3																					
780.6	PYREXIA OF UNKNOWN ORIGIN	M	1	1																						
		F	1	1																						
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM	M	1,197	769	1				30	26	30	33	38	37	53	83	114	120	120	122	117	104	74	12	25	
		F	495	462					21	28	27	25	18	31	38	53	114	100	97	115	123	97	57	6	16	
785.5	SHOCK WITHOUT MENTION OF TRAUMA	M	302	307	1				9	18	12	8	20	6	15	30	60	20	23	7	6	7	17	6	9	
		F	80	82																						
785.6	ENLARGEMENT OF LYMPH NODES	M	737	725																						
		F	447	442																						
786	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS	M	290	283																						
		F	715	715																						
786.0	DYSPNOEA AND RESPIRATORY ABNORMALITIES	M	442	442																						
		F	863	863																						
786.3	HAEMOPTYSIS	M	1																							
		F	3																							
787	SYMPTOMS INVOLVING DIGESTIVE SYSTEM	M	1																							
787.6	INCONTINENCE OF FAECES	M	1																							
789	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS	M	1																							
		F	1																							
789.3	ASCITES	M	1																							
		F	1																							
789.9	OTHER	M	1																							
		F	1																							
790-796	NONSPECIFIC ABNORMAL FINDINGS	M	2																							
		F	1																							
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD	M	1																							
		F	1																							
790.3	EXCESSIVE BLOOD LEVEL OF ALCOHOL	M	1																							
		F	1																							
790.8	VIRAEMIA, UNSPECIFIED	M	1																							
		F	1																							
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	M	1,197	769	1				30	26	30	33	38	37	53	83	114	120	120	122	117	104	74	12	25	
		F	495	462					21	28	27	25	18	31	38	53	114	100	97	115	123	97	57	6	16	
797	SENILITY WITHOUT MENTION OF PSYCHOSIS	M	302	307	1				9	18	12	8	20	6	15	30	60	20	23	7	6	7	17	6	9	
		F	80	82																						
798	SUDDEN DEATH, CAUSE UNKNOWN	M	737	725																						
		F	447	442																						
798.0	SUDDEN INFANT DEATH SYNDROME	M	290	283																						
		F	715	715																						
798.1	INSTANTANEOUS DEATH	M	442	442																						
		F	863	863																						
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	M	1																							
		F	1																							
799.0	ASPHYXIA	M	455	44	6	2	1	8	30	15	24	22	13	17	28	33	20	20	22	16	13	12	8	1	23	
		F	246	20	6	1	1	2	9	13	15	3	5	6	10	20	20	7	10	8	5	5	7	1	16	
799.1	RESPIRATORY FAILURE	M	192	24	5	1		6	21	12	9	19	8	11	18	13	10	13	12	11	8	7	1	1	9	
		F	20																							
799.3	DEBILITY, UNSPECIFIED	M	155																							
		F	7																							
799.4	CACHEXIA	M	1																							
		F	1																							
799.9	OTHER UNKNOWN AND UNSPECIFIED CAUSE	M	414	44	6	2	1	8	29	14	24	20	13	16	20	13	10	13	10	11	8	7	1	1	23	
		F	232	20	6	1	1	2	9	13	15	3	5	6	10	20	20	6	9	8	5	5	7	1	16	
800-999	INJURY AND POISONING (EXTERNAL CAUSE)	M	18,126	1,242	374	257	230	1,445	2,149	2,148	2,039	1,681	1,250	916	644	705	732	769	602	603	368	402	216	52	8	24
		F	13,364	720	204	189	108	1,134	1,784	1,211	1,471	1,331	851	459	303	441	515	446	414	386	210	205	115	35	4	14
800-807	RAILWAY ACCIDENTS	M	4,778	63	170	98	65	341	437	364	330	199	99	57	31	21	21	37	24	16	10	5	3	1		1
		F	61					4	10	4	3	2	2	2	1	2	1	1	1	1	1	1				
804	FALL IN, ON, OR FROM RAILWAY TRAIN	M	41					1	3	2	2	2	1	1	1	1	1	1	1	1	1	1				

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1948
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
891	CONFLAGRATION IN OTHER AND UNSPECIFIED BUILDING OR STRUCTURE	M	17		1				3	1	1	1	1													
		F	16		1	1		2										2								
891.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION	M	1																							
891.2	BURNING CAUSED BY CONFLAGRATION	M	11					2	2	1		1	1					1								
		F	6		1											1										
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE	M	5								1															
		F	16		1			1	2	1		1						1								
893	ACCIDENT CAUSED BY IGNITION OF CLOTHING	M	13					1	1	1		1														
		F	4		1																					
893.0	FROM CONTROLLED FIRE IN PRIVATE DWELLING	M	17						1				1					1								
		F	8																							
893.1	FROM CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE	M	3																							
		F	2																							
893.8	FROM OTHER SOURCES	M	6																							
		F	5																							
893.9	UNSPECIFIED	M	8						1				1					1								
		F	1																							
894	IGNITION OF HIGHLY INFLAMMABLE MATERIAL	M	10						2	1																
		F	5																							
895	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING	M	2																							
897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE	M	1																							
898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRE AND FLAMES	M	22		1	2		1				1														
		F	16						1									2								
898.0	BURNING BEDCLOTHES	M	3																							
		F	2																							
898.1	OTHER	M	19		1	2		1				1														
		F	3																							
899	ACCIDENT CAUSED BY UNSPECIFIED FIRE	M	8																							
		F	2																							
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	M	105	6	2	2	1	2	4	5	6	4	10	6	11	10	11	9	7	1	3					
		F	33	2	1				1	1	1	1		1	1	1	1	2	1							
900	EXCESSIVE HEAT	M	1																							
		F	1																							
900.0	DUE TO WEATHER CONDITIONS	M	1																							
		F	1																							
900.1	OF MANMADE ORIGIN	M	1																							
		F	1																							
900.9	OF UNSPECIFIED ORIGIN	M	14																							
		F	1																							
901	EXCESSIVE COLD	M	28																							
		F	10																							
901.0	DUE TO WEATHER CONDITIONS	M	28																							
		F	10																							
901.1	OF MANMADE ORIGIN	M	1																							
		F	1																							
901.8	OTHER	M	1																							
		F	1																							
901.9	OF UNSPECIFIED ORIGIN	M	1																							
		F	1																							
902	HIGH AND LOW AIR PRESSURE AND CHANGES IN AIR PRESSURE	M	1																							
902.2	DUE TO DIVING	M	1																							
904	HUNGER, THIRST, EXPOSURE, NEGLECT	M	10																							
		F	5																							
904.0	ABANDONMENT OR NEGLECT OF INFANTS AND HELPLESS PERSONS	M	1																							
		F	1																							
904.1	LACK OF FOOD	M	1																							
		F	1																							
904.3	EXPOSURE (TO WEATHER CONDITIONS) NOT ELSEWHERE CLASSIFIABLE	M	8																							
		F	3																							
905	VENOMOUS ANIMALS AND PLANTS AS THE CAUSE OF POISONING AND TOXIC REACTIONS	M	2																							
905.1	VENOMOUS SPIDERS	M	1																							
905.3	HORNETS, WASPS AND BEES	M	1																							
906	OTHER INJURY CAUSED BY ANIMALS	M	1																							
		F	1																							
906.6	OTHER SPECIFIED INJURY CAUSED BY ANIMAL	M	1																							
		F	1																							
908	CATACLYSMIC STORMS, AND FLOODS RESULTING FROM STORMS	M	1																							
		F	1																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1956
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
17.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	MILIARY TUBERCULOSIS	M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-27	ZOONOTIC BACTERIAL DISEASES	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	BRUCELLOSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	OTHER ZOONOTIC BACTERIAL DISEASES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27.9	LISTERIOSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-41	OTHER BACTERIAL DISEASES	M	1,007	39	36	9	4	8	17	17	21	22	28	27	20	46	60	65	114	120	140	127	60	20	8	2
		F	477	19	10	5	2	6	6	8	14	12	8	10	8	20	70	55	48	60	70	65	17	14	6	1
		U	530	20	26	4	2	2	11	9	7	10	20	17	12	26	60	60	66	60	70	62	43	6	2	1
31	DISEASES DUE TO OTHER MYCOBACTERIA	M	37	2	1	-	-	-	1	1	1	1	1	2	1	2	4	3	3	2	3	1	1	-	-	-
		F	22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
31.0	PULMONARY	M	14	-	-	-	-	-	1	1	1	1	1	2	1	2	4	3	3	2	3	1	1	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
31.9	UNSPECIFIED	M	23	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	WHOOPING COUGH	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33.0	BORDETELLA PERTUSSIS (B. PERTUSSIS)	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33.9	WHOOPING COUGH, UNSPECIFIED ORGANISM	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	STREPTOCOCCAL SORE THROAT AND SCARLATINA	M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34.0	STREPTOCOCCAL SORE THROAT	M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	MENINGOCOCCAL INFECTION	M	69	1	25	3	1	2	3	3	3	2	3	2	2	2	2	2	2	1	1	-	-	-	-	-
		F	35	-	17	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
36.0	MENINGOCOCCAL MENINGITIS	M	14	-	7	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.1	MENINGOCOCCAL ENCEPHALITIS	M	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.2	MENINGOCOCCAEMIA	M	39	-	17	2	1	1	2	2	2	2	3	2	2	2	2	2	2	1	1	-	-	-	-	-
		F	20	-	10	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
36.3	WATERHOUSE-FRIDERICHSEN SYNDROME, MENINGOCOCCAL	M	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36.9	UNSPECIFIED	M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	TETANUS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	SEPTICAEMIA	M	861	22	10	5	3	5	12	12	19	19	28	27	19	46	60	65	89	121	137	121	58	20	7	2
		F	403	12	5	3	1	3	5	5	7	7	8	10	12	20	50	51	55	68	67	77	16	14	5	1
		U	458	10	5	2	2	2	7	7	12	12	20	17	7	26	10	14	34	53	70	44	42	6	2	1
38.0	STREPTOCOCCAL SEPTICAEMIA	M	31	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.1	STAPHYLOCOCCAL SEPTICAEMIA	M	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.2	PNEUMOCOCCAL SEPTICAEMIA	M	34	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.3	SEPTICAEMIA DUE TO ANAEROBES	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.4	SEPTICAEMIA DUE TO OTHER GRAM-NEGATIVE ORGANISMS	M	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.8	OTHER SPECIFIED SEPTICAEMIAS	M	44	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	38	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38.9	UNSPECIFIED SEPTICAEMIA	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	653	18	6	4	2	3	7	7	12	11	15	15	11	15	30	30	45	52	59	35	16	5	2	1
		F	304	7	4	2	1	2	4	4	6	6	6	5	10	7	17	21	37	40	39	46	12	5	2	1
		U	349	8	2	2	1	1	3	3	6	5	9	10	1	8	13	9	8	12	20	2	4	1	-	-
39	ACTINOMYCOTIC INFECTIONS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39.1	PULMONARY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39.9	OF UNSPECIFIED SITE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	OTHER BACTERIAL DISEASES	M	12	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40.0	GAS GANGRENE	M	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40.8	OTHER BACTERIAL DISEASES	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	M	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
161.1	SUPRAGLOTTIS	M	12	-	-	-	-	-	-	-	-	-	-	-	-	4	4	1	2	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-
161.2	SUBGLOTTIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161.3	LARYNGEAL CARTILAGES	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
161.9	LARYNX, UNSPECIFIED	M	322	-	-	-	-	-	-	-	-	-	7	7	20	41	42	61	65	40	24	15	7	1	-	-
		F	267	-	-	-	-	-	-	-	-	-	7	7	17	33	29	46	52	33	20	15	7	-	-	1
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS AND LUNG	M	12,928	-	1	1	2	3	6	22	59	166	398	689	1,224	1,960	2,374	2,220	1,814	1,192	496	169	29	4	14
		F	7,774	-	1	1	1	2	5	13	34	104	218	413	732	1,231	1,419	1,340	1,126	740	293	84	14	4	11
		F	5,054	-	-	-	1	1	1	9	25	62	180	276	492	729	955	871	688	452	203	85	15	4	3
162.0	TRACHEA	M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
162.2	MAIN BRONCHUS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162.3	UPPER LOBE, BRONCHUS OR LUNG	M	228	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	4	3	-	-	-	-	-	-
		F	125	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-
162.4	MIDDLE LOBE, BRONCHUS OR LUNG	M	103	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162.5	LOWER LOBE, BRONCHUS OR LUNG	M	97	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-
		F	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162.6	OTHER	M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162.9	BRONCHUS AND LUNG, UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12,473	-	1	1	2	3	6	22	58	161	391	667	1,180	1,911	2,305	2,182	1,770	1,166	486	164	29	4	14
		F	7,577	-	1	1	1	2	5	13	34	102	215	400	706	1,100	1,380	1,314	1,105	725	287	81	14	4	11
		F	4,896	-	-	-	1	1	1	9	24	59	176	267	474	711	923	838	665	441	199	83	15	4	3
163	MALIGNANT NEOPLASM OF PLEURA	M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163.9	PLEURA, UNSPECIFIED	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164	MALIGNANT NEOPLASM OF THYMUS, HEART AND MEDIASTINUM	M	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164.0	THYMUS	M	36	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164.1	HEART	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
164.9	MEDIASTINUM, PART UNSPECIFIED	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST	M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5,494	1	2	7	51	34	112	81	119	200	300	317	416	567	541	488	337	445	246	119	45	7	7	
		F	816	-	1	1	4	19	15	18	34	62	92	98	132	164	184	180	125	58	22	19	4	1	1	
		F	4,678	1	1	6	47	15	97	63	85	138	208	219	284	403	357	308	212	387	224	100	41	6	6	
170	MALIGNANT NEOPLASM OF BONE AND ARTICULAR CARTILAGE	M	90	-	-	-	-	1	2	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
		F	60	-	-	-	-	1	1	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
		F	38	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
170.0	BONES OF SKULL AND FACE	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.1	LOWER JAW BONE	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.2	VERTEBRAL COLUMN, EXCLUDING SACRUM AND COCCYX	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.3	RIBS, STERNUM AND CLAVICLE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.4	LONG BONES OF UPPER LIMB AND SCAPULA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.6	PELVIC BONES, SACRUM AND COCCYX	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.7	LOWER LIMB, LONG BONES	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170.9	SITE UNSPECIFIED	M	32	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	-	-	-	-	-	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	M	332	-	-	-	-	15	11	11	11	15	29	21	12	18	12	17	17	40	11	6	2	-	-	2
		F	173	-	-	-	-	4	3	3	3	4	8	6	6	4	5	3	7	4	4	2	1	-	-	1
		F	159	-	-	-	-	11	8	8	8	11	21	15	6	14	7	14	10	36	7	4	1	-	-	1
171.0	HEAD, FACE AND NECK	M	134	-	-	-	-	4	3	3	3	4	8	6	3	5	3	5	5	12	3	2	1	-	-	1
		F	67	-	-	-	-	3	2	2	2	3	6	4	2	4	2	4	3	11	2	1	1	-	-	1
		F	67	-	-	-	-	1	1	1	1	1	2	2	1	1	1	1	2	3	1	1	-	-	-	-
171.2	UPPER LIMB, INCLUDING SHOULDER	M	47	-	-	-	-	2	2	2	2	2	4	3	2	3	2	3	3	6	2	1	-	-	-	-
		F	24	-	-	-	-	1	1	1	1	1	2	2	1	2	1	2	2	3	1	-	-	-	-	-
		F	23	-	-	-	-	1	1	1	1	1	2	1	1	1	1	1	1	3	1	1	-	-	-	-
171.3	LOWER LIMB, INCLUDING HIP	M	28	-	-	-	-	1	1	1	1	1	2	2	1	2	1	2	2	4	1	1	-	-	-	-
		F	14	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	2	1	-	-	-	-	-
		F	14	-	-	-	-	1	1	1	1	1	2	1	1	1	1	1	1	2	1	1	-	-	-	-
171.4	THORAX	M	30	-	-	-	-	2	1	1	1	2	4	3	2	3	2	3	3	6	2	1	-	-	-	-
		F	14	-	-	-	-	1	1	1	1	1	2	2	1	2	1	2	2	3	1	-	-	-	-	-
		F	16	-	-	-	-	1	-	-	-	1	2	1	1	1	1	1	1	3	1	1	-	-	-	-
171.5	ABDOMEN	M	30	-	-	-	-	2	1	1	1	2	4	3	2	3	2	3	3	6	2	1	-	-	-	-
		F	14	-	-	-	-	1	1	1	1	1	2	2	1	2	1	2	2	3	1	-	-	-	-	-
		F	16	-	-	-	-	1	-	-	-	1	2	1	1	1	1	1	1	3	1	1	-	-	-	-
171.6	PELVIS	M	30	-	-	-	-	2	1	1	1	2	4	3	2	3	2	3	3	6	2	1	-	-	-	-
		F	14	-	-	-	-	1	1	1	1	1	2	2	1	2	1	2	2	3	1	-	-	-	-	-
		F	16	-	-	-	-	1	-	-	-	1	2	1	1	1	1	1	1	3	1	1	-	-	-	-
171.7	TRUNK, UNSPECIFIED	M	30	-	-	-	-	2	1	1	1	2	4	3	2	3	2	3	3	6	2	1	-	-	-	-
		F	14	-	-	-	-	1	1	1	1	1	2	2	1	2	1	2	2	3	1	-	-	-	-	-
		F	16	-	-	-	-	1	-	-	-	1	2	1	1	1	1	1	1	3	1	1	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
250.5	DIABETES WITH NEUROLOGICAL MANIFESTATIONS	M	19	-	-	-	-	-	-	-	-	1	2	1	2	1	3	4	2	3	-	1	1	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	2	1	2	1	-	3	4	3	1	-	1	-	-	-
250.6	DIABETES WITH PERIPHERAL CIRCULATORY DISORDERS	M	275	-	-	-	-	-	1	1	2	3	7	12	18	15	30	40	40	34	30	26	17	4	1	-
		F	217	-	-	-	-	-	-	-	1	1	2	4	6	15	18	26	40	54	44	28	13	4	1	-
250.7	DIABETES WITH OTHER SPECIFIED MANIFESTATIONS	M	138	-	-	-	-	-	-	-	-	1	2	3	5	7	8	15	20	17	15	10	6	1	-	-
		F	96	-	-	-	-	-	-	-	-	-	1	1	2	3	7	9	8	15	15	10	6	1	-	-
250.9	DIABETES WITH UNSPECIFIED COMPLICATIONS	M	37	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	4	2	2	1	-	-	-
		F	39	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	5	3	1	1	-	-	-
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251.0	HYPOGLYCAEMIC COMA	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251.1	OTHER HYPERINSULINISM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251.2	HYPOGLYCAEMIA, UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
251.5	ABNORMALITY OF SECRETION OF GASTRIN	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
252	DISORDERS OF PARATHYROID GLAND	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
252.0	HYPERPARATHYROIDISM	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.2	PANHYPOPITUITARISM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.5	DIABETES INSIPIDUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.6	OTHER DISORDERS OF NEUROHYPOPHYSIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.8	OTHER DISORDERS OF THE PITUITARY AND OTHER SYNDROMES OF DIENCEPHALOHYPOPHYSEAL ORIGIN	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
253.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
254	DISEASES OF THYMUS GLAND	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
254.8	PERSISTENT HYPERPLASIA OF THYMUS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255	DISORDERS OF ADRENAL GLANDS	M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.0	CUSHING'S SYNDROME	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.4	CORTICOADRENAL INSUFFICIENCY	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.6	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
255.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259	OTHER ENDOCRINE DISORDERS	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.2	CARCINOID SYNDROME	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.4	DWARFISM, NOT ELSEWHERE CLASSIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
259.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260-269	NUTRITIONAL DEFICIENCIES	M	121	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-
		F	140	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-
260	KWASHIORKOR	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
261	NUTRITIONAL MARASMUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
263	OTHER AND UNSPECIFIED PROTEIN-CALORIE MALNUTRITION	M	121	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-
		F	138	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-
263.9	UNSPECIFIED	M	119	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-
		F	136	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-
266	DEFICIENCY OF B-COMPLEX COMPONENTS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
266.2	OTHER B-COMPLEX DEFICIENCIES	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
269	OTHER NUTRITIONAL DEFICIENCIES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
269.1	UNSPECIFIED VITAMIN DEFICIENCY	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
269.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS	M	830	32	18	3	4	6	10	18	19	19	46	72	119	137	197	273	327	408	341	211	74	11	2	2
		F	492	24	14	3	3	4	7	8	12	15	28	46	72	103	130	180	240	307	277	183	74	20	2	2
270	DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
337.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM	M	697	21	28	12	13	14	17	23	30	37	50	44	31	62	51	57	49	70	46	27	21	4	1	-
		F	539	16	12	8	6	8	14	19	20	30	35	28	25	46	38	51	52	61	40	19	10	4	1	-
340	MULTIPLE SCLEROSIS	M	1,236	2	14	8	6	8	14	19	20	30	35	28	25	46	38	51	52	61	40	19	10	4	1	-
		F	1,068	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM	M	68	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-
		F	51	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
341.0	NEUROMYELITIS OPTICA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
341.1	SCHILDER'S DISEASE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
341.9	UNSPECIFIED	M	67	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-
		F	50	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
342	HEMIPLEGIA	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
342.9	UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
343	INFANTILE CEREBRAL PALSY	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
343.2	QUADRIPLEGIC	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
343.9	UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
344	OTHER PARALYTIC SYNDROMES	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
344.0	QUADRIPLEGIA	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
344.1	PARAPLEGIA	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
344.6	CAUDA EQUINA SYNDROME	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
344.8	OTHER	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
344.9	UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
345	EPILEPSY	M	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
345.1	GENERALIZED CONVULSIVE EPILEPSY	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
345.3	GRAND MAL STATUS	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
345.9	UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348	OTHER CONDITIONS OF BRAIN	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.0	CEREBRAL CYSTS	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.1	ANOXIC BRAIN DAMAGE	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.2	BENIGN INTRACRANIAL HYPERTENSION	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.3	ENCEPHALOPATHY, UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.4	COMPRESSION OF BRAIN	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.5	CEREBRAL OEDEMA	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.8	OTHER	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
348.9	UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
349.8	OTHER	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
349.9	UNSPECIFIED	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM	M	204	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
352	DISORDERS OF OTHER CRANIAL NERVES	M	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		F	1,010	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
451	PHLEBITIS AND THROMBOPHLEBITIS	M	267	-	-	-	-	-	-	-	5	13	8	20	6	14	20	23	27	39	40	21	19	3	-	-
		F	113	-	-	-	-	-	-	-	2	10	4	10	4	11	13	19	15	24	28	15	10	3	-	-
451.1	OF DEEP VESSELS OF LOWER EXTREMITIES	M	154	-	-	-	-	-	-	-	3	7	4	10	2	3	7	4	12	15	12	6	9	3	-	-
		F	44	-	-	-	-	-	-	-	1	3	2	6	2	3	6	10	12	18	12	9	3	1	-	-
451.2	OF LOWER EXTREMITIES, UNSPECIFIED	M	107	-	-	-	-	-	-	-	2	6	4	10	4	11	13	15	15	21	28	15	10	3	-	-
		F	69	-	-	-	-	-	-	-	1	3	2	4	2	8	7	9	3	6	16	6	1	2	-	-
451.8	OF OTHER SITES	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451.9	OF UNSPECIFIED SITE	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
452	PORTAL VEIN THROMBOSIS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453.0	BUDD-CHIARI SYNDROME	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453.2	OF VENA CAVA	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453.8	OF OTHER SPECIFIED VEINS	M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
453.9	OF UNSPECIFIED SITE	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454	VARICOSE VEINS OF LOWER EXTREMITIES	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454.0	WITH ULCER	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454.1	WITH INFLAMMATION	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454.2	WITH ULCER AND INFLAMMATION	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
454.9	WITHOUT MENTION OF ULCER OR INFLAMMATION	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
455	HAEMORRHOIDS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
455.0	INTERNAL HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
455.6	UNSPECIFIED HAEMORRHOIDS, WITHOUT MENTION OF COMPLICATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
455.8	UNSPECIFIED HAEMORRHOIDS WITH OTHER COMPLICATION	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
456	VARICOSE VEINS OF OTHER SITES	M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
456.0	OESOPHAGEAL VARICES WITH BLEEDING	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
456.1	OESOPHAGEAL VARICES WITHOUT MENTION OF BLEEDING	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
456.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
458	HYPOTENSION	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
458.0	ORTHOSTATIC HYPOTENSION	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
458.9	UNSPECIFIED	M	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459	OTHER DISORDERS OF CIRCULATORY SYSTEM	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459.0	HAEMORRHAGE, UNSPECIFIED	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459.2	COMPRESSION OF VEIN	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
459.9	UNSPECIFIED	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-519	DISEASES OF THE RESPIRATORY SYSTEM	M	21,140	191	64	14	20	26	44	49	93	182	160	280	316	634	1,225	2,010	3,044	3,552	3,626	3,048	1,901	789	173	8
		F	10,139	120	52	10	11	16	27	17	41	48	35	103	143	309	530	876	1,234	1,621	1,805	1,204	665	227	41	2
			12,701	71	12	4	9	10	17	12	52	134	125	177	173	325	695	1,134	1,810	1,931	1,821	1,844	1,236	562	132	6
460-466	ACUTE RESPIRATORY INFECTIONS	M	126	24	5	1	1	1	1	1	2	2	1	1	2	5	6	7	13	6	14	13	4	1	1	-
		F	70	17	3	1	1	1	1	1	1	1	1	1	1	4	4	8	7	2	8	4	1	1	1	-
462	ACUTE PHARYNGITIS	M	56	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	55	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464	ACUTE LARYNGITIS AND TRACHEITIS	M	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.0	ACUTE LARYNGITIS	M	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.1	ACUTE TRACHEITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
464.2	ACUTE LARYNGOTRACHEITIS	M	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
562.0	SMALL INTESTINE	M	4																							
		F	3																							
562.1	COLON	M	340																							
		F	328																							
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED	M	58																							
		F	97																							
564.0	CONSTIPATION	M	4																							
		F	22																							
564.7	MEGACOLON, OTHER THAN HIRSCHSPRUNG'S	M	2																							
		F	3																							
564.8	OTHER FUNCTIONAL DISORDERS OF INTESTINE	M	52																							
		F	72																							
565	ANAL FISSURE AND FISTULA	M	1																							
		F	1																							
565.1	ANAL FISTULA	M	1																							
		F	1																							
566	ABSCESS OF ANAL AND RECTAL REGIONS	M	14																							
		F	6																							
567	PERITONITIS	M	10														1	1	1	1	1	1				
		F	9																							
567.2	OTHER SUPPURATIVE PERITONITIS	M	8																							
		F	7														1									
567.9	UNSPECIFIED	M	2																							
		F	2																							
568	OTHER DISORDERS OF PERITONEUM	M	3																							
		F	4																							
568.0	PERITONEAL ADHESIONS	M	9																							
		F	10																							
568.8	OTHER	M	4																							
		F	3																							
569	OTHER DISORDERS OF INTESTINE	M	134												1		1		1							
		F	58													1	2		1		1					
569.1	RECTAL PROLAPSE	M	5																							
		F	2																							
569.2	STENOSIS OF RECTUM AND ANUS	F	1																							
569.3	HAEMORRHAGE OF RECTUM AND ANUS	M	1																							
569.4	OTHER DISORDERS OF RECTUM AND ANUS	M	4																							
		F	3																							
569.5	ABSCESS OF INTESTINE	M	2																							
		F	2																							
569.8	OTHER	M	1																							
		F	1																							
569.9	UNSPECIFIED	M	90																							
		F	36																							
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM	M	34																							
		F	22																							
		M	5,514	13				14																		
		F	3,440	8				9																		
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	M	2,045	4				3																		
		F	19																							
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	M	20																							
		F	4,106	3																						
		M	2,795	2																						
571.0	ALCOHOLIC FATTY LIVER	F	1,301	1																						
		M	130																							
571.1	ACUTE ALCOHOLIC HEPATITIS	F	105																							
		M	33																							
571.2	ALCOHOLIC CIRRHOSIS OF LIVER	F	106																							
		M	71																							
571.3	ALCOHOLIC LIVER DAMAGE, UNSPECIFIED	F	35																							
		M	1,501							1																
571.4	CHRONIC HEPATITIS	F	1,068																							
		M	430																							
571.5	CIRRHOSIS OF LIVER WITHOUT MENTION OF ALCOHOL	F	696																							
		M	318																							
571.6	BILIARY CIRRHOSIS	F	178																							
		M	127																							
571.8	OTHER CHRONIC NONALCOHOLIC LIVER DISEASE	F	71																							
		M	1,386																							
571.9	UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL	F	1,295																							
		M	521																							
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE	F	283																							
		M	207																							
		F	136																							

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
721	SPONDYLOSIS AND ALLIED DISORDERS	M	4																							
		F	4																							
721.1	CERVICAL SPONDYLOSIS WITH MYELOPATHY	M																								
		F	4																							
721.4	THORACIC OR LUMBAR SPONDYLOSIS WITH MYELOPATHY	F																								
722	INTERVERTEBRAL DISC DISORDERS	M																								
		F																								
722.0	DISPLACEMENT OF CERVICAL INTERVERTEBRAL DISC WITHOUT MYELOPATHY	M																								
722.5	DEGENERATION OF THORACIC OR LUMBAR INTERVERTEBRAL DISC	F																								
722.6	DEGENERATION OF INTERVERTEBRAL DISC, SITE UNSPECIFIED	M																								
724	OTHER AND UNSPECIFIED DISORDERS OF BACK	M																								
724.0	SPINAL STENOSIS, OTHER THAN CERVICAL	M																								
724.5	BACKACHE, UNSPECIFIED	M																								
725-729	RHEUMATISM, EXCLUDING THE BACK	M	26																							
		F	22																							
725	POLYMYALGIA RHEUMATICA	M																								
		F																								
727	OTHER DISORDERS OF SYNOVIUM, TENDON AND BURSA	M																								
		F																								
727.3	OTHER BURSITIS	M																								
727.6	RUPTURE OF TENDON, NONTRAUMATIC	F																								
728	DISORDERS OF MUSCLE, LIGAMENT AND FASCIA	M	2																							
		F	1																							
728.0	INFECTIVE MYOSITIS	M																								
728.3	OTHER SPECIFIC MUSCLE DISORDERS	M																								
728.8	OTHER DISORDERS OF MUSCLE, LIGAMENT AND FASCIA	M	1																							
		F	1																							
728.9	UNSPECIFIED	F																								
729	OTHER DISEASES OF SOFT TISSUES	M	2																							
		F	10																							
729.0	RHEUMATISM, UNSPECIFIED, AND FIBROSITIS	M	16																							
729.1	MYALGIA AND MYOSITIS, UNSPECIFIED	M																								
729.4	FASCIITIS, UNSPECIFIED	M	2																							
		F	1																							
729.8	OTHER SYMPTOMS REFERABLE TO LIMBS	F	1																							
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	M	178	1															14	27	8	3	2		2	9
		F	120	1															14	24	11	6	2		2	8
730	OSTEOMYELITIS, PERIOSTITIS AND OTHER INFECTIONS INVOLVING BONE	M	60																	3	1	2				1
		F	32																	1	1	1				1
730.1	CHRONIC OSTEOMYELITIS	M	44																	2	1	2				1
		F	24																	1	1	1				1
730.2	UNSPECIFIED OSTEOMYELITIS	M	16																	1						
		F	8																			1				
731	OSTEITIS DEFORMANS AND OSTEOPATHIES ASSOCIATED WITH OTHER DISORDERS CLASSIFIED ELSEWHERE	M	7																							
		F	6																							
731.0	OSTEITIS DEFORMANS WITHOUT MENTION OF BONE TUMOUR	M	7																							
		F	6																							
733	OTHER DISORDERS OF BONE AND CARTILAGE	M	99															14	21	22	20	8	3			1
		F	117															22	27	20	16	9	3			1
733.0	OSTEOPOROSIS	M	82															12	21	16	16	6	2			1
		F	74															21	25	16	14	6	2			1
733.1	PATHOLOGICAL FRACTURE	M	11															2		4	3	2	1			
		F	31															1	2	4	8	11	5			
733.4	ASEPTIC NECROSIS OF BONE	F	1																							
733.8	MALUNION AND NONUNION OF FRACTURE	F	1																							
733.9	OTHER AND UNSPECIFIED	M																								
736	OTHER ACQUIRED DEFORMITIES OF LIMBS	F	1																							
736.8	ACQUIRED DEFORMITIES OF OTHER PARTS OF LIMBS	F	1																							
737	CURVATURE OF SPINE	M	2																	2						
		F	1																							
737.1	KYPHOSIS (ACQUIRED)	F	1																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
E04.9	UNSPECIFIED PERSON	M	3									1														1
		F	1																							1
E05	HIT BY ROLLING STOCK	M	56					2	2	2	1	1	4	3	6	2	4	3	2	2	1					
		F	13																							
E05.2	PEDESTRIAN	M	54					2	2	2	1	1	4	3	6	2	4	3	2	2	1					
		F	13																							
E05.3	PEDAL CYCLIST	M																								
E05.9	UNSPECIFIED PERSON	M																								
E06	OTHER SPECIFIED RAILWAY ACCIDENT	M	2																							2
E06.8	OTHER SPECIFIED PERSON	M	2																							2
E06.9	UNSPECIFIED PERSON	M																								
E07	RAILWAY ACCIDENT OF UNSPECIFIED NATURE	M	1																							1
E07.0	RAILWAY EMPLOYEE	M	1																							1
E10-E19	MOTOR VEHICLE TRAFFIC ACCIDENTS	M	5,304	56	103	137	114	668	912	696	531	396	330	338	186	189	192	105	173	142	141	74	16	2	2	16
		F	1,501	9	54	67	31	198	164	148	102	83	90	49	59	73	67	33	64	43	63	32	8	1	1	6
E10	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN	M	24					4	3	2	2	2	1	1	1		1									
		F	10																							
E10.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	10					1	1	1	1	1														
		F	8																							
E10.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	8					1	1																	
		F	6																							
E10.2	MOTORCYCLIST	M	11					2	1	1	1	1	1	1	1		1									
E10.9	UNSPECIFIED PERSON	M	5					1	1																	
		F	6																							
E12	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	M	2,150	15	27	26	24	235	333	246	211	170	149	80	75	90	78	80	88	62	70	22	10	1	1	6
		F	1,308	12	9	15	17	181	295	226	163	116	105	48	42	37	45	50	58	36	37	12	3	1	1	3
E12.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	442	3	18	11	7	74	38	42	46	34	46	38	32	33	40	33	44	32	44	12	2			1
		F	462					70	139	125	107	79	56	42	20	20	14	13	11	20	14	7	2			
E12.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	497	14	26	22	14	77	65	35	25	24	24	14	8	14	14	8	6	5	5	1	1			
		F	265	11	8	12	8	48	51	25	25	20	14	6	3	6	10	6	4	5	3	1	1			
E12.2	MOTORCYCLIST	M	499	3	18	4	0	20	14	7	4	2	2	2	1	1	2	1	2	1	1					
		F	274					44	77	53	38	22	15	6	4	4	4	2	1	1	1					
E12.3	PASSENGER ON MOTORCYCLE	M	366					43	76	53	38	21	15	6	4	4	4	2	1	1	1					
		F	8					1	1																	
E12.9	UNSPECIFIED PERSON	M	20					17	9	7	4	1	2	2												
		F	21					3	4	3	3	2	2	1												
E13	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE	M	374					45	63	44	31	23	24	18	10	16	22	10	14	11	6	1	1			
		F	270					33	36	35	30	19	23	10	6	8	10	6	10	6	3	1	1			
E13.4	PEDAL CYCLIST	M	104					12	27	9	1	4	1	8	4	8	12	4	4	5	3					
		F	115					10	21	15	15	7	10	4	4	4	6	4	4	4	3					
E13.5	OTHER SPECIFIED PERSON	M	20					2	4	2	2	1	1	1	1	1	1	1	1	1	1					
		F	19					2	3	2	2	1	1	1	1	1	1	1	1	1	1					
E14	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	M	1,972	40	77	84	80	78	93	81	63	63	63	63	38	38	58	38	72	38	46	36	6	1	1	11
		F	741	22	33	34	14	33	29	29	17	20	24	15	14	14	16	20	20	22	24	23	5	1	1	4
E14.5	RIDER OF ANIMAL; OCCUPANT OF ANIMAL-DRAWN VEHICLE	M	331	16	24	15	14	33	16	17	20	14	15	14	6	9	16	8	8	3	2	1	1			4
		F	2																							
E14.7	PEDESTRIAN	M	1,971	40	77	84	80	78	93	81	63	63	63	63	38	38	58	38	72	38	46	36	6	1	1	11
		F	739	22	33	34	14	33	29	29	17	20	24	15	14	14	16	20	20	22	24	23	5	1	1	4
E14.9	UNSPECIFIED PERSON	M	1																							1
		F	2																							2
E15	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY	M	723	1	6	10	131	142	111	86	50	33	31	14	9	13	16	11	7	7	3	1				1
		F	362	1	4	8	64	140	85	72	47	28	20	11	5	11	12	5	6	6	4	1				
E15.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	141	1	2	2	37	22	14	14	18	6	3	3	2	2	3	2	2	1	3	1				
		F	240				28	68	32	30	24	16	8	20	11	5	6	3	3	3	6	1				
E15.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	266				13	18	13	10	10	7	6	2	1	1	1	1	1	1	1					
		F	132	1	4	6	5	42	40	18	8	5	3	1	1	2	1	1	1	1	1	1				2
E15.2	MOTORCYCLIST	M	104		2	4	3	38	18	9	2	1	1	1	1	1	1	1	1	1	1	1				2
		F	44			2	1	16	8	3	1	1	1	1	1	1	1	1	1	1	1	1				2
E15.3	PASSENGER ON MOTORCYCLE	M	96		2	4	3	38	18	9	2	1	1	1	1	1	1	1	1	1	1	1				
		F	44			2	1	16	8	3	1	1	1	1	1	1	1	1	1	1	1	1				
E15.9	UNSPECIFIED PERSON	M	2																							
		F	2																							
E16	MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY	M	117					17	20	11	13	10														
		F	45					8	10	3	2	2														
E16.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	934	6	21	14	144	82	116	120	80	58	58	61	38	55	88	58	17	10	7					
		F	206	2	4		100	64	30	37	16	14	12	7	5	7	14	12	9	3	2					
E16.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	396	2	17	4	1	38	55	37	27	17	11	11	5	7	12	7	7	3	3					
		F	135	1	6	1	1	15	18	11	8	5	4	3	2	2	4	2	2	1	1					

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
909	CATACLYSMIC EARTH SURFACE MOVEMENTS AND ERUPTIONS	M	2																							
		F	2																							
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES	M	874	44	116	36	37	60	57	64	43	48	33	30	30	22	46	31	29	21	41	30	32	5	1	20
		F	393	24	49	28	18	48	44	50	37	40	30	25	15	14	24	17	19	22	17	9	12	1	1	11
			281	20	47	8	19	12	13	14	6	8	3	5	5	8	22	14	10	9	24	21	20	4	1	9
910	ACCIDENTAL DROWNING AND SUBMERSION		591	40	69	28	19	36	44	50	34	32	30	25	20	14	22	17	9	12	7	9	8	1		9
		M	377	23	32	15	11	25	31	36	26	24	25	20	15	10	16	10	6	6	6	7	6	1		9
		F	214	17	37	13	8	11	13	14	8	8	5	5	5	4	6	7	3	6	1	2	2			
910.0	WHILE WATER SKIING	M	1																							
		F																								
910.1	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITH DIVING EQUIPMENT	M	8																							
		F	7																							
			1																							
910.2	WHILE ENGAGED IN OTHER SPORT OR RECREATIONAL ACTIVITY WITHOUT DIVING EQUIPMENT	M	93		2	5	5	22	10	11	10															3
		F	81		2	4	4	20	10	8	10															3
			12			1	1	2		3																
910.3	WHILE SWIMMING OR DIVING FOR PURPOSES OTHER THAN RECREATION OR SPORT	M	6																							
		F	4																							
910.4	IN BATHTUB	M	42		13																					
		F	20		7																					
			22		6																					
910.8	OTHER	M	238		21	1	1	2		2							1									1
		F	200		16		1	1		2							1									1
			38		5	1		1																		
910.9	UNSPECIFIED	M	55		16																					
		F	18		10																					
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION		177	3	6										10		20	1	13	12	13	18	14	3		
		M	94	3	3										6		12	1	7	7	4	8	4	1		
		F	83		3										4		8		6	5	9	10	10	2		
912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION		91	1	10												4				10	6	14			
		M	48		6												4				5	5	8			
		F	43	1	4																5	1	6			
913	ACCIDENTAL MECHANICAL SUFFOCATION		99	30	14																					
		M	71	16	7																					
		F	28	14	7																					
913.0	IN BED OR CRADLE		29	14																						
		M	18	8																						
		F	11	6																						
913.1	BY PLASTIC BAG		11	6																						
		M	6	4																						
		F	5	2																						
913.2	DUE TO LACK OF AIR (IN CLOSED PLACE)	M	1																							
		F	1																							
913.3	BY FALLING EARTH OR OTHER SUBSTANCE	M	7																							
913.8	OTHER SPECIFIED MEANS		54	6	6																					
		M	44	6	4																					
		F	10		2																					
913.9	UNSPECIFIED		7																							
		M	5																							
		F	2																							
914	FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADNEXA	M	1																							
915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER ORIFICE		5																							
		M	2																							
		F	3																							
916-928	OTHER ACCIDENTS		530	12	10	10	14	51	43	46	32	40	40	30	22	22	28	30	20	22	16	10	7	2	2	
		M	426	12	7	7	14	47	43	42	32	34	30	22	20	20	28	24	14	15	11	8	5	2	2	
		F	104		3	3		4		4		6	10	8	2	2		6	6	7	5	2	2			
916	STRUCK ACCIDENTALLY BY FALLING OBJECT		57		1																					
		M	46		1																					
		F	11																							
917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS OR PERSONS		13																							
		M	7																							
		F	6																							
917.0	IN SPORTS	F	1																							
917.9	OTHER		12																							
		M	7																							
		F	5																							
918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS		7																							
		M	5																							
		F	2																							
919	ACCIDENTS CAUSED BY MACHINERY		70		4				10					11												
		M	67		4				10					11												
		F	3																							
919.0	AGRICULTURAL MACHINES		12																							
		M	12																							
919.1	MINING AND EARTH-DRILLING MACHINERY	M	2																							
919.2	LIFTING MACHINES AND APPLIANCES		21																							
		M	20																							
		F	1																							
919.3	METALWORKING MACHINES	M	1																							
919.4	WOODWORKING AND FORMING MACHINES	M	1																							
919.6	TRANSMISSION MACHINERY		2																							
		M	1																							
		F	1																							
919.7	EARTH MOVING, SCRAPING AND OTHER EXCAVATING MACHINES	M	15																							
919.8	OTHER	M	10																							
919.9	UNSPECIFIED		6																							
		M	3																							
920	ACCIDENTS CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS		12																							
		M	8																							
920.1	OTHER POWERED HAND TOOLS	M	2																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA: 1988
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
41.0	STREPTOCOCCUS	F	8	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
41.1	STAPHYLOCOCCUS	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
41.4	ESCHERICHIA COLI	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.5	HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.6	PROTEUS (MIRABILIS) (MORGANII)	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.7	PSEUDOMONAS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.8	OTHER	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41.9	BACTERIAL INFECTION, UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42-44	ACQUIRED IMMUNE DEFICIENCY SYNDROME	F	3,177	6	3	2	-	1	71	328	651	732	545	335	182	120	63	39	19	13	3	2	-	-	-	-
		M	9,052	9	7	3	-	1	419	919	1,715	1,718	1,326	1,022	517	322	217	122	60	34	17	7	2	-	-	-
42	ACQUIRED IMMUNE DEFICIENCY SYNDROME WITH SPECIFIED CONDITIONS	F	125	2	-	-	-	-	2	9	28	14	19	13	5	6	3	5	4	1	1	-	-	-	-	-
		M	3,134	6	3	2	-	1	69	322	644	725	537	331	220	124	63	37	17	7	3	2	-	-	-	-
		F	3,015	6	3	2	-	1	67	313	617	711	520	319	213	119	60	32	17	6	2	2	-	-	-	-
42.0	WITH SPECIFIED INFECTIONS	F	119	2	-	-	-	-	2	9	27	14	17	12	5	5	3	5	2	1	1	-	-	-	-	-
		M	1,137	1	1	1	-	-	38	134	240	241	149	130	79	49	18	14	5	3	1	-	-	-	-	-
		F	1,087	1	1	1	-	-	36	131	227	234	141	123	76	45	18	14	5	3	1	-	-	-	-	-
42.1	CAUSING OTHER SPECIFIED CONDITIONS	F	50	-	-	-	-	-	-	3	13	7	7	7	3	4	-	-	-	-	-	-	-	-	-	-
		M	867	1	-	-	-	1	15	73	148	126	95	69	41	27	11	10	3	1	-	-	-	-	-	-
		F	844	1	-	-	-	1	13	74	133	123	90	66	40	26	10	9	3	1	-	-	-	-	-	-
42.2	WITH SPECIFIED MALIGNANT NEOPLASMS	M	23	-	-	-	-	-	-	1	3	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-
		F	429	-	-	-	-	-	9	52	121	196	182	85	37	13	7	1	1	1	-	-	-	-	-	-
		M	415	-	-	-	-	-	9	52	121	196	181	84	37	13	7	1	1	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
42.9	WITH OR WITHOUT OTHER CONDITIONS	M	791	2	2	1	-	-	41	153	162	141	98	63	38	28	12	7	4	2	1	-	-	-	-	-
		F	749	2	2	1	-	-	36	144	138	137	94	62	36	28	12	6	4	2	1	-	-	-	-	-
		M	42	-	-	-	-	-	5	9	24	4	4	1	2	-	-	1	-	-	-	-	-	-	-	-
43	ACQUIRED IMMUNE DEFICIENCY SYNDROME CAUSING OTHER SPECIFIED CONDITIONS	M	89	-	-	-	-	-	2	4	6	6	4	2	2	1	1	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43.1	CAUSING SPECIFIED CONDITIONS OF THE CENTRAL NERVOUS SYSTEM	M	5	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
43.3	CAUSING OTHER SPECIFIED CONDITIONS	M	9	-	-	-	-	-	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
43.9	WITH OR WITHOUT OTHER CONDITIONS	M	75	-	-	-	-	-	-	3	4	5	2	1	1	1	1	-	-	-	-	-	-	-	-	-
		F	73	-	-	-	-	-	-	3	4	5	2	1	1	1	1	-	-	-	-	-	-	-	-	-
44	OTHER ACQUIRED IMMUNE DEFICIENCY SYNDROME	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44.9	WITH OR WITHOUT OTHER CONDITIONS NOT CLASSIFIABLE TO 042, 043, 044.0	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM	M	34	-	-	-	-	-	-	1	3	2	2	2	1	1	1	1	1	-	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	1	3	2	2	2	1	1	1	1	1	-	-	-	-	-	-	-
46	SLOW VIRUS INFECTION OF CENTRAL NERVOUS SYSTEM	M	19	-	-	-	-	-	-	-	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
46.1	JAKOB-CREUTZFELDT DISEASE	M	11	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
46.2	SUBACUTE SCLEROSING PANENCEPHALITIS	M	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46.3	PROGRESSIVE MULTIFOCAL LEUCOENCEPHALOPATHY	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
47	MENINGITIS DUE TO ENTEROVIRUS	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
47.9	UNSPECIFIED	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
48	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM	M	20	1	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	20	1	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
49	OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM	M	19	-	-	-	-	-	-	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
49.9	UNSPECIFIED	M	19	-	-	-	-	-	-	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
50-57	VIRAL DISEASES ACCOMPANIED BY EXANTHEM	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
52	CHICKENPOX	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
53	HERPES ZOSTER	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
53.0	WITH MENINGITIS	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
53.1	WITH OTHER NERVOUS SYSTEM COMPLICATIONS	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
53.9	HERPES ZOSTER WITHOUT MENTION OF COMPLICATION	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
54	HERPES SIMPLEX	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
54.3	HERPETIC MENINGOENCEPHALITIS	M	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-
		F	15	1	1	1	-	-	-	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
171.9	SITE UNSPECIFIED	M	236	1	1	1	2	8	4	7	11	14	23	10	15	20	15	20	29	22	17	9	2	2	-	-
		F	125	-	-	-	2	4	3	6	8	9	17	7	10	11	9	10	12	10	8	2	2	-	-	-
			111	1	1	1	-	4	1	1	3	5	6	3	5	9	6	10	17	12	9	7	-	2	-	-
172	MALIGNANT MELANOMA OF SKIN		717	-	-	-	-	8	9	15	37	40	46	53	54	60	92	77	65	63	54	27	17	4	-	-
		M	415	-	-	-	-	6	5	8	19	23	34	37	28	34	62	54	36	30	28	17	10	3	-	-
		F	302	-	-	-	-	2	4	7	18	17	12	16	26	26	31	23	29	33	26	10	7	1	-	-
172.0	LIPS		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
172.3	OTHER AND UNSPECIFIED PARTS OF FACE		34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-
		M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
172.4	SCALP AND NECK		113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
		M	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172.5	TRUNK, EXCEPT SCROTUM		38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172.6	UPPER LIMB INCLUDING SHOULDER		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172.7	LOWER LIMB INCLUDING HIP		18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172.9	SITE UNSPECIFIED		631	-	-	-	-	-	-	14	-	-	-	-	-	-	-	78	-	-	-	-	16	7	-	-
		M	367	-	-	-	-	-	-	7	-	-	-	-	-	-	-	46	-	-	-	-	9	5	-	-
		F	264	-	-	-	-	-	-	7	-	-	-	-	-	-	-	32	-	-	-	-	7	2	-	-
173	OTHER MALIGNANT NEOPLASM OF SKIN		202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.2	EAR AND EXTERNAL AURICULAR CANAL		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.3	SKIN OF OTHER AND UNSPECIFIED PARTS OF FACE		24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.4	SCALP AND SKIN OF NECK		101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.5	SKIN OF TRUNK, EXCEPT SCROTUM		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.6	SKIN OF UPPER LIMB, INCLUDING SHOULDER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.7	SKIN OF LOWER LIMB, INCLUDING HIP		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173.9	SITE UNSPECIFIED		53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
174	MALIGNANT NEOPLASM OF FEMALE BREAST	F	4,121	-	-	-	-	33	141	221	333	441	514	535	442	440	514	535	542	420	336	190	84	36	7	-
174.9	BREAST, UNSPECIFIED	F	4,121	-	-	-	-	33	141	221	333	441	514	535	442	440	514	535	542	420	336	190	84	36	7	-
175	MALIGNANT NEOPLASM OF MALE BREAST	M	24	-	-	-	-	-	1	2	1	1	2	1	2	1	4	3	6	2	1	-	-	-	-	-
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS		7,199	1	1	5	4	17	34	36	75	112	171	242	399	641	993	1,180	1,226	1,025	650	283	78	11	-
		M	4,119	1	1	4	2	11	10	8	47	80	145	242	227	345	475	471	820	665	455	187	22	4	-	-
		F	3,080	-	-	1	2	6	24	28	28	32	26	-	172	296	518	710	406	360	195	96	56	7	-	-
179	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	F	265	-	-	-	-	-	1	2	3	3	2	3	3	3	4	4	4	4	3	2	2	1	-	-
180	MALIGNANT NEOPLASM OF CERVIX UTERI	F	441	-	-	-	-	2	15	34	80	94	43	59	35	33	44	33	40	32	33	11	13	2	-	-
180.0	ENDOCERVIX	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180.9	CERVIX UTERI, UNSPECIFIED	F	438	-	-	-	-	2	15	34	80	94	43	59	35	33	44	33	40	32	33	11	13	2	-	-
181	MALIGNANT NEOPLASM OF PLACENTA	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182	MALIGNANT NEOPLASM OF BODY OF UTERUS	F	294	-	-	-	-	-	1	2	17	27	32	44	44	64	64	44	40	40	40	11	15	2	-	-
182.0	CORPUS UTERI, EXCEPT ISTHMUS	F	294	-	-	-	-	-	1	2	17	27	32	44	44	64	64	44	40	40	40	11	15	2	-	-
183	MALIGNANT NEOPLASM OF OVARY AND OTHER UTERINE ADNEXA	F	1,328	-	-	-	-	1	5	10	20	30	44	64	84	104	130	107	107	74	71	40	16	3	-	-
183.0	OVARY	F	1,308	-	-	-	-	1	5	10	20	30	44	64	84	104	129	107	107	74	71	40	16	3	-	-
183.2	FALLOPIAN TUBE	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
183.8	OTHER	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	F	87	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	2	2	1	-	-	-	-
184.0	VAGINA	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184.4	VULVA, UNSPECIFIED	F	48	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	2	2	1	-	-	-	-
184.8	OTHER	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
184.9	SITE UNSPECIFIED	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185	MALIGNANT NEOPLASM OF PROSTATE	M	2,934	-	-	-	-	-	-	-	-	-	-	-	88	171	345	503	616	530	345	135	41	4	-	-
186	MALIGNANT NEOPLASM OF TESTIS	M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186.9	OTHER AND UNSPECIFIED	M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	MALIGNANT NEOPLASM OF PENIS AND OTHER MALE GENITAL ORGANS	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187.4	PENIS, PART UNSPECIFIED	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187.7	SCROTUM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
270.2	OTHER DISTURBANCES OF AROMATIC AMINO-ACID METABOLISM	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
270.6	DISORDERS OF UREA CYCLE METABOLISM	M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
270.7	OTHER DISTURBANCES OF STRAIGHT-CHAIN AMINO-ACID METABOLISM	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
270.9	UNSPECIFIED	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271	DISORDERS OF CARBOHYDRATE TRANSPORT AND METABOLISM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
271.0	GLYCOGENOSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
272	DISORDERS OF LIPOID METABOLISM	M	120	-	-	-	-	-	-	-	-	-	1	-	-	-	14	15	18	13	15	7	6	4	1	-
		F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	7	6	11	7	7	3	2	2	1	-
272.0	PURE HYPERCHOLESTEROLAEMIA	M	62	-	-	-	-	-	-	-	-	-	1	-	-	-	7	9	7	6	8	4	4	2	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	3	5	3	1	-	-	-
272.1	PURE HYPERGLYCERIDAEMIA	M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	4	3	-	2	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
272.2	MIXED HYPERLIPIDAEMIA	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
272.4	OTHER AND UNSPECIFIED HYPERLIPIDAEMIA	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	2	4	2	1	1	-	-
272.5	LIPOPROTEIN DEFICIENCIES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
272.7	LIPIDOSES	M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
273	DISORDERS OF PLASMA PROTEIN METABOLISM	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.1	MONOCLONAL PARAPROTEINAEMIA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.2	OTHER PARAPROTEINAEMIAS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.3	MACROGLOBULINAEMIA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
273.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274	GOUT	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274.0	GOUTY ARTHROPATHY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274.1	GOUTY NEPHROPATHY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275	DISORDERS OF MINERAL METABOLISM	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.0	DISORDERS OF IRON METABOLISM	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.2	DISORDERS OF MAGNESIUM METABOLISM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.3	DISORDERS OF PHOSPHORUS METABOLISM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275.4	DISORDERS OF CALCIUM METABOLISM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
276	DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE	M	252	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	69	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
276.0	HYPEROSMOLALITY AND/OR HYPERNATRAEMIA	M	153	6	-	-	-	-	-	-	-	-	-	-	-	-	14	16	12	12	20	35	28	10	1	-
		F	51	4	-	-	-	-	-	-	-	-	-	-	-	-	7	6	4	4	12	10	3	1	-	-
276.1	HYPOSMOLALITY AND/OR HYPONATRAEMIA	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	5	2	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-
276.2	ACIDOSIS	M	48	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	2	2	1	-	-
		F	22	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	-	-
276.3	ALKALOSIS	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
276.5	VOLUME DEPLETION	M	134	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	5	5	2	-	-
		F	80	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	2	1	-	-
276.6	FLUID OVERLOAD	M	44	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	1	-	-
		F	33	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	-	-
276.7	HYPERPOTASSAEMIA	M	14	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
276.8	HYPOPOTASSAEMIA	M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
276.9	ELECTROLYTE AND FLUID DISORDERS, NOT ELSEWHERE CLASSIFIED	M	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	M	153	24	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
		F	79	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1969
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
352.6	MULTIPLE CRANIAL NERVE PALSIES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
352.9	UNSPECIFIED	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
354	MONONEURITIS OF UPPER LIMB AND MONONEURITIS MULTIPLEX	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
354.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
355	MONONEURITIS OF LOWER LIMB	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
355.9	MONONEURITIS OF UNSPECIFIED SITE	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY	M	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	12	-	-	-	-	-	-
		F	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
356.1	PERONEAL MUSCULAR ATROPHY	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
356.4	IDIOPATHIC PROGRESSIVE POLYNEUROPATHY	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
356.8	OTHER	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
356.9	UNSPECIFIED	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357	INFLAMMATORY AND TOXIC NEUROPATHY	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357.0	ACUTE INFECTIVE POLYNEURITIS	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357.5	ALCOHOLIC POLYNEUROPATHY	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
357.9	UNSPECIFIED	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358	MYONEURAL DISORDERS	M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358.0	MYASTHENIA GRAVIS	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
358.9	UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	M	92	-	-	-	-	1	-	-	1	-	1	2	6	7	7	10	6	2	1	1	1	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	6	2	6	6	6	2	1	1	-	-	-	-
359.0	CONGENITAL HEREDITARY MUSCULAR DYSTROPHY	M	28	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.1	HEREDITARY PROGRESSIVE MUSCULAR DYSTROPHY	M	45	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	-	-	-	-	-	-
		F	47	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
359.2	MYOTONIC DISORDERS	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
359.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
360-379	DISORDERS OF THE EYE AND ADNEXA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	DISORDERS OF THE ORBIT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376.0	ACUTE INFLAMMATION OF ORBIT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380-389	DISEASES OF THE EAR AND MASTOID PROCESS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380	DISORDERS OF EXTERNAL EAR	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380.1	INFECTIVE OTITIS EXTERNA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382	SUPPURATIVE AND UNSPECIFIED OTITIS MEDIA	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
382.9	UNSPECIFIED OTITIS MEDIA	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383	MASTOIDITIS AND RELATED CONDITIONS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
383.2	PETROSITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-459	DISEASES OF THE CIRCULATORY SYSTEM	M	44,520	62	30	44	122	226	764	1,242	1,844	2,448	3,878	5,436	6,448	7,184	8,613	9,158	8,647	6,976	3,075	671	94	15
		F	48,221	47	31	18	62	132	432	668	1,344	2,168	4,168	5,046	6,277	6,703	6,745	7,158	6,647	6,976	3,075	671	94	15
390-392	ACTIVE RHEUMATIC FEVER	M	7	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT	M	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
391.0	ACUTE RHEUMATIC PERICARDITIS	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
464.3	ACUTE EPIGLOTTITIS	M	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
464.4	CROUP	M	23	2	20	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	14	1	12	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
465	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE	M	46	4	42	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	40	3	37	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
465.9	UNSPECIFIED SITE	M	13	1	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	9	1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	M	98	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
		F	98	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
466.0	ACUTE BRONCHITIS	M	72	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
		F	72	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.
466.1	ACUTE BRONCHIOLITIS	M	10	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	14	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT	M	20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
473	CHRONIC SINUSITIS	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
473.0	MAXILLARY	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
473.3	SPHENOIDAL	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
473.8	OTHER	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
473.9	UNSPECIFIED	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
475	PERITONSILLAR ABSCESS	M	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
476	CHRONIC LARYNGITIS AND LARYNGOTRACHEITIS	F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
476.0	CHRONIC LARYNGITIS	F	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
478	OTHER DISEASES OF UPPER RESPIRATORY TRACT	M	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
478.2	OTHER DISEASES OF PHARYNX, NOT ELSEWHERE CLASSIFIED	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
478.3	PARALYSIS OF VOCAL CORDS OR LARYNX	M	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
478.6	OEDEMA OF LARYNX	F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
478.7	OTHER DISEASES OF LARYNX, NOT ELSEWHERE CLASSIFIED	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
480-487	PNEUMONIA AND INFLUENZA	M	9,736	1,163	268	88	59	113	181	234	246	360	480	786	1,134	1,810	2,824	3,456	4,222	4,577	4,935	3,415	606	145	28	1
		F	8,170	904	210	70	49	101	204	226	240	346	480	786	1,134	1,810	2,824	3,456	4,222	4,577	4,935	3,415	606	145	28	1
		T	17,910	2,067	478	158	108	214	385	460	486	706	960	1,572	2,268	3,620	5,648	6,912	8,444	9,154	9,870	6,830	1,212	290	56	2
480	VIRAL PNEUMONIA	M	1,800	400	100	30	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
		F	1,800	400	100	30	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
		T	3,600	800	200	60	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400	420
480.1	PNEUMONIA DUE TO RESPIRATORY SYNCYTIAL VIRUS	M	137	137	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	137	137	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	274	274	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
480.9	VIRAL PNEUMONIA, UNSPECIFIED	M	1,663	263	100	30	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
		F	1,663	263	100	30	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
		T	3,326	526	200	60	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400	420
481	PNEUMOCOCCAL PNEUMONIA	M	1,405	155	40	10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
		F	1,405	155	40	10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
		T	2,810	310	80	20	20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400
482	OTHER BACTERIAL PNEUMONIA	M	1,400	140	30	10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
		F	1,400	140	30	10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
		T	2,800	280	60	20	20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400
482.0	PNEUMONIA DUE TO KLEBSIELLA PNEUMONIAE	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
482.1	PNEUMONIA DUE TO PSEUDOMONAS	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
482.2	PNEUMONIA DUE TO HAEMOPHILUS INFLUENZAE (H. INFLUENZAE)	M	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
482.3	PNEUMONIA DUE TO STREPTOCOCCUS	M	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
482.4	PNEUMONIA DUE TO STAPHYLOCOCCUS	M	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
482.8	PNEUMONIA DUE TO OTHER SPECIFIED BACTERIA	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
482.9	BACTERIAL PNEUMONIA, UNSPECIFIED	M	1,394	139	30	10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
		F	1,394	139	30	10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
		T	2,788	278	60	20	20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM	M	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		T	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED	M	1,163	263	100	30	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
		F	1,163	263	100	30	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210
		T	2,326	526	200	60	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400	420
486	PNEUMONIA, ORGANISM UNSPECIFIED	M	7,104	1,104	268	88	59	113	181	234	246	360	480	786	1,134	1,810	2,824	3,456	4,222	4,577	4,935	3,415	606	145	28	1
		F	5,992	904	210	70	49	101	204	226	240	346	480	786	1,134	1,810	2,824	3,456	4,222	4,577	4,935	3,415	606	145	28	1
		T	13,096	2,008	478	158	108	214	385	460	486	706	960	1,572	2,268	3,620	5,648	6,912	8,444	9,154	9,870	6,830	1,212	290	56	2

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
572.0	ABSCESS OF LIVER	M	9											2			1		1	1	1		1			
		F	9																	2	1		1			
572.2	HEPATIC COMA	M	30																							
		F	11																							
572.3	PORTAL HYPERTENSION	M	14																							
		F	8																				1			
572.4	HEPATORENAL SYNDROME	M	19																							
		F	23																				1			
572.8	OTHER SEQUELAE OF CHRONIC LIVER DISEASE	M	167									1		1	1	1	1		1	2	1					
		F	98																							
573	OTHER DISORDERS OF LIVER	M	60										1				1	1	1							
		F	122																							
573.0	CHRONIC PASSIVE CONGESTION OF LIVER	M	73																							
		F	49																							
573.3	HEPATITIS UNSPECIFIED	M	4																							
		F	30														1									
573.4	HEPATIC INFARCTION	M	28																							
		F	2																							
573.8	OTHER	M	1																							
		F	2																							
573.9	UNSPECIFIED	M	53															1								
		F	14																							
574	CHOLELITHIASIS	M	132																1		1	1	1			
		F	65																							
574.0	CALCULUS OF GALLBLADDER WITH ACUTE CHOLECYSTITIS	M	87																		1					
		F	20																							
574.1	CALCULUS OF GALLBLADDER WITH OTHER CHOLECYSTITIS	M	10																							
		F	21																							
574.2	CALCULUS OF GALLBLADDER WITHOUT MENTION OF CHOLECYSTITIS	M	7																							
		F	14																							
574.3	CALCULUS OF BILE DUCT WITH ACUTE CHOLECYSTITIS	M	31																							
		F	47																							
574.4	CALCULUS OF BILE DUCT WITH OTHER CHOLECYSTITIS	M	2																							
		F	4																							
574.5	CALCULUS OF BILE DUCT WITHOUT MENTION OF CHOLECYSTITIS	M	2																							
		F	5																							
575	OTHER DISORDERS OF GALLBLADDER	M	138																							
		F	91																							
575.0	ACUTE CHOLECYSTITIS	M	27																							
		F	55																							
575.1	OTHER CHOLECYSTITIS	M	26																							
		F	47																							
575.4	PERFORATION OF GALLBLADDER	M	20																							
		F	27																							
575.8	OTHER	M	9																							
		F	8																							
575.9	UNSPECIFIED	M	26																							
		F	8																							
576	OTHER DISORDERS OF BILIARY TRACT	M	27																		1					
		F	37																		1					
576.1	CHOLANGITIS	M	7																							
		F	7																							
576.2	OBSTRUCTION OF BILE DUCT	M	12																							
		F	10																							
576.8	OTHER	M	1																							
		F	1																							
576.9	UNSPECIFIED	M	1																							
		F	1																							
577	DISEASES OF PANCREAS	M	88							1			1		1	1	2	1	2	2	2	1	1			
		F	100									1		1		1	2	2	2	2	2	2	1			
577.0	ACUTE PANCREATITIS	M	66																							
		F	86																							
577.1	CHRONIC PANCREATITIS	M	19																							
		F	13																							
577.2	CYST AND PSEUDOCYST OF PANCREAS	M	1																							
		F	1																							
577.8	OTHER DISEASES OF PANCREAS	M	1																							
		F	1																							
577.9	UNSPECIFIED	M	1																							
		F	1																							
578	GASTROINTESTINAL HAEMORRHAGE	M	84																							
		F	101																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA: 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
737.3	KYPHOSCOLIOSIS AND SCOLIOSIS	M	31	1			2				1				3	3		3	1	7	4	6	1	1	-	-
		F	11	-			1				2							2	2	2	2	1	-	-	-	-
738	OTHER ACQUIRED DEFORMITY	M	20	1																1						
		F	3	-																						
738.3	ACQUIRED DEFORMITY OF CHEST AND RIB	M	3	-																						
		F	1	-																						
740-759	CONGENITAL ANOMALIES		1,548	1,068	119	34	28	29	31	37	36	30	30	24	24	33	22	19	15	12	20	6	2	1	1	1
		M	850	584	60	22	18	18	20	23	22	18	16	10	14	23	12	12	7	10	12	3	2	1	1	1
		F	698	478	59	12	10	11	11	14	14	12	14	14	10	10	10	7	8	2	8	3	-	-	-	-
740	ANENCEPHALUS AND SIMILAR ANOMALIES	M	80	80																						
		F	38	38																						
740.0	ANENCEPHALUS	M	80	80																						
		F	38	38																						
741	SPINA BIFIDA	M	42	42																						
		F	14	8																						
741.0	WITH HYDROCEPHALUS	M	7	6																						
		F	6	6																						
741.9	WITHOUT MENTION OF HYDROCEPHALUS	M	35	35																						
		F	22	22																						
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM		139	89	21																					
		M	63	39	9																					
		F	66	38	12																					
742.0	ENCEPHALOCELE	M	10	4																						
		F	8	4																						
742.1	MICROCEPHALUS	M	11	7																						
		F	8	7																						
742.2	REDUCTION DEFORMITIES OF BRAIN	M	1	1																						
		F	1	1																						
742.3	CONGENITAL HYDROCEPHALUS	M	24	22																						
		F	20	19																						
742.4	OTHER SPECIFIED ANOMALIES OF BRAIN	M	6	3																						
		F	4	3																						
742.5	OTHER SPECIFIED ANOMALIES OF SPINAL CORD	M	4	4																						
		F	4	4																						
742.8	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM	M	4	4																						
		F	4	4																						
742.9	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD AND NERVOUS SYSTEM	M	25	11																						
		F	14	10																						
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	M	172	86	27																					
		F	93	50	17																					
745.0	COMMON TRUNCUS	M	16	16																						
		F	17	14																						
745.1	TRANSPOSITION OF GREAT VESSELS	M	31	11																						
		F	33	10																						
745.2	TETRALOGY OF FALLOT	M	26	14	10																					
		F	20	6	4																					
745.3	COMMON VENTRICLE	M	10	6																						
		F	4	3																						
745.4	VENTRICULAR SEPTAL DEFECT	M	31	16	1																					
		F	17	10	1																					
745.5	OSTIUM SECUNDUM TYPE ATRIAL SEPTAL DEFECT	M	22	8																						
		F	10	4																						
745.6	ENDOCARDIAL CUSHION DEFECTS	M	19	10																						
		F	10	5																						
745.9	UNSPECIFIED DEFECT OF SEPTAL CLOSURE	M	4	2																						
		F	2	1																						
746	OTHER CONGENITAL ANOMALIES OF HEART	M	334	214	10			10		12																
		F	184	121	7			7		7																
746.0	ANOMALIES OF PULMONARY VALVE	M	6	2																						
		F	2	2																						
746.1	TRICUSPID ATRESIA AND STENOSIS, CONGENITAL	M	3	3																						
		F	2	2																						
746.2	EBSTEIN'S ANOMALY	M	2	2																						
		F	2	2																						
746.3	CONGENITAL STENOSIS OF AORTIC VALVE	M	8	7																						
		F	2	2																						
746.4	CONGENITAL INSUFFICIENCY OF AORTIC VALVE	M	24	9																						
		F	9	3																						
746.5	CONGENITAL MITRAL STENOSIS	M	3	2																						
		F	3	2																						
746.6	CONGENITAL MITRAL INSUFFICIENCY	M	3	2																						
		F	1	1																						
746.7	HYPOPLASTIC LEFT HEART SYNDROME	M	40	40																						
		F	27	20																						

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
E816.2	MOTORCYCLIST	M	35					6	9	10	14	11	5													
		F	15					4	0	0	0	1	0													
E816.3	PASSENGER ON MOTORCYCLE	M	2																							
		F	2																							
E816.9	UNSPECIFIED PERSON	M	19					2	3	3	2	1														
		F	4					1	1	0	0	0	1													
E817	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING	F																								
E817.3	PASSENGER ON MOTORCYCLE	F																								
E817.9	UNSPECIFIED PERSON	F																								
E818	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT	M	87					14	22																	
		F	46																							
E818.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	10																							
E818.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	33																							
		F	21																							
E818.2	MOTORCYCLIST	M																								
E818.3	PASSENGER ON MOTORCYCLE	F																								
E818.7	PEDESTRIAN	M																								
E818.9	UNSPECIFIED PERSON	M																								
		F	21																							
E819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	M	31					1	4	2	1	2	2	2	1		1	1								
		F	11																							
E819.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
E819.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2					1	1																	
		F	2																							
E819.2	MOTORCYCLIST	M																								
E819.3	PASSENGER ON MOTORCYCLE	F																								
E819.9	UNSPECIFIED PERSON	M	27						3	1	1	2	2	2	1		1	1								
		F	9																							
E820-E825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	M	115					1	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
		F	25																							
E821	NONTRAFFIC ACCIDENT INVOLVING OTHER OFF-ROAD MOTOR VEHICLE	M	23						1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		F	11																							
E821.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
E821.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
		F	2																							
E821.2	MOTOR CYCLIST	M																								
E821.9	UNSPECIFIED PERSON	M	19						1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		F	9																							
E822	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT	M	40						2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
		F	14																							
E822.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
E822.6	PEDAL CYCLIST	M																								
E822.7	PEDESTRIAN	M	2																							
		F	2																							
E822.9	UNSPECIFIED PERSON	M	36						2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
		F	12																							
E823	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT	M	23						1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		F	11																							
E823.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
E823.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
		F	2																							
E823.2	MOTOR CYCLIST	M																								
E823.9	UNSPECIFIED PERSON	M	19						1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		F	9																							
E825	OTHER MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE	M	28					1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
		F	3																							
E825.0	DRIVER OF MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
E825.1	PASSENGER IN MOTOR VEHICLE OTHER THAN MOTORCYCLE	M	2																							
		F	2																							
E825.2	MOTOR CYCLIST	M																								

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
920.8	OTHER	M	7	-	1	-	-	-	2	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
920.9	UNSPECIFIED	M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL	M	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921.1	GAS CYLINDERS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
921.8	OTHER	M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922	ACCIDENT CAUSED BY FIREARM MISSILE	M	130	-	-	-	13	31	26	14	-	-	-	-	-	-	-	6	1	-	2	-	-	-	-	-
		F	16	-	-	-	2	3	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
922.0	HAND GUN	M	50	-	-	-	-	9	9	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.1	SHOTGUN (AUTOMATIC)	M	13	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.2	HUNTING RIFLE	M	10	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.3	MILITARY FIREARMS	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
922.9	UNSPECIFIED	M	44	-	-	-	-	11	11	6	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-
		F	14	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
923	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
923.2	EXPLOSIVE GASES	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
923.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
923.9	UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
924	ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL AND STEAM	M	11	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
924.0	HOT LIQUIDS AND VAPOURS, INCLUDING STEAM	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
924.1	CAUSTIC AND CORROSIVE SUBSTANCES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
924.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925	ACCIDENT CAUSED BY ELECTRIC CURRENT	M	34	-	-	-	-	7	3	-	6	5	6	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
925.0	DOMESTIC WIRING AND APPLIANCES	M	9	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
925.1	ELECTRIC POWER GENERATING PLANTS, DISTRIBUTION STATIONS, TRANSMISSION LINES	M	11	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
925.2	INDUSTRIAL WIRING, APPLIANCES AND ELECTRICAL MACHINERY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
925.8	OTHER	M	24	-	-	-	-	3	2	-	4	3	4	-	-	-	-	1	-	-	-	-	-	-	-	-
925.9	UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
927	OVEREXERTION AND STRENUOUS MOVEMENTS	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSES	M	136	-	1	-	-	-	-	-	-	10	-	-	-	-	12	12	14	12	14	11	3	-	-	-
		F	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928.8	OTHER	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
928.9	UNSPECIFIED ACCIDENTS	M	129	-	1	-	-	-	-	-	-	10	-	-	-	-	12	12	14	12	14	11	3	-	-	-
		F	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929	LATE EFFECTS OF ACCIDENTAL INJURY	M	264	-	-	-	-	-	-	-	11	11	10	-	-	-	10	-	-	-	-	-	-	-	-	-
		F	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.0	LATE EFFECTS OF MOTOR VEHICLE ACCIDENT	M	80	-	-	-	-	-	-	-	11	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.1	LATE EFFECTS OF OTHER TRANSPORT ACCIDENT	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.2	LATE EFFECTS OF ACCIDENTAL POISONING	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.3	LATE EFFECTS OF ACCIDENTAL FALL	M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.4	LATE EFFECTS OF ACCIDENT CAUSED BY FIRE	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.5	LATE EFFECTS OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.8	LATE EFFECTS OF OTHER ACCIDENTS	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
929.9	LATE EFFECTS OF UNSPECIFIED ACCIDENT	M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1988
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
54.8	HERPETIC SEPTICAEMIA	M																								
54.7	WITH OTHER COMPLICATIONS	M																								
54.9	HERPES SIMPLEX WITHOUT MENTION OF COMPLICATION	M																								
55	MEASLES	M																								
55.1	POSTMEASLES PNEUMONIA	F																								
70-79	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	M	244	21	6	6			4	6	12	12	19	25	25	24	37	18	44	32	14	6	2		1	
		F	226																							
		M	140																							
70	VIRAL HEPATITIS	F	174																							
		M	98																							
70.0	VIRAL HEPATITIS A WITH HEPATIC COMA	F																								
70.1	VIRAL HEPATITIS A WITHOUT MENTION OF HEPATIC COMA	M																								
		F																								
70.2	VIRAL HEPATITIS B WITH HEPATIC COMA	M																								
70.3	VIRAL HEPATITIS B WITHOUT MENTION OF HEPATIC COMA	M	113																							
		F	86																							
70.4	UNSPECIFIED VIRAL HEPATITIS WITH HEPATIC COMA	M	14																							
		F	11																							
70.9	UNSPECIFIED VIRAL HEPATITIS WITHOUT MENTION OF HEPATIC COMA	M	110																							
		F	80																							
75	INFECTIOUS MONONUCLEOSIS	M	44																							
		F	30																							
79	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	M	19																							
		F	24																							
79.1	VIRAL WARTS	M	14																							
79.5	CYTOMEGALIC INCLUSION DISEASE	M	24																							
		F	7																							
79.6	OTHER	M	7																							
		F	6																							
79	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	M	10																							
79.0	ADENOVIRUS	M	10																							
79.9	UNSPECIFIED	M	10																							
80-88	#RICKETTSIOSIS AND OTHER ARTHROPOD-BORNE DISEASES	M																								
84	MALARIA	M																								
84.0	FALCIPARUM MALARIA (MALIGNANT TERTIAN)	M																								
84.6	UNSPECIFIED	M																								
90-99	SYPHILIS AND OTHER VENEREAL DISEASES	M	10																							
90	CONGENITAL SYPHILIS	M																								
90.0	EARLY CONGENITAL SYPHILIS, UNSPECIFIED	M																								
90.9	CONGENITAL SYPHILIS, UNSPECIFIED	M																								
93	CARDIOVASCULAR SYPHILIS	M																								
93.0	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC	M																								
93.8	SYPHILITIC ENDOCARDITIS	M																								
93.8	OTHER	M																								
94	NEUROSYPHILIS	M																								
94.0	TABES DORSALIS	M																								
94.1	GENERAL PARESIS	M																								
94.9	UNSPECIFIED	M																								
97	OTHER AND UNSPECIFIED SYPHILIS	M																								
97.0	LATE SYPHILIS, UNSPECIFIED	M																								
100-104	OTHER SPIROCHAETAL DISEASES	M																								

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
188	MALIGNANT NEOPLASM OF BLADDER	M	923	-	-	-	-	-	-	-	-	2	8	12	19	29	68	107	163	177	133	130	39	22	2	-
		F	622	-	-	-	-	-	-	-	-	2	4	6	15	24	43	83	113	121	106	77	20	12	1	-
			297	-	-	-	-	-	-	-	-	-	4	6	4	5	25	24	50	56	27	53	19	10	1	-
188.5	BLADDER NECK	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
188.7	URACHUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188.9	PART UNSPECIFIED	M	923	-	-	-	-	-	-	-	-	2	4	6	15	24	43	83	113	121	106	77	20	12	1	-
		F	620	-	-	-	-	-	-	-	-	-	4	6	4	5	25	24	50	55	27	53	19	10	1	-
			295	-	-	-	-	-	-	-	-	2	-	-	11	19	18	59	63	66	79	24	1	2	-	-
189	MALIGNANT NEOPLASM OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	M	633	1	4	4	1	1	2	2	4	8	19	39	65	60	112	146	150	114	93	51	25	4	-	-
		F	391	-	2	2	1	1	2	2	4	5	10	15	25	30	37	57	54	38	37	18	12	2	1	-
			342	1	2	2	-	-	-	-	-	3	9	24	40	30	75	89	96	76	56	33	13	2	-	-
189.0	KIDNEY, EXCEPT PELVIS	M	469	-	2	2	1	1	2	2	4	5	10	15	25	30	37	57	54	38	37	18	12	2	1	-
		F	256	-	2	2	-	-	-	-	-	3	9	24	40	30	75	83	89	69	50	27	9	1	-	-
			213	1	-	-	1	1	2	2	4	2	10	13	25	29	35	54	50	35	34	16	9	1	1	-
189.1	RENAL PELVIS	M	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189.2	URETER	M	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189.3	URETHRA	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189.9	SITE UNSPECIFIED	M	313	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES	M	4,686	30	19	18	21	22	40	56	94	132	178	268	349	506	633	661	638	498	268	126	31	7	-	-
		F	2,414	15	11	14	12	14	24	36	56	66	96	130	203	253	358	445	325	317	223	107	33	7	-	-
			2,270	15	8	4	9	8	16	20	42	66	82	138	146	164	275	216	313	321	275	139	73	24	7	-
193	MALIGNANT NEOPLASM OF EYE	M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.2	EYEBALL, EXCEPT CONJUNCTIVA, CORNEA, RETINA AND CHOROID	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.1	ORBIT	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.3	CONJUNCTIVA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.5	RETINA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.6	CHOROID	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190.9	PART UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	MALIGNANT NEOPLASM OF BRAIN	M	1,053	18	22	12	17	12	18	30	38	49	74	82	103	140	137	110	67	58	21	2	-	-	-	-
		F	581	12	12	7	9	7	12	16	20	26	43	55	53	81	77	84	57	36	12	1	-	-	-	-
			469	6	10	5	8	5	6	14	18	23	31	27	50	59	60	26	10	22	9	1	-	-	-	-
191.0	CEREBRUM, EXCEPT LOBES AND VENTRICLES	M	285	5	6	3	4	3	4	8	10	13	20	22	28	38	37	30	18	16	6	1	-	-	-	-
		F	157	3	3	2	2	2	3	4	5	7	12	15	14	22	21	23	15	10	3	1	-	-	-	-
			128	2	3	1	2	1	1	4	5	6	8	7	14	16	16	7	3	6	3	-	-	-	-	-
191.1	FRONTAL LOBE	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.2	TEMPORAL LOBE	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.3	PARIETAL LOBE	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.4	OCCIPITAL LOBE	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.5	VENTRICLE	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.6	CEREBELLUM	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.7	BRAIN STEM	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.8	OTHER	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
191.9	BRAIN, UNSPECIFIED	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
192	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
192.0	CRANIAL NERVES	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
192.1	CEREBRAL MENINGES	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
192.2	SPINAL CORD	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
192.3	SPINAL MENINGES	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
192.9	PART UNSPECIFIED	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
193	MALIGNANT NEOPLASM OF THYROID GLAND	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-
194.0	SUPRARENAL GLAND	M	124	2	2	1	2	1	2	3	4	6	9	10	12	17	16	13	8	7	3	1	-	-	-	-
		F	68	1	1	1	1	1	1	2	2	3	5	7	6	10	9	10	7	4	1	1	-	-	-	-
			56	1	1	-	1	-	1	1	2	3	4	3	6	7	7	3	1	3	2	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
277.0	CYSTIC FIBROSIS	M	35	2	2	3	1	3	10	6	6	-	1	2	1	1	1	1	1	1	1	1	1	-	-	-
		F	18	2	2	3	1	3	6	6	6	-	1	2	1	1	1	1	1	1	1	1	1	-	-	-
277.1	DISORDERS OF PORPHYRIN METABOLISM	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
277.3	AMYLOIDOSIS	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.5	MUCOPOLYSACCHARIDOSIS	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.6	OTHER DEFICIENCIES OF CIRCULATING ENZYMES	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.8	OTHER	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
277.9	UNSPECIFIED	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
278	OBESITY AND OTHER HYPERALIMENTATION	M	45	-	-	-	-	-	-	-	-	10	-	-	-	-	14	16	10	-	-	-	-	-	-	-
		F	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	10	-	-	-	-	-	-	-
278.0	OBESITY	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-
278.8	OTHER	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-
279	DISORDERS INVOLVING THE IMMUNE MECHANISM	M	11	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
279.0	DEFICIENCY OF HUMORAL IMMUNITY	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.1	DEFICIENCY OF CELL-MEDIATED IMMUNITY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.2	COMBINED IMMUNITY DEFICIENCY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.3	UNSPECIFIED IMMUNITY DEFICIENCY	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
279.4	AUTOIMMUNE DISEASE, NOT ELSEWHERE CLASSIFIED	M	5	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	M	706	14	8	8	10	15	14	11	11	15	15	16	22	20	34	34	61	107	80	85	45	12	2	-
		F	364	6	6	5	5	5	10	10	6	7	12	10	12	16	29	34	55	59	38	34	19	3	2	-
280	IRON DEFICIENCY ANAEMIAS	M	342	6	4	5	5	5	8	8	6	6	11	9	11	15	26	32	48	48	30	32	16	2	2	-
		F	74	4	3	3	3	3	6	6	4	4	8	6	8	11	19	24	34	40	22	24	11	2	2	-
281	OTHER DEFICIENCY ANAEMIAS	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281.0	PERNICIOUS ANAEMIA	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281.2	FOLATE-DEFICIENCY ANAEMIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
281.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282	HEREDITARY HAEMOLYTIC ANAEMIAS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.0	HEREDITARY SPHEROCYTOSIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.3	OTHER HAEMOLYTIC ANAEMIAS DUE TO ENZYME DEFICIENCY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.4	THALASSAEMIAS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.5	SICKLE-CELL TRAIT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.6	SICKLE-CELL ANAEMIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
282.9	UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283	ACQUIRED HAEMOLYTIC ANAEMIAS	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.0	AUTOIMMUNE HAEMOLYTIC ANAEMIAS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.1	NON-AUTOIMMUNE HAEMOLYTIC ANAEMIAS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
283.9	UNSPECIFIED	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284	APLASTIC ANAEMIA	M	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284.0	CONSTITUTIONAL APLASTIC ANAEMIA	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284.8	OTHER	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
284.9	UNSPECIFIED	M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
285	OTHER AND UNSPECIFIED ANAEMIAS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
391.1	ACUTE RHEUMATIC ENDOCARDITIS	M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
393-398	CHRONIC RHEUMATIC HEART DISEASE	M	765	-	-	-	-	-	-	-	6	10	12	23	60	51	73	89	110	145	109	64	24	10	2	-
		F	2,250	-	-	-	-	-	-	-	6	10	16	28	44	51	73	85	138	103	80	47	20	7	2	-
394	DISEASES OF MITRAL VALVE	M	313	-	-	-	-	-	-	-	-	-	1	2	6	5	7	5	7	7	7	2	1	-	-	-
		F	396	-	-	-	-	-	-	-	-	-	1	2	6	5	7	5	7	7	7	2	1	-	-	-
394.0	MITRAL STENOSIS	M	111	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	1	1	1	-	-	-	-
		F	285	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	1	1	1	-	-	-	-
394.1	RHEUMATIC MITRAL INSUFFICIENCY	M	87	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-
394.2	MITRAL STENOSIS WITH INSUFFICIENCY	M	60	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1	-	-	-	-	-	-	-
		F	87	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1	-	-	-	-	-	-	-
394.9	OTHER AND UNSPECIFIED	M	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
395	DISEASES OF AORTIC VALVE	M	273	-	-	-	-	-	-	-	-	4	7	14	10	8	30	33	30	33	33	13	4	3	-	-
		F	85	-	-	-	-	-	-	-	-	4	7	14	10	8	30	33	30	33	33	13	4	3	-	-
395.0	RHEUMATIC AORTIC STENOSIS	M	190	-	-	-	-	-	-	-	-	4	4	8	6	5	22	22	22	27	22	9	3	2	-	-
		F	45	-	-	-	-	-	-	-	-	4	4	8	6	5	22	22	22	27	22	9	3	2	-	-
395.1	RHEUMATIC AORTIC INSUFFICIENCY	M	26	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	2	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	2	1	-	-	-	-
395.2	RHEUMATIC AORTIC STENOSIS WITH INSUFFICIENCY	M	40	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	3	3	3	1	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	3	3	3	1	-	-	-	-
395.9	OTHER AND UNSPECIFIED	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
396	DISEASES OF MITRAL AND AORTIC VALVES	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	M	149	-	-	-	-	-	-	-	-	1	1	2	3	2	1	2	4	2	3	3	1	-	1	-
		F	54	-	-	-	-	-	-	-	-	1	1	2	3	2	1	2	4	2	3	3	1	-	1	-
397.0	DISEASES OF TRICUSPID VALVE	M	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
		F	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
397.9	RHEUMATIC DISEASES OF ENDOCARDIUM, VALVE UNSPECIFIED	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398	OTHER RHEUMATIC HEART DISEASE	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
398.9	OTHER AND UNSPECIFIED	M	34	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-
401-405	HYPERTENSIVE DISEASE	M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
401	ESSENTIAL HYPERTENSION	M	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
401.0	SPECIFIED AS MALIGNANT	M	1,067	-	-	-	-	-	1	-	2	4	4	8	14	17	26	32	48	64	84	64	32	6	1	-
		F	1,379	-	-	-	-	-	1	-	2	4	4	8	14	17	26	32	48	64	84	64	32	6	1	-
401.1	SPECIFIED AS BENIGN	M	1,208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
401.9	NOT SPECIFIED AS MALIGNANT OR BENIGN	M	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402	HYPERTENSIVE HEART DISEASE	M	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402.0	SPECIFIED AS MALIGNANT	M	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2,766	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402.1	SPECIFIED AS BENIGN	M	1,190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,558	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
402.9	NOT SPECIFIED AS MALIGNANT OR BENIGN	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
403	HYPERTENSIVE RENAL DISEASE	M	2,746	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
403.0	SPECIFIED AS MALIGNANT	M	1,556	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
403.9	NOT SPECIFIED AS MALIGNANT OR BENIGN	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404	HYPERTENSIVE HEART AND RENAL DISEASE	M	2,738	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
404.9	NOT SPECIFIED AS MALIGNANT OR BENIGN	M	1,548	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-414	ISCHAEMIC HEART DISEASE	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	40,335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410	ACUTE MYOCARDIAL INFARCTION	M	24,403	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	23,858	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHAEMIC HEART DISEASE	M	19,726	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10,376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
412	OLD MYOCARDIAL INFARCTION	M	9,152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1986

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
487	INFLUENZA	M	217	3	1	1	1	1	2	-	-	-	1	2	3	3	6	10	10	15	39	32	43	21	6	-
		F	71	1	1	1	-	-	1	-	-	-	-	1	1	2	2	5	4	10	17	30	37	13	4	-
487.0	WITH PNEUMONIA	M	146	2	1	1	1	1	2	-	-	-	1	2	3	3	6	9	10	14	28	26	35	16	4	-
		F	124	1	1	1	-	-	1	-	-	-	-	1	1	2	2	5	4	9	16	26	32	12	4	-
487.1	WITH OTHER RESPIRATORY MANIFESTATIONS	M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	6	3	-	-
		F	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	6	3	-	-
487.8	WITH OTHER MANIFESTATIONS	M	98	1	-	2	-	-	-	-	-	-	1	-	2	1	-	-	1	-	9	2	2	2	2	-
		F	30	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	2	1	1	-
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	M	9,700	17	3	3	6	8	18	21	16	24	37	104	158	367	764	1,335	1,773	1,977	1,636	838	412	113	16	3
		F	5,211	12	3	3	6	8	9	8	10	12	24	33	84	164	346	606	772	896	766	354	234	72	7	2
		M	4,489	5	0	0	0	0	9	13	6	12	13	71	74	203	418	729	1,001	1,081	868	484	178	41	9	1
490	BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC	M	94	0	0	0	0	0	0	0	0	0	0	1	4	3	4	7	7	9	15	17	9	7	1	1
		F	46	0	0	0	0	0	0	0	0	0	0	0	1	3	3	4	4	4	10	5	7	4	1	1
491	CHRONIC BRONCHITIS	M	472	0	0	0	0	0	1	1	1	1	4	4	6	14	24	69	72	111	61	49	30	13	2	1
		F	247	0	0	0	0	0	1	1	1	0	2	4	4	6	7	34	39	48	30	27	11	4	1	1
491.0	SIMPLE CHRONIC BRONCHITIS	M	224	0	0	0	0	0	1	1	1	1	2	4	6	10	17	35	33	43	31	22	19	9	1	1
		F	101	0	0	0	0	0	1	1	1	0	1	3	4	5	7	17	18	24	16	13	9	4	1	1
491.1	MUCOPURULENT CHRONIC BRONCHITIS	M	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
		F	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
491.2	OBSTRUCTIVE CHRONIC BRONCHITIS	M	231	0	0	0	0	0	0	0	1	0	2	0	0	1	0	1	0	0	0	0	0	0	0	0
		F	102	0	0	0	0	0	0	0	1	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0
491.8	OTHER CHRONIC BRONCHITIS	M	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
491.9	UNSPECIFIED	M	114	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
		F	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
492	EMPHYSEMA	M	64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	3,169	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
493	ASTHMA	M	1,250	4	3	3	0	0	15	18	13	14	27	27	32	38	50	84	70	68	57	33	13	4	1	1
		F	919	2	2	3	0	0	8	10	6	6	16	19	20	26	30	53	41	38	37	22	5	3	1	1
493.0	EXTRINSIC ASTHMA	M	341	2	2	3	0	0	5	8	6	6	10	8	12	12	20	33	29	30	20	13	5	1	0	0
		F	113	1	2	3	0	0	3	6	4	2	6	4	8	9	11	10	12	8	5	3	1	1	0	0
493.1	INTRINSIC ASTHMA	M	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
		F	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
493.9	ASTHMA, UNSPECIFIED	M	580	2	1	0	0	0	10	10	7	8	17	19	20	26	30	51	41	38	37	20	8	3	1	1
		F	339	1	0	0	0	0	5	4	2	4	10	15	12	17	19	33	29	30	20	13	5	2	1	1
494	BRONCHIECTASIS	M	113	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	2	3	5	3	3	1	0	0
		F	49	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	3	3	1	1	0	0
496	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED	M	6,256	12	3	3	6	8	3	3	3	10	10	33	80	217	466	842	1,138	1,312	1,161	376	292	78	13	2
		F	3,371	10	3	3	6	8	1	2	3	6	8	14	46	110	249	469	645	715	617	314	126	31	7	1
		M	2,885	2	0	0	0	0	2	1	0	4	2	19	34	107	217	373	493	597	544	262	166	47	6	1
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	M	435	0	0	0	0	0	0	0	0	0	0	0	0	10	14	25	40	64	82	69	54	20	5	1
		F	246	0	0	0	0	0	0	0	0	0	0	0	0	3	15	18	26	49	55	28	20	10	3	1
		F	189	0	0	0	0	0	0	0	0	0	0	0	0	7	13	7	14	35	27	41	34	10	2	0
500	COALWORKERS' PNEUMOCONIOSIS	M	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	2	1	1	0	0	0	0
501	ASBESTOSIS	M	16	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	4	3	1	0	0	0	0
		F	10	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	3	1	1	0	0	0	0
502	PNEUMOCONIOSIS DUE TO OTHER SILICA OR SILICATES	M	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2	1	0	0	0	0
		F	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0
504	PNEUMOPATHY DUE TO INHALATION OF OTHER DUST	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
505	PNEUMOCONIOSIS, UNSPECIFIED	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
506	RESPIRATORY CONDITIONS DUE TO CHEMICAL FUMES AND VAPOURS	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
506.0	BRONCHITIS AND PNEUMONITIS DUE TO FUMES AND VAPOURS	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
506.1	ACUTE PULMONARY OEDEMA DUE TO FUMES AND VAPOURS	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	M	399	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	21	36	72	74	65	34	20	5
		F	212	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	14	22	39	47	24	20	10	3
		F	187	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	7	14	33	27	41	14	10	2
507.0	DUE TO INHALATION OF FOOD OR VOMIT	M	390	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	21	36	72	74	65	34	20	5
		F	212	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	14	22	39	47	24	20	10	3
		F	186	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	7	14	33	27	41	14	10	2
507.1	DUE TO INHALATION OF OILS AND ESSENCES	F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
508	RESPIRATORY CONDITIONS DUE TO OTHER AND UNSPECIFIED EXTERNAL AGENTS	M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
508.0	ACUTE PULMONARY MANIFESTATIONS DUE TO RADIATION	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
508.1	CHRONIC AND OTHER PULMONARY MANIFESTATIONS DUE TO RADIATION	M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM	M	1,33[illegible]	14	[illegible]	[illegible]	[illegible]	[illegible]	7	12	18	23	25	19	27	36	74	109	146	214	260	217	170	77	33	8
		F	934	12	[illegible]	[illegible]	[illegible]	[illegible]	4	7	3	11	8	13	17	47	64	65	88	120	147	104	75	28	16	3
		F	719	12	[illegible]	[illegible]	[illegible]	[illegible]	3	5	3	12	7	6	10	21	27	45	58	94	113	113	95	49	17	5
510	EMPYEMA	M	37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	6	7	4	1	0	0
		F	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	5	2	1	0	0
		F	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	2	0	0	0
510.0	WITH FISTULA	M	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		F	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
510.9	WITHOUT MENTION OF FISTULA	M	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	6	6	4	1	0	0
		F	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	3	2	1	0	0

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
578.0	HAEMATEMESIS	F																								
578.9	HAEMORRHAGE OF GASTROINTESTINAL TRACT, UNSPECIFIED	M	850																							
		F	1110																							
579	INTESTINAL MALABSORPTION	F	149																							
579.0	COELIAC DISEASE	F																								
579.1	TROPICAL SPRUE	F																								
579.8	OTHER	F																								
579.9	UNSPECIFIED	F																								
580-629	DISEASES OF THE GENITOURINARY SYSTEM	M	3,436	24					13	20	33	26	40	47	71		16		36		50	379	395	155	33	1
		F	1,305	16						20	33	26	40	47	71		16		36		50	325	395	111	33	1
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	M	1,931	22						14							13					104		16		
		F	1,352	22						6							13					104		16		
580	ACUTE GLOMERULONEPHRITIS	M	773																							
		F	4																							
580.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY	F																								
580.9	UNSPECIFIED	M																								
		F																								
581	NEPHROTIC SYNDROME	M	3																							
		F																								
581.3	WITH LESION OF MINIMAL CHANGE GLOMERULONEPHRITIS	M																								
581.9	UNSPECIFIED	M	1																							
		F																								
582	CHRONIC GLOMERULONEPHRITIS	M	450																							
		F	500																							
582.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY	M																								
		F																								
582.9	UNSPECIFIED	M																								
		F																								
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC	M	84																							
		F	84																							
583.0	WITH LESION OF PROLIFERATIVE GLOMERULONEPHRITIS	M																								
583.1	WITH LESION OF MEMBRANOUS GLOMERULONEPHRITIS	M																								
		F																								
583.2	WITH LESION OF MEMBRANOPROLIFERATIVE GLOMERULONEPHRITIS	M																								
		F																								
583.4	WITH LESION OF RAPIDLY PROGRESSIVE GLOMERULONEPHRITIS	M																								
		F																								
583.8	WITH OTHER SPECIFIED PATHOLOGICAL LESION IN KIDNEY	M																								
		F																								
583.9	WITH UNSPECIFIED PATHOLOGICAL LESION IN KIDNEY	M	8																							
		F	11																							
584	ACUTE RENAL FAILURE	M	200																							
		F	102																							
584.5	WITH LESION OF TUBULAR NECROSIS	M	96																							
		F	17																							
584.7	WITH LESION OF RENAL MEDULLARY (PAPILLARY) NECROSIS	M	9																							
		F	1																							
584.9	UNSPECIFIED	M	173																							
		F	85																							
585	CHRONIC RENAL FAILURE	M	380																							
		F	292																							
586	RENAL FAILURE, UNSPECIFIED	M	601																							
		F	822																							
587	RENAL SCLEROSIS, UNSPECIFIED	M	309																							
		F	4																							
588	DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION	M	6																							
		F	6																							
588.8	OTHER	M	1																							
		F																								
590-599	OTHER DISEASES OF URINARY SYSTEM	M	1,773									1	1													
		F	1,334																							
590	INFECTIONS OF KIDNEY	M	496																							
		F	639																							
590.0	CHRONIC PYELONEPHRITIS AND CHRONIC PYONEPHROSIS	M	144																							
		F	335																							
590.1	ACUTE PYELONEPHRITIS AND ACUTE PYONEPHROSIS	M	140																							
		F	277																							
590.2	RENAL AND PERINEPHRIC ABSCESS	F	64																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
746.6	OTHER SPECIFIED ANOMALIES OF HEART		49	19	4							1				1	1		2		2					
		M	31	13	3							1				1	1		2		2					
		F	18	6	1																					
746.9	UNSPECIFIED ANOMALIES OF HEART		177	108	50	2						1				1	2	1	1	1	3	1				1
		M	93	50	29	1						1				1	2	1	1	1	3	1				1
		F	84	58	21	1																				
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM		154	73	11	4	1					1				1	1	1	1	1	3	1				1
		M	83	41	6	3	1					1				1	1	1	1	1	3	1				1
		F	71	32	5	1																				
747.0	PATENT DUCTUS ARTERIOSUS		20	17	1																					
		M	14	11	1																					
		F	6	6																						
747.1	COARCTATION OF AORTA		19	14																						
		M	9	6																						
		F	10	8																						
747.2	OTHER ANOMALIES OF AORTA		3	3																						
		M	1	1																						
		F	2	2																						
747.3	ANOMALIES OF PULMONARY ARTERY		18	16																						
		M	10	10																						
		F	8	6																						
747.4	ANOMALIES OF GREAT VEINS		11	10																						
		M	8	7																						
		F	3	3																						
747.6	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM		11	6																						
		M	6	4																						
		F	5	2																						
747.8	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		6	4								1														
		M	4	4																						
		F	2									1														
747.9	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM		7	3	2																					
		M	3	2	1																					
		F	4	1	1																					
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM		167	160	1																					1
		M	96	92	1																					1
		F	71	68																						
748.0	CHOANAL ATRESIA																									
		F																								
748.2	WEB OF LARYNX																									
		M																								
748.3	OTHER ANOMALIES OF LARYNX, TRACHEA AND BRONCHUS		11	11																						
		M	9	9																						
		F	2	2																						
748.5	AGENESIS, HYPOPLASIA AND DYSPLASIA OF LUNG		134	133																						1
		M	75	75																						1
		F	59	58																						
748.6	OTHER ANOMALIES OF LUNG		16	12																						
		M	8	6																						
		F	8	6																						
748.9	UNSPECIFIED ANOMALIES OF RESPIRATORY SYSTEM		6	4																						
		M	4	3																						
		F	2	1																						
749	CLEFT PALATE AND CLEFT LIP		12	12																						
		M	6	6																						
		F	6	6																						
749.1	CLEFT LIP		1	1																						
		F	1	1																						
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT		15	13																						1
		M	7	6																						1
		F	8	7																						
750.3	TRACHEO-OESOPHAGEAL FISTULA, OESOPHAGEAL ATRESIA AND STENOSIS		4	4																						
		M	2	2																						
		F	2	2																						
750.4	OTHER SPECIFIED ANOMALIES OF OESOPHAGUS		3	2																						1
		M	2	1																						1
		F	1	1																						
750.9	UNSPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT		8	7																						1
		M	5	4																						1
		F	3	3																						
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM		134	118	4	1																				1
		M	72	63	2	1																				1
		F	62	55	2																					
751.0	MECKEL'S DIVERTICULUM		4	4																						
		M	2	2																						
		F	2	2																						
751.1	ATRESIA AND STENOSIS OF SMALL INTESTINE		4	4																						
		M	2	2																						
		F	2	2																						
751.3	HIRSCHSPRUNG'S DISEASE AND OTHER CONGENITAL FUNCTIONAL DISORDERS OF COLON		4	3																						1
		M	2	2																						
		F	2	1																						1
751.4	ANOMALIES OF INTESTINAL FIXATION		2	2																						
		M	1	1																						
		F	1	1																						
751.5	OTHER ANOMALIES OF INTESTINE		3	3																						
		M	2	2																						
		F	1	1																						
751.6	ANOMALIES OF GALLBLADDER, BILE DUCTS AND LIVER		14	14																						
		M	6	6																						
		F	8	8																						
751.7	ANOMALIES OF PANCREAS		1	1																						
		F	1	1																						
752	CONGENITAL ANOMALIES OF GENITAL ORGANS		1	1																						
		M	1	1																						
752.5	UNDESCENDED TESTICLE		1	1																						
753	CONGENITAL ANOMALIES OF URINARY SYSTEM		122	116	3																					3
		M	55	52	1																					2
		F	67	64	2																					1
753.0	RENAL AGENESIS AND DYSGENESIS		4	4																						
		M	2	2																						
		F	2	2																						
753.1	CYSTIC KIDNEY DISEASE		4	4																						
		M	2	2																						
		F	2	2																						

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
E825.7	PEDESTRIAN	M	2																							
		F	1																							
E825.9	UNSPECIFIED PERSON	M	10																							
		F	9																							
E826-E829	OTHER ROAD VEHICLE ACCIDENTS	M	80																							
		F	14																							
E826	PEDAL CYCLE ACCIDENT	M	2																							
		F	1																							
E826.1	PEDAL CYCLIST	M	2																							
		F	1																							
E828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN	M	4																							
		F	4																							
E828.8	RIDER OF ANIMAL	M	4																							
		F	4																							
E830-E838	WATER TRANSPORT ACCIDENTS	M	72																							
		F	6																							
E830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	M	20																							
		F	2																							
E830.0	OCCUPANT OF SMALL BOAT, UNPOWERED	M	1																							
		F																								
E830.8	OTHER SPECIFIED PERSON	M	1																							
		F																								
E830.9	UNSPECIFIED PERSON	M	14																							
		F	2																							
E831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY	M	52																							
		F	4																							
E831.0	OCCUPANT OF SMALL BOAT, UNPOWERED	M	1																							
		F																								
E831.1	OCCUPANT OF SMALL BOAT, POWERED	M	1																							
		F																								
E831.4	WATER SKIER	M	1																							
		F																								
E831.9	UNSPECIFIED PERSON	M	50																							
		F	4																							
E832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT ACCIDENT	M	20																							
		F	4																							
E832.0	OCCUPANT OF SMALL BOAT, UNPOWERED	M	6																							
		F																								
E832.1	OCCUPANT OF SMALL BOAT, POWERED	M	1																							
		F																								
E832.8	OTHER SPECIFIED PERSON	M	1																							
		F																								
E832.9	UNSPECIFIED PERSON	M	12																							
		F	3																							
E836	MACHINERY ACCIDENT IN WATER TRANSPORT	M	1																							
		F																								
E836.2	OCCUPANT OF OTHER WATERCRAFT -- CREW	M	1																							
		F																								
E837	EXPLOSION, FIRE OR BURNING IN WATERCRAFT	M	1																							
		F																								
E837.9	UNSPECIFIED PERSON	M	1																							
		F																								
E838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT	M	11																							
		F	1																							
E838.0	OCCUPANT OF SMALL BOAT, UNPOWERED	M	4																							
		F																								
E838.1	OCCUPANT OF SMALL BOAT, POWERED	M	1																							
		F																								
E838.4	WATER SKIER	M	1																							
		F																								
E838.9	UNSPECIFIED PERSON	M	5																							
		F	1																							
E840-E845	AIR AND SPACE TRANSPORT ACCIDENTS	M	161																							
		F	130																							
E840	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING	M	11																							
		F	1																							
E840.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT	M	1																							
		F																								
E840.5	OCCUPANT OF OTHER POWERED AIRCRAFT	M	7																							
		F																								
E841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	M	134																							
		F	113																							
E841.1	OCCUPANT OF MILITARY AIRCRAFT, ANY	M	11																							
		F	1																							
E841.2	CREW OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT	M	13																							
		F	2																							
E841.3	OTHER OCCUPANT OF COMMERCIAL AIRCRAFT (POWERED) IN SURFACE TO SURFACE TRANSPORT	M	82																							
		F	24																							
E841.5	OCCUPANT OF OTHER POWERED AIRCRAFT	M	28																							
		F	14																							
E842	ACCIDENT TO UNPOWERED AIRCRAFT	M	14																							
		F																								

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
930	ANTIBIOTICS	M	1																							
		F																								
930.0	PENICILLINS	M	1																							
		F																								
933	PRIMARILY SYSTEMIC AGENTS	M	1																							
		F																								
933.0	ANTIALLERGIC AND ANTIEMETIC DRUGS	M	1																							
		F																								
937	SEDATIVES AND HYPNOTICS	M	1																							
		F																								
937.9	UNSPECIFIED	M	1																							
		F																								
938	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS	M	1																							
		F																								
938.7	SPINAL ANAESTHETICS	M	1																							
		F																								
947	OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS	M	1																							
		F																								
947.8	OTHER DRUGS AND MEDICAMENTS	M	1																							
		F																								
947.9	UNSPECIFIED DRUG OR MEDICAMENT	M	1																							
		F																								
950-959	SUICIDE AND SELFINFLICTED INJURY	M	3,969				20	210	321	436	447	416	311	281	220	220	228	216	220	146	135	74	28	9		3
		F	1,079				16	170	276	330	356	336	217	184	150	146	171	170	164	138	101	51	23	5		1
		M	410				4	40	47	66	93	80	94	97	70	74	57	46	56	8	34	23	5	4		2
950	SUICIDE AND SELFINFLICTED POISONING BY SOLID OR LIQUID SUBSTANCES	M	627				4	33	86	62	61	80	67	74	50	57	50	46	56	12	12	7	3			
		F	291				3	13	35	39	40	55	43	44	28	31	30	30	31	8	11	4	1			
		M	336				1	20	51	23	21	25	24	30	22	26	20	16	25	4	1	3	2	4		2
950.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS	M	70					1	6	6	4	6	6	6	5	5	4	3	4	1	1	1				
		F	35					1	3	4	3	4	4	4	3	3	3	2	3	1	1	1				
950.1	BARBITURATES	M	62						2	2	2	2	2	2	2	2	2	2	2	1	1	1				
		F	28						2	2	2	2	2	2	2	2	2	2	2	1	1	1				
950.2	OTHER SEDATIVES AND HYPNOTICS	M	7																							
		F	11																							
950.3	TRANQUILIZERS AND OTHER PSYCHOTROPIC AGENTS	M	102						22	22	8	8	20	28	14	10	11	1	5	2	2	1				
		F	75						12	14	16	14	16	22	10	8	10	3	3	2	2	1				
950.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS	M	107					1	4	6	20	16	10	10	11	12	6	4	2	2	2	1				
		F	90						2	4	12	12	8	8	8	10	6	4	2	2	2	1				
950.5	UNSPECIFIED DRUG OR MEDICAMENT	M	107						4	6	4	6	6	6	6	6	4	4	4	2	2	1				
		F	92						2	4	4	4	4	4	4	4	4	4	4	2	2	1				
950.6	AGRICULTURAL AND HORTICULTURAL CHEM. AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS	M	34																							
		F	38																							
950.7	CORROSIVE AND CAUSTIC SUBSTANCES	M	10																							
		F	8																							
950.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	M	20																							
		F	18																							
951	SUICIDE AND SELFINFLICTED POISONING BY GASES IN DOMESTIC USE	M	2																							
		F	3																							
951.0	GAS DISTRIBUTED BY PIPELINE	M	1																							
		F	2																							
951.1	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS	M	2																							
952	SUICIDE AND SELFINFLICTED POISONING BY OTHER GASES AND VAPOURS	M	223					5	13	17	28	33	27	20	13	14	16	17	6	6	6	3	1			
		F	165					4	11	14	24	24	23	15	10	9	11	11	5	5	4	3	1			
952.0	MOTOR VEHICLE EXHAUST GAS	M	58					1	2	3	4	5	4	1	1	1	1	1	1	1	1	1				
		F	147					2	8	12	22	20	20	12	6	5	6	6	3	3	3	2				
952.1	OTHER CARBON MONOXIDE	M	141					4	11	12	22	28	23	19	12	13	15	16	5	5	5	2	1			
		F	53					2	3	2	2	4	3	3	4	4	5	5	2	2	1	1				
952.8	OTHER SPECIFIED GASES AND VAPOURS	M	21						2	2	2	1		1	1											
		F	17						1		1	1	1	1												
953	SUICIDE AND SELFINFLICTED INJURY BY HANGING, STRANGULATION AND SUFFOCATION	M	4																							
		F	2																							
953.0	HANGING	M	663				6	61	80	89	87	64	49	35	32	22	23	23	26	14	10	10	7	1		
		F	332				2	36	76	73	71	58	41	28	14	10	10	10	14	7	9	6	3	1		
		M	331				4	25	4	16	16	6	8	7	18	12	13	13	12	7	1	4	4	0		
953.1	SUFFOCATION BY PLASTIC BAG	M	595				6	61	78	86	84	64	44	33	30	20	20	18	7	7	11	3	2	0		
		F	440				5	36	73	84	82	58	38	27	13	8	14	10	7	7	10	3	2	0		
		M	97				1	25	5	2	2	6	6	6	17	12	6	8	0	0	1	0	0	0		
953.8	OTHER SPECIFIED MEANS	M	65					1	2	1	1	3	3	2	1	2	3	3	1	1	0	1	0	0		
		F	32						1	1	1	3	3	2	1	2	3	3	1	1	0	1	0	0		
953.9	UNSPECIFIED MEANS	M	1																							
		F	2																							
954	SUICIDE AND SELFINFLICTED INJURY BY SUBMERSION (DROWNING)	M	40					1	2	2	4	2	2	2	2	2	2	2	2	2	2	1				
		F	28						2	2	2	2	2	2	2	2	2	2	2	2	2	1				
955	SUICIDE AND SELFINFLICTED INJURY BY FIREARMS AND EXPLOSIVES	M	2,106		8	8	21	100	147	193	175	184	114	101	92	105	107	123	122	128	70	28	8	2		
		F	1,820		8	8	19	19	33	43	60	60	44	25	17	21	10	16	15	6	6	2	1	1		
		M	286				2	81	114	150	115	124	70	76	75	84	97	107	107	122	64	26	7	1		
955.0	HAND GUN	M	678				2	40	76	64	60	46	32	32	33	32	37	46	38	44	25	8	3	1		
		F	378				2	34	60	62	44	35	24	14	12	9	5	8	8	6	4	2	1	1		
		M	300					6	16	14	16	11	8	18	21	23	32	38	30	38	21	6	2	0		
955.1	SHOT GUN	M	1,164				16	57	87	114	97	112	72	57	44	52	58	61	75	77	41	18	4	1		
		F	1,048				15	13	27	30	33	32	14	11	5	12	5	8	7	5	2	1	0	0		
		M	116				1	44	60	84	64	72	58	46	39	40	53	53	68	72	39	17	4	1		
955.2	HUNTING RIFLE	M	180				2	17	13	22	21	20	14	12	10	14	16	16	17	15	7	2	0	0		
		F	171				2	16	10	8	10	11	6	5	4	6	5	7	7	5	2	1	0	0		
		M	9					1	3	14	11	9	8	7	6	8	11	9	10	10	5	1	0	0		

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
100	LEPTOSPIROSIS	M																								
		F																								
100.9	UNSPECIFIED	M																								
		F																								
110-118	MYCOSES	M	86				1				1	1		2	1	4	10	8	17	7	17					
		F	110				1				1	1		1	2	1	10	8	17	11	17					
111	DERMATOMYCOSIS, OTHER AND UNSPECIFIED	M																								
		F																								
111.9	UNSPECIFIED	M																								
		F																								
112	CANDIDIASIS	M	20														1	1		1						
		F	27																1							
112.4	OF LUNG	M	4																							
		F	4																							
112.5	DISSEMINATED	M	8																							
		F	3																	1						
112.8	OF OTHER SITES	M	4																							
		F	3																							
112.9	OF UNSPECIFIED SITE	M	1																							
		F	4																							
114	COCCIDIOIDOMYCOSIS	M	30																							
		F	32																							
115	HISTOPLASMOSIS	M	8																							
		F	5																							
115.9	UNSPECIFIED	M	8																							
		F	5																							
116	BLASTOMYCOTIC INFECTION	M	4																							
		F	4																							
116.0	BLASTOMYCOSIS	M	4																							
		F	4																							
117	OTHER MYCOSIS	M	12																							
		F	7																							
117.3	ASPERGILLOSIS	M	1																							
		F	2																							
117.8	CRYPTOCOCCOSIS	M	2																							
		F	2																							
117.7	ZYGOMYCOSIS (PHYCOMYCOSIS OR MUCORMYCOSIS)	M	1																							
		F	2																							
117.9	OTHER AND UNSPECIFIED	M	5																							
		F	2																							
120-129	HELMINTHIASES	M	1																							
		F																								
120	SCHISTOSOMIASIS (BILHARZIASIS)	M																								
		F																								
120.9	UNSPECIFIED	M																								
		F																								
121	OTHER TREMATODE INFECTIONS	M																								
		F																								
121.3	FASCIOLIASIS	M																								
		F																								
122	ECHINOCOCCOSIS	M																								
		F																								
122.9	ECHINOCOCCUS, UNSPECIFIED, OF LIVER	M																								
		F																								
123	OTHER CESTODE INFECTION	M																								
		F																								
123.1	CYSTICERCOSIS	M																								
		F																								
127	OTHER INTESTINAL HELMINTHIASES	M																								
		F																								
127.0	ASCARIASIS	M																								
		F																								
127.2	STRONGYLOIDIASIS	M																								
		F																								
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES	M	153							1		2	4	4	10	11	27	14	14	8	6	2				
		F	97										2	2		4	5	7	10	13	6	3	1			
130	TOXOPLASMOSIS	M	56																							
		F	43																							
133	SARCOIDOSIS	M	54																							
		F	20																							
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES	M	110							1		2	4	4	10	11	27	14	14	8	6	2				
		F	34										2	2		4	5	7	10	13	6	3	1			
136.3	PNEUMOCYSTOSIS	M	8																							
		F	2																							
136.9	UNSPECIFIED	M	2																							
		F	1																							
137-139	LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES	M	43																							
		F	10																							
137	LATE EFFECTS OF TUBERCULOSIS	M	30																							
		F	10																							

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
194.1	PARATHYROID GLAND	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
194.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
194.4	PINEAL GLAND	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194.6	AORTIC BODY AND OTHER PARAGANGLIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194.9	SITE UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES	M	265	-	-	-	-	-	-	-	-	-	-	-	-	15	27	35	41	43	37	16	9	3	-	-
		F	120	-	-	-	-	-	-	-	-	-	-	-	-	-	14	25	16	33	16	14	3	-	-	-
195.0	HEAD, FACE AND NECK	M	149	-	-	-	-	-	-	-	-	-	-	-	-	-	13	25	14	30	12	11	2	-	-	-
		F	106	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	2	3	4	3	1	-	-	-
195.2	THORAX	M	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.2	ABDOMEN	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.3	PELVIS	M	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
195.4	UPPER LIMB	M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.5	LOWER LIMB	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.8	OTHER SPECIFIED SITES	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.9	LOWER LIMB	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195.8	OTHER SPECIFIED SITES	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	M	3,125	-	1	1	2	22	46	17	17	44	79	92	156	233	394	438	473	446	383	211	108	26	4	4
		F	1,593	-	1	1	1	22	32	10	9	28	33	46	74	130	225	245	245	234	174	64	47	6	-	4
		M	1,532	-	-	-	1	-	14	7	8	16	46	46	82	103	169	193	228	214	209	147	61	20	4	-
199.0	DISSEMINATED	F	209	-	-	-	-	-	2	-	-	2	6	10	10	13	14	15	34	34	30	14	4	2	-	-
		M	101	-	-	-	-	-	1	-	-	1	3	5	5	8	17	16	40	17	19	5	3	-	-	-
199.1	OTHER	F	108	-	-	-	-	-	1	-	-	1	3	5	5	5	14	15	34	17	11	9	1	2	-	-
		M	3,024	-	1	1	2	22	44	17	17	43	73	87	151	220	377	422	433	412	353	197	104	24	4	4
		F	1,384	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,640	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND HAEMATOPOIETIC TISSUE	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
200	LYMPHOSARCOMA AND RETICULOSARCOMA	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
200.0	RETICULOSARCOMA	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
200.1	LYMPHOSARCOMA	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
200.2	BURKITT'S TUMOUR	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
200.8	OTHER NAMED VARIANTS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
201	HODGKIN'S DISEASE	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
201.5	NODULAR SCLEROSIS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
201.9	UNSPECIFIED	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202.0	NODULAR LYMPHOMA	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202.1	MYCOSIS FUNGOIDES	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202.3	MALIGNANT HISTIOCYTOSIS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202.4	LEUKAEMIC RETICULOENDOTHELIOSIS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202.8	OTHER LYMPHOMAS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
202.9	OTHER AND UNSPECIFIED	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
203.0	MULTIPLE MYELOMA	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
203.1	PLASMA CELL LEUKAEMIA	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-
203.8	OTHER IMMUNOPROLIFERATIVE NEOPLASMS	F	1,744	-	1	1	1	22	30	10	9	27	27	41	69	117	211	230	211	217	163	78	46	4	-	4
		M	1,400	-	-	-	1	-	14	7	8	16	46	46	82	103	166	192	222	195	190	119	58	20	4	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
285.0	SIDEROBLASTIC ANAEMIA		12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	-	-
285.1	ACUTE POSTHAEMORRHAGIC ANAEMIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
285.8	OTHER SPECIFIED ANAEMIAS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
285.9	ANAEMIA, UNSPECIFIED		72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	11	11	20	12	2	-	-
		M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
		F	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	10	19	11	2	-	-
286	COAGULATION DEFECTS		89	-	-	-	-	1	1	2	2	3	4	4	7	10	11	11	9	6	4	2	-	-	-	-
		M	57	-	-	-	-	1	1	2	2	3	4	4	7	10	11	11	9	6	4	2	-	-	-	-
		F	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286.0	CONGENITAL FACTOR VIII DISORDER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286.3	CONGENITAL DEFICIENCY OF OTHER CLOTTING FACTORS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286.4	VON WILLEBRAND'S DISEASE		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
286.6	DEFIBRINATION SYNDROME		47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
286.9	OTHER AND UNSPECIFIED COAGULATION DEFECTS		37	-	-	-	-	1	1	2	2	3	4	4	7	10	11	10	8	3	1	1	-	-	-	-
		M	24	-	-	-	-	1	1	2	2	3	4	4	7	10	11	10	8	3	1	1	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287	PURPURA AND OTHER HAEMORRHAGIC CONDITIONS		86	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		M	53	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287.0	ALLERGIC PURPURA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287.3	PRIMARY THROMBOCYTOPENIA		22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
287.5	THROMBOCYTOPENIA, UNSPECIFIED		31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288	DISEASES OF WHITE BLOOD CELLS		42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.0	AGRANULOCYTOSIS		26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.1	FUNCTIONAL DISORDERS OF NEUTROPHIL POLYMORPHONUCLEARS		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.2	GENETIC ANOMALIES OF LEUCOCYTES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.3	EOSINOPHILIA		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
288.8	OTHER		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS		228	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		M	143	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.5	OTHER DISEASES OF SPLEEN		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.8	OTHER		211	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		M	137	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
289.9	UNSPECIFIED		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-319	MENTAL DISORDERS		2,380	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		M	1,189	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	1,191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-299	PSYCHOSES		1,070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	680	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-294	ORGANIC PSYCHOTIC CONDITIONS		772	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS		739	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	494	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.0	SENILE DEMENTIA, SIMPLE TYPE		338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	242	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.1	PRESENILE DEMENTIA		263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.2	SENILE DEMENTIA, DEPRESSED OR PARANOID TYPE		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.3	SENILE DEMENTIA WITH ACUTE CONFUSIONAL STATE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.4	ARTERIOSCLEROTIC DEMENTIA		104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290.9	UNSPECIFIED		287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
291	ALCOHOLIC PSYCHOSES		84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
291.0	DELIRIUM TREMENS		11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
291.1	KORSAKOV'S PSYCHOSIS, ALCOHOLIC		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
413	ANGINA PECTORIS	M	60	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8	7	8	12	8	13	2	-	-
		F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	4	5	2	10	2	-	-
414	OTHER FORMS OF CHRONIC ISCHAEMIC HEART DISEASE	M	28,467	-	-	-	-	-	4	23	59	106	195	363	495	906	1,513	2,430	3,165	4,302	6,742	6,634	3,419	1,537	336	11
		F	19,700	-	-	-	-	-	4	21	38	64	163	303	379	648	1,078	1,440	1,957	2,306	2,120	1,661	917	325	57	2
414.0	CORONARY ATHEROSCLEROSIS	M	14,567	-	-	-	-	-	2	8	17	37	111	276	381	680	901	1,497	1,948	2,434	3,422	3,520	2,725	1,320	293	2
		F	10,867	-	-	-	-	-	2	8	12	32	77	155	232	440	614	965	1,351	1,696	2,202	2,704	2,260	1,272	279	2
414.1	ANEURYSM OF HEART	M	9,005	-	-	-	-	-	-	1	6	11	25	64	63	130	287	518	795	1,394	1,954	2,318	2,021	1,060	248	-
		F	10,882	-	-	-	-	-	-	-	4	11	23	44	65	150	287	519	792	1,439	2,144	2,811	2,211	1,060	246	-
414.8	OTHER	M	4,892	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	7	7	2	-	-	-	-	-
		F	3,467	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	-	-	-	-
414.9	UNSPECIFIED	M	1,440	-	-	-	-	-	-	-	2	4	8	24	30	42	100	190	238	244	207	158	84	31	4	-
		F	829	-	-	-	-	-	-	-	2	2	4	14	30	44	92	161	164	156	121	73	32	6	2	-
		M	311	-	-	-	-	-	-	-	-	-	1	4	4	14	29	38	74	88	86	83	52	25	-	-
		F	308	-	-	-	-	-	-	-	-	-	-	2	1	2	5	8	9	8	6	5	2	2	-	-
415-417	DISEASES OF PULMONARY CIRCULATION	M	49,741	24	14	5	7	8	14	37	60	132	280	486	726	979	1,215	1,107	956	602	246	36	-	-	-	-
		F	51,167	20	12	5	6	8	10	24	53	88	214	363	469	637	699	526	364	324	59	10	-	-	-	-
		M	904	24	14	5	7	8	10	24	53	88	214	363	469	637	699	526	364	324	59	10	-	-	-	-
		F	644	20	12	5	6	8	10	24	53	88	214	363	469	637	699	526	364	324	59	10	-	-	-	-
415	ACUTE PULMONARY HEART DISEASE	M	468	10	6	3	4	4	6	11	23	39	69	92	125	237	342	516	581	592	424	187	29	1	-	-
		F	572	10	6	3	4	4	6	11	23	39	69	92	118	145	129	68	45	25	15	4	1	-	-	-
		M	286	-	-	-	-	-	-	1	7	4	6	6	7	17	61	77	68	59	38	39	37	7	1	-
415.1	PULMONARY EMBOLISM	F	286	-	-	-	-	-	-	1	7	4	6	6	7	17	57	64	88	46	33	39	40	8	2	-
		M	286	-	-	-	-	-	-	1	7	4	6	6	7	17	60	74	92	44	26	14	12	2	1	-
		F	272	-	-	-	-	-	-	1	7	4	6	6	7	17	52	40	51	42	27	25	20	6	2	-
416	CHRONIC PULMONARY HEART DISEASE	M	326	3	1	1	1	1	1	4	11	12	12	15	26	36	68	74	82	88	46	26	40	12	2	-
		F	138	2	1	1	1	1	1	1	4	7	6	8	9	17	32	40	51	46	27	14	12	2	1	-
416.0	PRIMARY PULMONARY HYPERTENSION	M	148	1	1	1	1	1	1	3	7	4	6	6	7	17	36	34	41	42	27	14	12	2	1	-
		F	148	1	1	1	1	1	1	1	4	7	6	8	9	17	32	40	50	46	27	14	12	2	1	-
416.1	KYPHOSCOLIOTIC HEART DISEASE	M	127	1	1	1	1	1	1	3	7	4	6	6	7	17	36	34	41	42	27	14	12	2	1	-
		F	115	1	1	1	1	1	1	1	4	7	6	8	9	17	32	40	50	46	27	14	12	2	1	-
416.8	OTHER	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
416.9	PULMONARY HEART DISEASE, UNSPECIFIED	M	72	-	-	-	-	-	-	-	-	-	-	-	2	3	5	10	17	11	11	6	3	-	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-
417	OTHER DISEASES OF PULMONARY CIRCULATION	M	44	-	1	-	-	-	-	-	-	-	-	1	1	1	4	6	2	2	3	2	1	-	-	-
		F	63	-	1	-	-	-	-	-	-	-	-	1	1	1	4	6	2	2	3	2	1	-	-	-
417.1	ANEURYSM OF PULMONARY ARTERY	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
417.8	OTHER	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
417.9	UNSPECIFIED	M	35	-	1	-	-	-	-	-	-	-	-	1	1	1	4	6	2	2	3	2	1	-	-	-
		F	56	-	1	-	-	-	-	-	-	-	-	1	1	1	4	6	2	2	3	2	1	-	-	-
420-429	OTHER FORMS OF HEART DISEASE	M	17,715	37	40	4	10	26	62	87	133	153	212	322	545	803	1,323	1,726	2,049	2,372	2,629	2,472	1,730	688	176	9
		F	21,938	28	35	4	8	21	46	65	100	121	163	244	408	646	892	1,104	1,207	1,230	1,163	799	476	154	35	1
		M	8,778	9	5	-	2	5	16	22	33	32	49	78	137	239	431	622	842	1,142	1,466	1,673	1,254	534	141	8
420	ACUTE PERICARDITIS	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	-	-	-
420.9	OTHER AND UNSPECIFIED ACUTE PERICARDITIS	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	-	-	-
421	ACUTE AND SUBACUTE ENDOCARDITIS	M	93	-	1	-	-	-	-	-	1	1	1	3	6	5	10	16	13	4	4	2	2	-	-	-
		F	64	-	1	-	-	-	-	-	1	1	1	3	5	4	10	12	8	4	2	2	2	-	-	-
421.0	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS	M	29	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	1	1	1	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	1	1	1	1	-	-	-
421.9	ACUTE ENDOCARDITIS, UNSPECIFIED	M	64	-	1	-	-	-	-	-	1	1	1	2	5	4	8	12	10	3	3	1	1	-	-	-
		F	44	-	1	-	-	-	-	-	1	1	1	2	4	3	8	8	5	3	1	1	1	-	-	-
422	ACUTE MYOCARDITIS	M	89	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	-	-	-
		F	86	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	-	-	-
422.9	OTHER AND UNSPECIFIED ACUTE MYOCARDITIS	M	89	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	-	-	-
		F	86	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	1	1	1	-	-	-
423	OTHER DISEASES OF PERICARDIUM	M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
		F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
423.0	HAEMOPERICARDIUM	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
423.2	CONSTRICTIVE PERICARDITIS	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
423.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
423.9	UNSPECIFIED	M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
424	OTHER DISEASES OF ENDOCARDIUM	M	1,311	-	-	-	-	-	-	-	1	-	2	10	14	16	28	40	75	93	135	190	242	230	136	43	12	-
		F	396	-	-	-	-	-	-	-	-	-	1	2	11	12	20	24	30	50	94	100	109	70	34	8	2	-
		M	718	-	-	-	-	-	-	-	-	-	-	-	1	2	5	10	16	31	61	90	133	160	102	35	8	-
424.0	MITRAL VALVE DISORDERS	F	219	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	8	17	30	36	46	44	17	3	1	-
		M	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	1	-	-	-
		F	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	1	-	-	-
424.1	AORTIC VALVE DISORDERS	M	469	-	-	-	-	-	-	-	1	-	2	9	13	14	23	34	58	61	101	154	175	156	98	30	7	-
		F	125	-	-	-	-	-	-	-	-	-	1	2	10	11	17	19	22	33	64	80	103	103	70	23	6	-
424.3	PULMONARY VALVE DISORDERS	M	444	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
424.9	ENDOCARDITIS, VALVE UNSPECIFIED	M	222	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	8	5	8	12	17	18	21	4	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	5	8	7	3	1	-	-
		M	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425	CARDIOMYOPATHY	M	2,697	19	16	2	7	13	25	49	73	74	89	107	121	104	203	360	347	346	322	253	153	62	22	4	-	-
		F	1,680	13	8	2	6	11	20	44	57	58	74	92	88	80	179	256	319	298	221	131	51	34	6	-	-	-
		M	947	6	11	-	3	3	8	9	18	18	19	32	35	34	64	104	126	128	130	102	46	14	5	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
511	PLEURISY	M	65										1	1	1	1				13	14	8	7	6		
		F	54													2	1	6	6	6	8	14	10			
511.0	WITHOUT MENTION OF EFFUSION OR CURRENT TUBERCULOSIS	M	3																							
		F	2																							
511.8	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOUS	M	6																							
		F	4																							
511.9	UNSPECIFIED PLEURAL EFFUSION	M	56										1	1	1	1				1	1					
		F	26													2	1	6	6	6	8	14	10			
512	PNEUMOTHORAX	M	80																							
		F	20																							
513	ABSCESS OF LUNG AND MEDIASTINUM	M	357																							
		F	277																							
513.0	ABSCESS OF LUNG	M	355																							
		F	276																							
513.1	ABSCESS OF MEDIASTINUM	M	2																							
		F	1																							
514	PULMONARY CONGESTION AND HYPOSTASIS	M	188																							
		F	200																							
515	POSTINFLAMMATORY PULMONARY FIBROSIS	M	1,001																							
		F	1,010																							
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY	M	1,044																							
		F	782																							
516.2	PULMONARY ALVEOLAR MICROLITHIASIS	M	1																							
		F	1																							
516.3	IDIOPATHIC FIBROSING ALVEOLITIS	M	1																							
		F	1																							
516.8	OTHER	M	1,042																							
		F	779																							
518	OTHER DISEASES OF LUNG	M	1,550																							
		F	1,078																							
518.0	PULMONARY COLLAPSE	M	17																							
		F	9																							
518.1	INTERSTITIAL EMPHYSEMA	M	1																							
		F	1																							
518.3	PULMONARY EOSINOPHILIA	M	11																							
		F	8																							
518.4	ACUTE OEDEMA OF LUNG, UNSPECIFIED	M	8																							
		F	6																							
518.5	PULMONARY INSUFFICIENCY FOLLOWING TRAUMA AND SURGERY	M	129													10	10	14	12	17	11	2				
		F	65													6	4	6	5	7	7	1				
518.8	OTHER DISEASES OF LUNG, NOT ELSEWHERE CLASSIFIED	M	317	1																						
		F	182																							
519	OTHER DISEASES OF RESPIRATORY SYSTEM	M	1,169																							
		F	778																							
519.0	TRACHEOSTOMY MALFUNCTION	M	36																							
		F	40																							
519.1	OTHER DISEASES OF TRACHEA AND BRONCHUS, NOT ELSEWHERE CLASSIFIED	M	14																							
		F	10																							
519.2	MEDIASTINITIS	M	9																							
		F	3																							
519.3	OTHER DISEASES OF MEDIASTINUM, NOT ELSEWHERE CLASSIFIED	M	3																							
		F	1																							
519.8	OTHER DISEASES OF RESPIRATORY SYSTEM, NOT ELSEWHERE CLASSIFIED	M	41																							
		F	18																							
519.9	UNSPECIFIED	M	83																							
		F	64																							
520-579	DISEASES OF THE DIGESTIVE SYSTEM	M	8,855	35	12	9	9	21	81	213	393	481	581	580	747	938	916	896	978	813	640	386	141	26	5	
		F	4,698	24	10	6	6	11	46	157	248	348	376	402	478	560	509	466	456	346	242	135	24	4		
			3,957	11	2	3	3	10	35	56	145	133	205	178	269	378	407	430	522	467	398	251	117	22	5	
520-529	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS	M	14																							
		F	8																							
522	DISEASES OF PULP AND PERIAPICAL TISSUES	M	1																							
		F	1																							
522.5	PERIAPICAL ABSCESS WITHOUT SINUS	M	1																							
		F	1																							
526	DISEASES OF THE JAWS	M	2																							
		F	2																							
526.5	ALVEOLITIS OF JAW	M	2																							
		F	2																							
527	DISEASES OF THE SALIVARY GLANDS	M	1																							
		F	1																							
527.2	SIALOADENITIS	M	1																							
		F	1																							
527.3	ABSCESS	M	1																							
		F	1																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
590.8	PYELONEPHRITIS OR PYONEPHROSIS, NOT SPECIFIED AS ACUTE OR CHRONIC	M	43	-	-	-	-	-	-	-	-	-	1	1	3	2	1	7	6	14	17	19	17	6	-	-
		F	28	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	6	6	10	12	13	6	-	-
590.9	INFECTION OF KIDNEY, UNSPECIFIED	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
591	HYDRONEPHROSIS	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592	CALCULUS OF KIDNEY AND URETER	M	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592.0	CALCULUS OF KIDNEY	M	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592.1	CALCULUS OF URETER	M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592.9	URINARY CALCULUS, UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
593	OTHER DISORDERS OF KIDNEY AND URETER	M	388	-	-	-	-	-	-	-	-	-	-	10	10	-	13	16	20	24	17	19	14	4	-	-
		F	605	-	-	-	-	-	-	-	-	-	-	9	4	-	9	7	20	24	16	10	14	4	-	-
593.3	STRICTURE OR KINKING OF URETER	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
593.4	OTHER URETERIC OBSTRUCTION	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
593.8	OTHER	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
593.9	UNSPECIFIED	M	157	-	-	-	-	-	-	-	-	-	-	10	10	-	10	16	20	24	17	19	14	4	-	-
		F	86	-	-	-	-	-	-	-	-	-	-	9	4	-	9	7	20	24	16	10	14	4	-	-
594	CALCULUS OF LOWER URINARY TRACT	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
594.1	OTHER CALCULUS IN BLADDER	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
595	CYSTITIS	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
595.0	ACUTE CYSTITIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
595.2	OTHER CHRONIC CYSTITIS	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
595.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596	OTHER DISORDERS OF BLADDER	M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.0	BLADDER-NECK OBSTRUCTION	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.1	INTESTINOVESICAL FISTULA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.2	VESICAL FISTULA, NOT ELSEWHERE CLASSIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.3	DIVERTICULUM OF BLADDER	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.4	ATONY OF BLADDER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.5	OTHER FUNCTIONAL DISORDERS OF BLADDER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.6	RUPTURE OF BLADDER, NONTRAUMATIC	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
596.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
597	URETHRITIS, NOT SEXUALLY TRANSMITTED, AND URETHRAL SYNDROME	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
597.8	OTHER URETHRITIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
598	URETHRAL STRICTURE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
598.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT	M	1,303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			860	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
599.0	URINARY TRACT INFECTION, SITE NOT SPECIFIED	M	1,203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			813	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
599.6	URINARY OBSTRUCTION, UNSPECIFIED	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
599.7	HAEMATURIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
599.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600-608	DISEASES OF MALE GENITAL ORGANS	M	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
602	HYPERPLASIA OF PROSTATE	M	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
601	INFLAMMATORY DISEASES OF PROSTATE	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
601.2	ABSCESS OF PROSTATE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
601.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1986
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
753.3	OTHER SPECIFIED ANOMALIES OF KIDNEY	M	2	1																						
		F	2	1																						
753.9	UNSPECIFIED ANOMALIES OF URINARY SYSTEM	M	1																							
		F	1																							
755	OTHER CONGENITAL ANOMALIES OF LIMBS	M	1																							
755.8	OTHER SPECIFIED ANOMALIES OF UNSPECIFIED LIMB	M	1																							
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	M	59	33	6	3																1		1		
		F	44	37	2	1																1		1		
756.0	ANOMALIES OF SKULL AND FACE BONES	M	23	16	4	2																				
		F	4	4																						
756.1	ANOMALIES OF SPINE	M	2		1	1																				
		F	1			1																				
756.4	CHONDRODYSTROPHY	M	1																							
		F	1																							
756.5	OSTEODYSTROPHIES	M	11	10	1																			1		
		F	2	2																						
756.6	ANOMALIES OF DIAPHRAGM	M	4	4																						
		F	2	2																						
756.7	ANOMALIES OF ABDOMINAL WALL	M	1	1																						
		F	1	1																						
756.9	UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM	F	1																							
757	CONGENITAL ANOMALIES OF THE INTEGUMENT	M	1																							
		F	1																							
757.0	HEREDITARY OEDEMA OF LEGS	M	1																							
757.1	ICHTHYOSIS CONGENITA	F	1																							
757.3	OTHER SPECIFIED ANOMALIES OF SKIN	M	1																							
		F	1																							
758	CHROMOSOMAL ANOMALIES	M	160	133	6	5	2																			
		F	137	130	1																					
758.0	DOWN'S SYNDROME	M	97	73	6	5	2																			
		F	80	74	1																					
758.1	PATAU'S SYNDROME	M	27	27																						
		F	20	20																						
758.2	EDWARDS'S SYNDROME	M	24	24																						
		F	37	37																						
758.5	OTHER CONDITIONS DUE TO AUTOSOMAL ANOMALIES	M	1	1																						
		F	1	1																						
758.9	CONDITIONS DUE TO ANOMALY OF UNSPECIFIED CHROMOSOME	M	4	4																						
		F	5	5																						
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	M	122	55	11	6	2																			
		F	78	55	5	3																				
759.0	ANOMALIES OF SPLEEN	M	44	37	3	1																				
		F	3	2																						
759.1	ANOMALIES OF ADRENAL GLAND	M	1																							
		F	1																							
759.3	SITUS INVERSUS	F	1																							
759.4	CONJOINED TWINS	M	8	8																						
		F	6	6																						
759.5	TUBEROUS SCLEROSIS	M	2																							
759.6	OTHER HAMARTOSES, NOT ELSEWHERE CLASSIFIED	M	2																							
759.7	MULTIPLE CONGENITAL ANOMALIES, SO DESCRIBED	M	64	64																						
		F	48	48																						
759.8	OTHER SPECIFIED ANOMALIES	M	18	18																						
		F	14	14																						
759.9	CONGENITAL ANOMALY, UNSPECIFIED	M	7	6																						
		F	3	3																						
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	M	1,968	1,933	16																				2	10
		F	1,132	1,112	10																				2	8
760	FETUS OR NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY	M	850	840	7																				1	2
		F	18	17																						1
760.0	MATERNAL HYPERTENSIVE DISORDERS	M	8	8																						
		F	10	9																						1
760.1	MATERNAL RENAL AND URINARY TRACT DISEASES	F	1	1																						
760.2	MATERNAL INFECTIONS	F	1	1																						
760.3	MATERNAL INJURY	M	1																							1
		F	1	1																						
760.7	NOXIOUS INFLUENCES TRANSMITTED VIA PLACENTA OR BREAST MILK	M	3	3																						
		F	4	4																						

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 19__
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
842.6	OCCUPANT OF UNPOWERED AIRCRAFT, EXCEPT PARACHUTIST	M	8	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
843	FALL IN, ON OR FROM AIRCRAFT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
843.1	OCCUPANT OF MILITARY AIRCRAFT, ANY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
844.7	PARACHUTIST (MILITARY) (OTHER)	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
844.8	GROUND CREW, AIRLINE EMPLOYEE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
848	ACCIDENTS INVOLVING OTHER VEHICLES NOT ELSEWHERE CLASSIFIABLE	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS		1,306	-	8	3	2	10	112	223	348	310	176	95	59	50	28	23	16	9	8	9	3	2	1	1
		M	1,159	-	8	3	2	10	90	178	296	249	140	76	40	30	14	10	6	4	4	6	1	1	1	1
		F	147	-	-	-	-	-	22	45	52	61	36	19	19	20	14	13	10	5	4	3	2	1	-	-
850	ACCIDENTAL POISONING BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS		493	1	2	2	-	6	22	71	105	120	68	41	19	22	6	6	2	1	1	1	1	-	-	1
		M	411	1	2	2	-	4	22	60	75	99	54	36	16	21	6	4	2	1	1	1	1	-	-	1
		F	82	-	-	-	-	2	-	11	30	21	14	5	3	1	-	2	-	-	-	-	-	-	-	-
850.0	OPIATES AND RELATED NARCOTICS		412	1	2	2	-	6	22	62	89	106	57	31	11	21	6	6	2	1	1	1	1	-	-	1
		M	353	1	2	2	-	4	19	51	81	90	48	29	10	14	5	5	2	1	1	1	1	-	-	1
		F	59	-	-	-	-	2	3	11	8	16	9	2	1	7	1	1	-	-	-	-	-	-	-	-
850.1	SALICYLATES		16	-	-	-	-	-	-	1	1	1	3	2	3	2	1	-	-	-	1	-	-	-	-	1
		M	8	-	-	-	-	-	-	1	-	1	2	2	2	1	1	-	-	-	1	-	-	-	-	1
		F	8	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
850.2	AROMATIC ANALGESICS, NOT ELSEWHERE CLASSIFIED		7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850.4	ANTIRHEUMATICS (ANTIPHLOGISTICS)		1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
850.5	OTHER NON-NARCOTIC ANALGESICS		11	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
850.8	OTHER		66	-	-	-	-	1	7	7	12	10	6	4	4	1	-	-	-	-	-	-	-	-	-	-
		M	41	-	-	-	-	1	7	7	12	8	6	4	4	1	-	-	-	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
851	ACCIDENTAL POISONING BY BARBITURATES		5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
852	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
852.3	MIXED SEDATIVES, NOT ELSEWHERE CLASSIFIED		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853	ACCIDENTAL POISONING BY TRANQUILIZERS		23	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853.0	PHENOTHIAZINE-BASED TRANQUILIZERS		6	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853.1	BUTYROPHENONE-BASED TRANQUILIZERS		4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853.2	BENZODIAZEPINE BASED		14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
853.8	OTHER		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854	ACCIDENTAL POISONING BY OTHER PSYCHOTROPIC AGENTS		102	-	-	-	-	-	-	13	22	17	10	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	69	-	-	-	-	-	-	10	15	13	6	6	-	-	-	-	-	-	-	-	-	-	-	-
		F	33	-	-	-	-	-	-	3	7	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
854.0	ANTIDEPRESSANTS		48	-	-	-	-	-	-	2	7	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	-	-	-	-	-	-	2	5	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854.1	PSYCHODYSLEPTICS (HALLUCINOGENS)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
854.2	PSYCHOSTIMULANTS		39	-	-	-	-	-	-	11	10	9	4	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	28	-	-	-	-	-	-	8	7	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
855	ACCIDENTAL POISONING BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS		303	-	1	-	-	4	41	64	74	59	23	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	250	-	1	-	-	3	33	53	63	47	20	15	-	-	-	-	-	-	-	-	-	-	-	-
		F	53	-	-	-	-	1	8	11	11	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-
855.0	ANTICONVULSANT AND ANTI-PARKINSONISM DRUGS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855.1	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
855.2	LOCAL ANAESTHETICS		196	-	-	-	-	3	35	46	55	45	20	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	146	-	-	-	-	2	28	33	48	35	18	15	-	-	-	-	-	-	-	-	-	-	-	-
		F	50	-	-	-	-	1	7	13	7	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-
855.8	OTHER		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
856	ACCIDENTAL POISONING BY ANTIBIOTICS		3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
858	ACCIDENTAL POISONING BY OTHER DRUGS		371	1	3	1	-	6	41	67	132	110	66	36	27	27	14	17	16	12	7	7	3	2	2	1
		M	207	1	3	1	-	4	31	52	113	68	38	17	17	17	6	7	9	10	3	5	1	2	2	1
		F	164	-	-	-	-	2	10	15	19	42	28	19	9	10	8	10	7	2	4	2	2	0	0	0
858.0	HORMONES AND SYNTHETIC SUBSTITUTES		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.1	PRIMARILY SYSTEMIC AGENTS		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.2	AGENTS PRIMARILY AFFECTING BLOOD CONSTITUENTS		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.3	AGENTS PRIMARILY AFFECTING CARDIOVASCULAR SYSTEM		26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1
		F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
858.4	AGENTS PRIMARILY AFFECTING GASTROINTESTINAL SYSTEM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968

(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
955.3	MILITARY FIREARMS	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
955.4	OTHER AND UNSPECIFIED FIREARM	M	967	-	-	-	38	44	78	95	99	93	86	81	68	69	54	78	67	67	24	20	6	2	-	-
		F	828	-	-	-	28	34	42	42	26	19	47	50	38	55	49	71	60	62	46	19	8	1	-	-
		M	139	-	-	-	10	8	13	23	23	14	11	11	10	14	5	7	7	5	2	1	2	1	-	-
956	SUICIDE AND SELFINFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	M	91	-	-	-	-	6	11	11	6	7	11	8	4	6	6	8	6	5	5	2	1	-	-	-
		F	44	-	-	-	-	2	2	2	2	2	2	2	4	6	2	3	4	3	2	1	1	-	-	-
957	SUICIDE AND SELFINFLICTED INJURY BY JUMPING FROM HIGH PLACE	M	128	-	-	-	-	6	17	14	18	11	6	8	6	6	6	8	7	5	5	2	1	-	-	-
		F	97	-	-	-	-	4	12	14	10	8	6	6	6	6	6	8	7	5	5	2	1	-	-	-
957.0	RESIDENTIAL PREMISES	M	31	-	-	-	-	1	2	4	3	2	1	1	1	1	1	2	1	1	1	1	-	-	-	-
		F	34	-	-	-	-	1	2	4	3	2	1	1	1	1	1	2	1	1	1	1	-	-	-	-
957.1	OTHER MANMADE STRUCTURES	M	36	-	-	-	-	1	4	2	3	2	1	1	1	1	1	2	1	1	1	1	-	-	-	-
		F	16	-	-	-	-	1	2	2	1	1	1	1	1	1	1	2	1	1	1	1	-	-	-	-
957.2	NATURAL SITES	M	43	-	-	-	-	2	4	4	3	3	2	2	2	2	2	3	2	2	2	1	-	-	-	-
		F	30	-	-	-	-	2	3	3	2	2	2	2	2	2	2	3	2	2	2	1	-	-	-	-
957.9	UNSPECIFIED	M	6	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	12	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
958	SUICIDE AND SELFINFLICTED INJURY BY OTHER AND UNSPECIFIED MEANS	M	105	-	-	-	1	6	14	15	12	6	6	10	6	6	6	6	6	6	6	2	1	-	-	2
		F	74	-	-	-	1	4	8	9	7	4	4	6	4	4	4	4	4	4	4	2	1	-	-	2
958.0	JUMPING OR LYING BEFORE MOVING OBJECT	M	31	-	-	-	-	2	6	7	4	2	1	1	1	1	1	1	1	1	1	-	-	-	-	-
		F	21	-	-	-	-	1	4	5	3	2	1	1	1	1	1	1	1	1	1	-	-	-	-	-
958.1	BURNS, FIRE	M	30	-	-	-	-	2	3	3	3	2	2	2	2	2	2	2	2	2	2	1	-	-	-	-
		F	23	-	-	-	-	2	3	3	3	2	2	2	2	2	2	2	2	2	2	1	-	-	-	-
958.4	ELECTROCUTION	M	10	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	4	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
958.5	CRASHING OF MOTOR VEHICLE	M	17	-	-	-	-	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	12	-	-	-	-	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
958.8	OTHER SPECIFIED MEANS	M	7	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	5	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
958.9	UNSPECIFIED MEANS	M	6	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	4	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
959	LATE EFFECTS OF SELFINFLICTED INJURY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS	M	3,054	37	43	30	33	366	376	343	415	272	210	119	64	73	56	61	26	34	23	21	2	-	-
		F	2,384	27	32	16	26	314	470	426	342	217	168	90	67	89	44	51	14	20	8	8	1	-	-	-
		M	670	10	11	14	7	52	106	117	73	55	42	29	17	16	12	27	12	14	15	13	2	-	-	-
960	FIGHT, BRAWL, RAPE	M	16	-	-	-	-	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	13	-	-	-	-	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
960.0	UNARMED FIGHT OR BRAWL	M	14	-	-	-	-	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	13	-	-	-	-	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
960.1	RAPE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962	ASSAULT BY POISONING	M	15	-	-	-	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	10	-	-	-	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
962.0	DRUGS AND MEDICAMENTS	M	9	-	-	-	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
		F	8	-	-	-	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-
962.1	OTHER SOLID AND LIQUID SUBSTANCES	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.2	OTHER GASES AND VAPOURS	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
962.9	UNSPECIFIED POISONING	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
963	ASSAULT BY HANGING AND STRANGULATION	M	132	-	-	-	-	3	27	14	20	11	9	4	3	3	2	2	1	1	1	-	-	-	-	-
		F	46	-	-	-	-	2	6	4	5	3	2	1	1	1	1	1	1	1	1	-	-	-	-	-
964	ASSAULT BY SUBMERSION (DROWNING)	M	68	-	-	-	-	3	21	10	15	8	6	3	2	2	1	1	1	1	1	-	-	-	-	-
		F	18	-	-	-	-	1	3	2	3	2	1	1	1	1	1	1	1	1	1	-	-	-	-	-
965	ASSAULT BY FIREARMS AND EXPLOSIVES	M	1,915	10	14	10	14	301	415	377	259	156	107	81	42	32	20	20	17	8	3	1	1	-	-	-
		F	1,398	6	9	6	9	264	371	306	224	133	86	62	32	30	20	20	12	8	3	1	1	-	-	-
		M	317	4	5	4	5	37	44	71	35	23	21	19	10	2	-	-	5	-	-	-	-	-	-	-
965.0	HANDGUN	M	239	3	4	3	4	28	32	39	20	17	16	14	7	2	-	-	4	-	-	-	-	-	-	-
		F	181	3	4	3	4	23	26	33	16	14	13	11	6	2	-	-	3	-	-	-	-	-	-	-
965.1	SHOTGUN	M	58	1	1	1	1	6	8	7	4	3	2	2	1	-	-	-	1	-	-	-	-	-	-	-
		F	42	1	1	1	1	5	6	6	3	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-
965.2	HUNTING RIFLE	M	47	1	1	1	1	8	7	5	6	4	3	3	2	1	-	-	1	-	-	-	-	-	-	-
		F	42	1	1	1	1	7	6	5	5	4	3	3	2	1	-	-	1	-	-	-	-	-	-	-
965.4	OTHER AND UNSPECIFIED FIREARM	M	1,463	4	5	4	5	234	316	289	204	113	73	58	31	26	18	20	10	7	3	1	1	-	-	-
		F	1,226	2	3	2	3	206	281	250	170	96	58	45	24	20	18	20	10	7	3	1	1	-	-	-
		M	237	2	2	2	2	28	35	39	34	17	15	13	7	6	-	-	-	-	-	-	-	-	-	-
965.8	OTHER SPECIFIED EXPLOSIVE	M	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
965.9	UNSPECIFIED EXPLOSIVE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	M	578	3	4	3	4	42	103	113	84	43	46	29	21	14	14	17	7	6	2	1	-	-	-	-
		F	456	3	4	3	4	39	86	86	64	34	38	25	16	12	13	16	6	6	2	1	-	-	-	-
		M	122	-	-	-	-	3	17	27	20	9	8	4	5	2	1	1	1	-	-	-	-	-	-	-
967	CHILD BATTERING AND OTHER MALTREATMENT	M	35	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
967.9	BY UNSPECIFIED PERSON	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
137.9	LATE EFFECTS OF RESPIRATORY OR UNSPECIFIED TUBERCULOSIS	M	20	-	-	-	-	-	-	-	-	-	-	1	1	4	4	2	3	4	3	1	1	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	1	-	-	-
138	LATE EFFECTS OF POLIOMYELITIS	M	24	-	-	-	-	-	-	-	1	1	1	1	2	4	4	2	3	1	1	1	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	1	1	-	-	-
139	LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139.0	LATE EFFECTS OF VIRAL ENCEPHALITIS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-239	NEOPLASMS	M	48,360	15	62	75	68	113	137	236	386	682	1,070	1,879	2,414	3,841	5,632	7,354	7,534	6,926	5,288	2,996	1,311	349	48	6
		F	35,029	10	51	54	36	71	90	121	180	294	403	731	1,174	1,810	2,157	3,056	4,049	3,746	2,699	1,428	540	132	8	1
			83,389	25	113	129	104	184	227	357	566	976	1,473	2,610	3,588	5,651	7,789	10,410	11,583	10,672	7,987	4,424	1,851	481	56	7
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARNYX	M	674	-	1	1	1	2	2	6	8	16	22	42	84	120	130	88	42	37	33	17	10	1	-	-
		F	336	-	1	1	1	1	2	4	8	12	17	25	34	60	42	28	12	7	4	2	-	-	-	-
140	MALIGNANT NEOPLASM OF LIP	M	113	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	2	2	1	1	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
140.1	LOWER LIP, VERMILION BORDER	M	77	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
140.9	LIP, UNSPECIFIED, VERMILION BORDER	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	MALIGNANT NEOPLASM OF TONGUE	M	201	-	-	-	-	-	-	6	6	7	5	12	12	20	20	20	14	14	14	3	3	-	-	-
		F	124	-	-	-	-	-	-	6	6	5	4	6	6	8	8	8	6	6	6	2	2	-	-	-
141.0	BASE OF TONGUE	M	77	-	-	-	-	-	-	-	-	-	-	2	2	6	6	6	4	4	4	1	1	-	-	-
		F	35	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	1	1	-	-	-
141.6	LINGUAL TONSIL	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141.9	TONGUE, UNSPECIFIED	M	121	-	-	-	-	-	-	6	6	7	5	10	10	12	12	12	10	10	10	2	2	-	-	-
		F	88	-	-	-	-	-	-	6	6	5	4	6	6	6	6	6	4	4	4	1	1	-	-	-
142	MALIGNANT NEOPLASM OF MAJOR SALIVARY GLANDS	M	93	-	-	-	-	-	-	-	-	1	1	2	3	4	5	6	6	6	6	3	1	-	-	-
		F	63	-	-	-	-	-	-	-	-	1	1	2	3	4	5	6	6	6	6	3	1	-	-	-
142.0	PAROTID GLAND	M	26	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	1	1	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	1	1	-	-	-
142.1	SUBMANDIBULAR GLAND	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142.9	SITE UNSPECIFIED	M	61	-	-	-	-	-	-	-	-	1	1	1	2	3	3	4	4	4	4	2	-	-	-	-
		F	39	-	-	-	-	-	-	-	-	1	1	1	2	3	3	4	4	4	4	2	-	-	-	-
143	MALIGNANT NEOPLASM OF GUM	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
143.0	UPPER GUM	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143.1	LOWER GUM	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143.9	GUM, UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	M	35	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	4	4	4	2	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	1	-	-	-	-
144.0	ANTERIOR PORTION	M	14	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	1	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-
144.9	PART UNSPECIFIED	M	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	1	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH	M	112	-	-	-	-	-	-	-	1	1	2	3	5	8	10	12	14	14	12	7	2	-	-	-
		F	67	-	-	-	-	-	-	-	1	1	2	3	5	8	10	12	14	14	12	7	2	-	-	-
145.0	CHEEK MUCOSA	M	45	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	4	4	4	2	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.2	HARD PALATE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.3	SOFT PALATE	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.5	PALATE, UNSPECIFIED	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.6	RETROMOLAR AREA	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145.9	MOUTH, UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	MALIGNANT NEOPLASM OF OROPHARYNX	M	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146.0	TONSIL	M	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146.1	TONSILLAR FOSSA	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146.3	VALLECULA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146.9	OROPHARYNX UNSPECIFIED	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
204	LYMPHOID LEUKAEMIA	M	486	-	6	23	12	10	14	11	4	10	9	11	11	2	31	58	49	80	52	30	26	7	2	-
		F	308	-	4	14	7	8	14	6	3	7	7	8	7	2	22	44	48	57	50	32	16	4	2	-
204.0	ACUTE	M	282	-	6	23	10	10	14	10	4	10	9	11	11	2	31	58	49	80	52	30	26	7	2	-
		F	189	-	4	14	6	8	14	6	3	7	7	8	7	2	22	44	48	57	50	32	16	4	2	-
204.1	CHRONIC	M	186	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	102	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204.8	OTHER	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	MYELOID LEUKAEMIA	M	366	-	-	-	-	-	-	1	2	3	6	11	11	8	22	31	40	60	32	20	6	1	-	-
		F	426	-	-	-	-	-	-	-	1	2	3	4	4	5	10	22	32	57	52	38	10	1	-	-
205.0	ACUTE	M	340	-	-	-	-	-	-	1	2	3	6	11	11	8	22	31	40	60	32	20	6	1	-	-
		F	272	-	-	-	-	-	-	-	1	2	3	4	4	5	10	22	32	57	52	38	10	1	-	-
205.1	CHRONIC	M	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.2	SUBACUTE	M	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.8	OTHER	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205.9	UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	MONOCYTIC LEUKAEMIA	M	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206.0	ACUTE	M	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206.1	CHRONIC	M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206.9	UNSPECIFIED	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207	OTHER SPECIFIED LEUKAEMIA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207.0	ACUTE ERYTHRAEMIA AND ERYTHROLEUKAEMIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207.2	MEGAKARYOCYTIC LEUKAEMIA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	LEUKAEMIA OF UNSPECIFIED CELL TYPE	M	486	-	6	23	12	10	14	11	4	10	9	11	11	2	31	58	49	80	52	30	26	7	2	-
		F	308	-	4	14	7	8	14	6	3	7	7	8	7	2	22	44	48	57	50	32	16	4	2	-
209.0	ACUTE	M	282	-	6	23	10	10	14	10	4	10	9	11	11	2	31	58	49	80	52	30	26	7	2	-
		F	189	-	4	14	6	8	14	6	3	7	7	8	7	2	22	44	48	57	50	32	16	4	2	-
209.1	CHRONIC	M	186	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	102	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209.2	SUBACUTE	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209.9	UNSPECIFIED	M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-229	BENIGN NEOPLASMS	M	1,805	-	3	3	7	6	7	14	17	29	47	72	104	111	212	267	240	225	127	57	15	1	-	-
		F	2,112	-	2	2	4	10	9	14	20	27	40	64	93	109	183	224	220	242	154	73	21	2	-	-
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
211.1	STOMACH	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.2	SMALL INTESTINE, INCLUDING DUODENUM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.3	COLON	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.5	LIVER AND BILIARY PASSAGES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.6	PANCREAS, EXCEPT ISLETS OF LANGERHANS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211.7	ISLETS OF LANGERHANS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS	M	104	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
212.1	LARYNX	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212.3	BRONCHUS AND LUNG	M	103	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
212.6	THYMUS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212.7	HEART	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA: 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
291.2	OTHER ALCOHOLIC DEMENTIA	M	68	-	-	-	-	-	-	-	-	-	3	2	2	3	4	8	10	14	11	7	1	-	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	7	4	2	-	-	-
291.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
291.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
294	OTHER ORGANIC PSYCHOTIC CONDITIONS (CHRONIC)	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
294.0	KORSAKOV'S PSYCHOSIS OR SYNDROME (NONALCOHOLIC)	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295-299	OTHER PSYCHOSES	M	2,990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	10	44	71	67	48	20	4	1
		F	2,110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	1	28	43	41	35	16	1	1
295	SCHIZOPHRENIC PSYCHOSES	M	1,805	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	2	2	1	1	-	-
		F	1,249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	1	1	-	-
295.0	SIMPLE TYPE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.2	CATATONIC TYPE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.3	PARANOID TYPE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.6	RESIDUAL SCHIZOPHRENIA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
295.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296	AFFECTIVE PSYCHOSES	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
296.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
297	PARANOID STATES	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
297.1	PARAHOIA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
298	OTHER NONORGANIC PSYCHOSES	M	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	3	4	6	6	4	1	-	1
		F	1,114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	3	10	8	7	3	1	-	1
298.9	UNSPECIFIED PSYCHOSIS	M	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	4	4	2	1	-	1
		F	802	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	1	7	6	5	3	1	-	1
299	PSYCHOSES WITH ORIGIN SPECIFIC TO CHILDHOOD	M	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	2	2	1	-	-	-
		F	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	1	-	-	-
299.0	INFANTILE AUTISM	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS	M	1,206	-	-	-	1	13	21	54	93	141	104	87	67	70	60	61	63	71	79	106	66	33	7	3
		F	773	-	-	-	-	9	17	37	73	115	82	67	50	37	51	40	48	44	27	31	19	6	1	6
			635	-	-	-	-	4	4	19	20	28	22	20	17	14	9	21	16	27	52	75	47	27	6	3
300	NEUROTIC DISORDERS	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
300.4	NEUROTIC DEPRESSION	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
300.9	UNSPECIFIED	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
303	ALCOHOL DEPENDENCE SYNDROME	M	487	-	-	-	-	5	22	85	126	126	82	60	50	57	52	44	51	25	4	7	2	-	-	-
		F	378	-	-	-	-	2	5	27	66	55	42	45	39	43	45	30	29	25	3	6	2	-	-	-
			109	-	-	-	-	3	17	58	60	71	40	15	11	14	7	14	22	0	1	1	-	-	-	-
304	DRUG DEPENDENCE	M	339	-	-	-	-	2	13	19	37	34	28	20	14	11	8	6	4	2	1	1	-	-	-	-
		F	30	-	-	-	-	-	-	1	1	3	2	1	1	1	1	-	-	-	-	-	-	-	-	-
304.0	MORPHINE TYPE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304.2	COCAINE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304.6	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
304.9	UNSPECIFIED	M	334	-	-	-	-	2	13	18	36	33	28	20	14	11	8	6	4	2	1	1	-	-	-	-
		F	29	-	-	-	-	-	-	1	1	3	2	1	1	1	1	-	-	-	-	-	-	-	-	-
305	NONDEPENDENT ABUSE OF DRUGS	M	21	-	-	-	-	1	2	3	3	2	2	1	1	1	1	1	1	1	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.0	ALCOHOL	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.1	TOBACCO	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
305.3	HALLUCINOGENS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.5	MORPHINE TYPE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.6	COCAINE TYPE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.7	AMPHETAMINE TYPE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
305.9	OTHER, MIXED OR UNSPECIFIED	M	8	-	-	-	-	1	2	3	3	2	2	1	1	1	1	1	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
306	PHYSIOLOGICAL MALFUNCTION ARISING FROM MENTAL FACTORS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
306.4	GASTROINTESTINAL	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
425.0	ENDOMYOCARDIAL FIBROSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425.1	HYPERTROPHIC OBSTRUCTIVE CARDIOMYOPATHY	M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	4	3	4	2	-	-	1
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	-	-	-	-
425.3	ENDOCARDIAL FIBROELASTOSIS	M	19	7	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425.4	OTHER PRIMARY CARDIOMYOPATHIES	M	2,417	11	1	-	-	10	32	45	68	59	70	82	108	104	247	341	330	312	245	144	78	21	7	2
		F	1,385	7	-	-	-	9	20	40	51	50	87	83	73	133	166	242	208	140	118	49	34	15	4	-
425.5	ALCOHOLIC CARDIOMYOPATHY	M	802	4	-	-	-	-	1	5	9	10	17	22	35	17	61	99	122	122	127	95	44	13	1	-
		F	136	-	-	-	-	-	-	-	-	-	1	2	4	1	3	11	10	5	2	1	-	-	-	-
425.9	SECONDARY CARDIOMYOPATHY, UNSPECIFIED	M	119	-	-	-	-	-	-	-	1	1	2	2	6	2	6	6	6	4	2	1	1	1	1	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426	CONDUCTION DISORDERS	M	1,254	4	-	-	-	1	2	3	6	8	15	20	35	46	84	128	178	209	204	222	142	46	20	1
		F	1,040	4	-	-	-	-	1	2	3	5	11	15	34	47	78	122	168	197	181	148	94	30	18	2
426.0	ATRIOVENTRICULAR BLOCK, COMPLETE	M	111	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	80	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.1	ATRIOVENTRICULAR BLOCK, OTHER AND UNSPECIFIED	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.6	OTHER HEART BLOCK	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.7	ANOMALOUS ATRIOVENTRICULAR EXCITATION	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.8	OTHER	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
426.9	UNSPECIFIED	M	1,105	2	-	-	-	1	2	3	6	8	15	20	34	46	84	128	178	208	204	222	142	46	20	1
		F	951	4	-	-	-	-	1	2	3	5	11	15	34	47	78	122	168	197	181	148	94	30	18	2
427	CARDIAC DYSRHYTHMIAS	M	1,304	20	2	1	1	2	1	2	3	4	11	13	24	34	67	88	140	209	294	222	142	46	20	1
		F	611	13	1	-	-	1	1	1	1	1	4	5	13	20	38	58	85	97	135	74	48	15	2	-
427.0	PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA	M	77	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.1	PAROXYSMAL VENTRICULAR TACHYCARDIA	M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.2	PAROXYSMAL TACHYCARDIA, UNSPECIFIED	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.3	ATRIAL FIBRILLATION AND FLUTTER	M	2,...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.4	VENTRICULAR FIBRILLATION AND FLUTTER	M	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.5	CARDIAC ARREST	M	820	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	392	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.6	PREMATURE BEATS	M	477	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.8	OTHER	M	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
427.9	UNSPECIFIED	M	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
428	HEART FAILURE	M	180	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
428.0	CONGESTIVE HEART FAILURE	M	8,483	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	974	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
428.1	LEFT HEART FAILURE	M	1,479	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2,...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
428.9	UNSPECIFIED	M	1,406	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1,...	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE	M	9,677	130	8	6	6	7	9	14	16	24	54	76	140	210	378	623	956	1,136	1,288	1,364	993	376	100	6
		F	4,930	80	6	3	3	4	4	9	10	16	30	37	74	107	200	388	615	667	674	439	260	91	17	6
			4,747	50	2	3	3	3	5	5	6	8	24	39	66	103	178	235	341	469	614	925	733	285	83	-
429.0	MYOCARDITIS, UNSPECIFIED	M	106	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	54	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
429.1	MYOCARDIAL DEGENERATION	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
429.2	CARDIOVASCULAR DISEASE, UNSPECIFIED	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9,428	121	8	6	6	7	9	14	16	24	54	76	140	210	378	623	956	1,131	1,267	1,418	1,349	988	368	99
		F	4,795	79	6	3	3	4	4	9	10	16	30	37	74	107	200	388	615	661	667	630	433	257	90	17
			4,633	42	2	3	3	3	5	5	6	8	24	39	66	103	178	235	341	470	600	788	916	728	278	82
429.3	CARDIOMEGALY	M	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
429.5	RUPTURE OF CHORDAE TENDINAE	M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
429.8	OTHER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
429.9	UNSPECIFIED	M	4...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438	CEREBROVASCULAR DISEASE	M	18,9...	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	21,5...	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			9,746	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430	SUBARACHNOID HAEMORRHAGE	M	812	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	960	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
526	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING LESIONS SPECIFIC FOR GINGIVA AND TONGUE	M	7	1												1		2		1	1		1			
		F	3	1																						
526.0	STOMATITIS	M	1																							
		F	3																							
526.3	CELLULITIS AND ABSCESS	M	2																							
		F	2																							
526.9	OTHER AND UNSPECIFIED	M	1																							
		F	1																							
530-537	DISEASES OF OESOPHAGUS, STOMACH, AND DUODENUM	M	1,226								12	13	22	37	34	59	81	107	142	209	191	161	102	41	7	
		F	614									6		10		24		58	72	109	90	63	37	12	1	
			612									7		27		35		49	70	100	101	98	65	29	6	
530	DISEASES OF OESOPHAGUS	M	202									2		3		4		12	15	29	35	29	21	8	3	
		F	105									2		7		6		7	6	18	13	13	6	4	1	
			96																							
530.0	ACHALASIA AND CARDIOSPASM	M	8																							
		F	4																							
530.1	OESOPHAGITIS	M	20																							
		F	11																							
530.2	ULCER OF OESOPHAGUS	M	28																							
		F	20																							
530.3	STRICTURE AND STENOSIS OF OESOPHAGUS	M	12																							
		F	20																							
530.4	PERFORATION OF OESOPHAGUS	M	2																							
		F	10																							
530.5	DYSKINESIA OF OESOPHAGUS	M	17																							
		F	10																							
530.6	DIVERTICULUM OF OESOPHAGUS, ACQUIRED	M	7																							
		F	33																							
530.7	GASTRO-OESOPHAGEAL LACERATION-HAEMORRHAGE SYNDROME	M	12																							
		F	4																							
530.8	OTHER DISORDERS OF OESOPHAGUS	M	11																							
		F	8																							
531	GASTRIC ULCER	M	280								2	6	6	12	12	10	10	13	23	24	14	6	3			
		F	144									1		2		2		4	10	6	4	4	3			
			136								2	5	6	10	12	8	10	9	13	18	10	2				
531.0	ACUTE WITH HAEMORRHAGE	M	3																							
		F	2																							
531.1	ACUTE WITH PERFORATION	M	1																							
		F	1																							
531.3	ACUTE WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	M	1																							
		F	1																							
531.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE	M	254								1	6	6	12	12	10	10	13	23	24	14	6	3			
		F	86									1		2		2		4	10	6	4	4	3			
			168								1	5	6	10	12	8	10	9	13	18	10	2				
531.5	CHRONIC OR UNSPECIFIED WITH PERFORATION	M	30																							
		F	55																							
531.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION	M	10																							
		F	7																							
531.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	M	23																							
		F	9																							
532	DUODENAL ULCER	M	303								10	7	16	25	22	49	71	94	119	185	177	155	99	41	7	
		F	153									5		8		22		54	55	100	81	61	36	12	1	
			150								10	2	16	17	22	27	71	40	64	85	96	94	63	29	6	
532.0	ACUTE WITH HAEMORRHAGE	M	5																							
		F	4																							
532.1	ACUTE WITH PERFORATION	F	1																							
532.2	ACUTE WITH HAEMORRHAGE AND PERFORATION	F	1																							
532.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE	M	148								6	4	6	13	12	27	39	47	61	80	80	80	47	14	4	
		F	78									3		4		13		26	27	49	40	32	17	6	1	
			70								6	1	6	9	12	14	39	21	34	31	40	48	30	8	3	
532.5	CHRONIC OR UNSPECIFIED WITH PERFORATION	M	110								4	3	10	12	10	22	32	47	58	105	97	75	52	27	3	
		F	39									2		4		9		26	28	51	41	29	19	6	1	
			71								4	1	10	8	10	13	32	21	30	54	56	46	33	21	2	
532.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION	M	16																							
		F	5																							
532.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	M	20																							
		F	16																							
533	PEPTIC ULCER, SITE UNSPECIFIED	M	268								2	1	6	12	10	11	33	33	36	55	32	47	23	10		
		F	131											2		3		10	14	25	25	20	8			
			137								2	1	6	10	10	8	33	23	22	30	7	27	15	9		
533.0	ACUTE WITH HAEMORRHAGE	F	2																							
533.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE	M	182								2	1	6	10	10	8	32	32	34	52	32	32	12	6		
		F	79											2		3		10	14	24	24	20	8			
			103								2	1	6	8	10	5	32	22	20	28	8	12	4	6		
533.5	CHRONIC OR UNSPECIFIED WITH PERFORATION	M	61																							
		F	26																							
			35																							
533.6	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE AND PERFORATION	M	2																							
		F	1																							
533.7	CHRONIC WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	F	2																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
602	OTHER DISORDERS OF PROSTATE	M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	-	-	-	-
602.1	CONGESTION OR HAEMORRHAGE OF PROSTATE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
602.9	UNSPECIFIED	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
604	ORCHITIS AND EPIDIDYMITIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
604.9	ORCHITIS, EPIDIDYMITIS AND EPIDIDYMO-ORCHITIS, WITHOUT MENTION OF ABSCESS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
607	DISORDERS OF PENIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
607.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
608	OTHER DISORDERS OF MALE GENITAL ORGANS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
608.4	OTHER INFLAMMATORY DISORDERS OF MALE GENITAL ORGANS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
608.8	OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
614-616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS	F	14	-	-	-	-	-	1	2	2	1	1	1	1	1	1	1	-	-	1	-	-	-	-	-
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE AND PERITONEUM	F	10	-	-	-	-	-	1	2	2	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-
614.2	SALPINGITIS AND OOPHORITIS, NOT SPECIFIED AS ACUTE, SUBACUTE OR CHRONIC	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
614.4	CHRONIC OR UNSPECIFIED PARAMETRITIS AND PELVIC CELLULITIS	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-
614.6	PELVIC PERITONEAL ADHESIONS, FEMALE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
614.9	UNSPECIFIED INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS AND TISSUES	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
615	INFLAMMATORY DISEASES OF UTERUS, EXCEPT CERVIX	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
615.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
616	INFLAMMATORY DISEASE OF CERVIX, VAGINA AND VULVA	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
616.1	VAGINITIS AND VULVOVAGINITIS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
616.4	OTHER ABSCESS OF VULVA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
616.5	ULCERATION OF VULVA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-
618	GENITAL PROLAPSE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
618.1	UTERINE PROLAPSE WITHOUT MENTION OF VAGINAL WALL PROLAPSE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
619	FISTULAE INVOLVING FEMALE GENITAL TRACT	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
619.0	URINARY - GENITAL TRACT FISTULAE, FEMALE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
619.1	DIGESTIVE - GENITAL TRACT FISTULAE, FEMALE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
620	NONINFLAMMATORY DISORDERS OF OVARY, FALLOPIAN TUBE AND BROAD LIGAMENT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
620.2	OTHER AND UNSPECIFIED OVARIAN CYST	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
626	DISORDERS OF MENSTRUATION AND OTHER ABNORMAL BLEEDING FROM FEMALE GENITAL TRACT	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
626.9	UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
629	OTHER DISORDERS OF FEMALE GENITAL ORGANS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
629.8	OTHER	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	F	35	-	-	-	-	1	11	14	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
630-639	PREGNANCY WITH ABORTIVE OUTCOME	F	11	-	-	-	-	-	1	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	ECTOPIC PREGNANCY	F	6	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.1	TUBAL PREGNANCY	F	6	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633.9	UNSPECIFIED	F	6	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634	SPONTANEOUS ABORTION	F	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
634.1	COMPLICATED BY DELAYED OR EXCESSIVE HAEMORRHAGE (ANY CONDITION LISTED IN 639.1)	F	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
635	LEGALLY INDUCED ABORTION	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
635.6	COMPLICATED BY EMBOLISM (ANY CONDITION LISTED IN 639.6)	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
635.7	WITH OTHER SPECIFIED COMPLICATIONS (ANY CONDITION LISTED IN 639.8)	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY	F	18	-	-	-	-	-	4	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
641	ANTEPARTUM HAEMORRHAGE, ABRUPTIO PLACENTAE, AND PLACENTA PRAEVIA	F	8	-	-	-	-	-	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642	HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	9	-	-	-	-	-	1	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.4	MILD OR UNSPECIFIED PRE-ECLAMPSIA	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.5	SEVERE PRE-ECLAMPSIA	F	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
642.6	ECLAMPSIA	F	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
769.8	OTHER	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761	FETUS OR NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY		128	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	57	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
761.0	INCOMPETENT CERVIX		24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.1	PREMATURE RUPTURE OF MEMBRANES		40	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
761.3	POLYHYDRAMNIOS		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.5	MULTIPLE PREGNANCY		58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.7	MALPRESENTATION BEFORE LABOUR	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
761.8	OTHER	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	FETUS OR NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES		116	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	60	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.0	PLACENTA PRAEVIA		2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.1	OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE		51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.2	OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.3	PLACENTAL TRANSFUSION SYNDROMES		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.4	PROLAPSED CORD		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.5	OTHER COMPRESSION OF UMBILICAL CORD		6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.7	CHORIOAMNIONITIS		47	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	26	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762.9	UNSPECIFIED ABNORMALITY OF CHORION AND AMNION	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763	FETUS OR NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY		8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.0	BREECH DELIVERY AND EXTRACTION		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.4	CAESAREAN DELIVERY	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.6	PRECIPITATE DELIVERY		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763.8	OTHER COMPLICATIONS OF LABOUR AND DELIVERY		5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764	SLOW FETAL GROWTH AND FETAL MALNUTRITION		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
764.9	FETAL GROWTH RETARDATION, UNSPECIFIED		3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT		276	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
		M	144	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	132	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
765.0	EXTREME IMMATURITY		202	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
		M	107	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	95	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
765.1	OTHER PRETERM INFANTS		74	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	37	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
767	BIRTH TRAUMA		32	31	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.0	SUBDURAL AND CEREBRAL HAEMORRHAGE		27	26	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.8	OTHER		4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
767.9	UNSPECIFIED		1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			94	92	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		M	50	49	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
768.4	FETAL DISTRESS, UNSPECIFIED, IN LIVEBORN INFANT		29	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		M	16	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.5	SEVERE BIRTH ASPHYXIA		21	20	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	12	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768.9	UNSPECIFIED BIRTH ASPHYXIA AND IN LIVEBORN INFANT		47	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
		M	25	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
769	RESPIRATORY DISTRESS SYNDROME		387	383	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		M	243	242	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	144	141	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN		446	431	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
		M	255	247	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	191	184	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
856.5	WATER, MINERAL AND URIC ACID METABOLISM DRUGS	M	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	6	1	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	-	-	-	-	-	-
856.6	AGENTS PRIMARILY ACTING ON THE SMOOTH AND SKELETAL MUSCLES AND RESPIRATORY SYSTEM	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
856.8	OTHER		329	1	-	-	-	5	28	41	49	73	42	14	12	7	4	6	8	2	3	-	-	-	-	-
		M	249	1	-	-	-	3	23	30	38	55	33	10	8	3	3	3	5	1	2	-	-	-	-	-
		F	80	-	-	-	-	2	5	11	11	18	9	4	4	4	1	3	3	1	1	-	-	-	-	-
856.9	UNSPECIFIED		191	-	-	-	-	2	9	13	44	30	21	12	11	6	8	4	2	2	1	-	-	-	-	-
		M	136	-	-	-	-	1	5	9	37	31	20	5	7	4	4	3	2	2	1	-	-	-	-	-
		F	55	-	-	-	-	1	4	4	7	3	1	7	4	2	4	1	-	-	-	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPOURS		112	1	2	-	-	8	11	4	20	16	8	7	4	7	10	3	6	1	1	1	-	-	1	-
		M	86	-	2	-	-	7	9	2	15	15	6	6	2	6	8	2	6	1	1	1	-	-	1	-
		F	26	1	-	-	-	1	2	2	5	1	2	1	2	1	2	1	-	-	-	-	-	-	-	-
860	ACCIDENTAL POISONING BY ALCOHOL, NOT ELSEWHERE CLASSIFIED		43	-	-	-	-	3	-	-	5	7	6	4	3	2	2	2	1	1	-	-	-	-	-	-
		M	32	-	-	-	-	3	-	-	5	7	4	3	2	2	2	2	1	1	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
860.1	OTHER AND UNSPECIFIED ETHYL ALCOHOL AND ITS PRODUCTS		34	-	-	-	-	3	-	-	4	6	3	3	1	2	2	1	1	1	-	-	-	-	-	-
		M	26	-	-	-	-	3	-	-	4	6	2	3	1	2	2	1	1	1	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
860.3	ISOPROPYL ALCOHOL	M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
860.9	UNSPECIFIED		4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
862	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS, OTHER SOLVENTS AND THEIR VAPOURS, NOT ELSEWHERE CLASSIFIED		8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
862.1	PETROLEUM FUELS AND CLEANERS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
862.4	OTHER SOLVENTS		7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863	ACCIDENAL POISONING BY AGRICULTURAL AND HORTICULTURAL CHEM. & PHARM. PREPARATION OTHER THAN PLANT FOOD/FERTILIZER	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863.5	HERBICIDES	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
863.9	OTHER AND UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
866	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
866.4	OTHER METALS AND THEIR COMPOUNDS AND FUMES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
867	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
868	ACCIDENTAL POISONING BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE		48	1	-	-	-	3	-	3	6	10	4	3	3	3	1	1	1	-	-	-	-	-	-	-
		M	37	1	-	-	-	3	-	2	5	7	3	2	3	2	1	1	1	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	1	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
868.0	LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
868.2	MOTOR VEHICLE EXHAUST GAS		20	-	-	-	-	2	-	2	3	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
		M	17	-	-	-	-	2	-	2	3	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
868.3	CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF OTHER DOMESTIC FUELS		10	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
868.9	UNSPECIFIED CARBON MONOXIDE	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
869	ACCIDENTAL POISONING BY OTHER GASES AND VAPOURS		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
869.8	NITROGEN OXIDES	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
869.8	OTHER SPECIFIED GASES AND VAPOURS	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
869.9	UNSPECIFIED GASES AND VAPOURS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	M	56	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION OR HAEMORRHAGE DURING MEDICAL CARE	M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.0	SURGICAL OPERATION		27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.5	ASPIRATION OF FLUID OR TISSUE, PUNCTURE AND CATHETERIZATION (ANY, EXCEPT HEART CATHETERIZATION)	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.6	HEART CATHETERIZATION		12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.7	ADMINISTRATION OF ENEMA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
870.8	OTHER		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
874	MECHANICAL FAILURE OF INSTRUMENT OR APPARATUS DURING PROCEDURE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
874.1	INFUSION AND TRANSFUSION	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
875	CONTAMINATED OR INFECTED BLOOD, OTHER FLUID, DRUG OR BIOLOGICAL SUBSTANCE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
875.0	CONTAMINATED SUBSTANCE TRANSFUSED OR INFUSED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
878-879	SURG. & MEDICAL PROCEDURES CAUSING ABNORMAL PATIENT REACTION OR LATER COMPLICATION W/O MENTION OF MISADV. AT TIME PROC.		138	1	3	-	-	3	5	3	7	7	9	5	7	7	9	21	22	18	14	10	13	4	-	-
		M	37	-	1	-	-	1	1	1	3	3	3	2	4	5	6	10	9	8	2	4	4	1	-	-
			101	1	2	-	-	2	4	2	4	4	6	3	3	2	3	11	13	10	12	6	9	3	-	-
878	SURGICAL PROCEDURE AS CAUSE OF ABNORMAL REACTION, WITHOUT MENTION OF		117	1	3	-	-	3	5	3	7	7	9	5	7	7	9	21	22	18	14	10	13	4	-	-
	MISADVENTURE AT THE TIME OF OPERATION	M	40	-	1	-	-	1	1	1	3	3	3	2	4	5	6	10	9	8	2	4	4	1	-	-
		F	77	1	2	-	-	2	4	2	4	4	6	3	3	2	3	11	13	10	12	6	9	3	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS		331	13	18	7	7	16	28	29	43	36	38	32	17	12	7	16	8	11	10	4	1	-	-	6
		M	214	8	10	5	6	10	20	20	32	28	34	28	14	8	7	8	4	7	9	2	1	-	-	4
		F	117	5	8	2	1	6	8	9	11	8	4	4	3	4	-	8	4	4	1	2	-	-	-	2
968.0	FIRE		14	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.1	PUSHING FROM HIGH PLACE		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.2	STRIKING BY BLUNT OR THROWN OBJECT		51	-	-	-	-	4	4	5	10	5	5	5	3	2	-	3	1	1	1	1	-	-	-	1
		M	34	-	-	-	-	3	2	5	7	5	5	4	3	2	-	2	1	1	1	1	-	-	-	1
		F	17	-	-	-	-	1	2	-	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
968.4	CRIMINAL NEGLECT		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
968.8	OTHER SPECIFIED MEANS		128	6	8	2	2	6	7	10	14	16	16	6	6	6	2	8	2	6	2	2	1	-	-	2
		M	87	4	6	2	1	5	5	7	11	11	15	6	6	6	2	6	2	5	2	2	1	-	-	2
		F	41	2	2	-	1	1	2	3	3	5	1	-	-	-	-	2	-	1	-	-	-	-	-	-
968.9	UNSPECIFIED MEANS		134	6	8	2	2	6	12	13	17	11	12	13	8	6	4	8	2	6	2	2	1	-	-	1
		M	88	4	6	2	1	5	8	8	12	11	12	11	8	6	4	6	2	5	2	2	1	-	-	1
		F	46	2	2	-	1	1	4	5	5	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-
969	LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON		23	-	-	-	-	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	-	-	1
		M	21	-	-	-	-	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
970-976	LEGAL INTERVENTION		53	-	-	-	-	4	10	12	8	9	9	2	2	-	-	-	-	-	-	-	-	-	-	-
		M	53	-	-	-	-	4	10	12	8	9	9	2	2	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS		52	-	-	-	-	4	10	11	8	9	9	2	2	-	-	-	-	-	-	-	-	-	-	-
		M	52	-	-	-	-	4	10	11	8	9	9	2	2	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
975	INJURY DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		249	9	12	2	4	8	12	25	25	32	24	25	14	12	12	12	4	3	5	5	1	-	-	7
		M	158	6	6	2	4	5	9	16	16	22	20	16	10	4	5	6	2	3	3	4	1	-	-	5
		F	91	3	6	-	-	3	3	9	9	10	4	9	4	8	7	6	2	-	2	1	-	-	-	2
980	POISONING BY SOLID OR LIQUID SUBSTANCES, UNDETERMINED WHETHER ACCIDENTLY OR PURPOSELY INFLICTED		102	4	5	1	2	4	5	10	13	15	12	12	6	9	5	3	2	2	2	1	-	-	-	1
		M	56	2	3	1	2	2	3	5	10	9	8	11	4	6	4	3	1	2	2	1	-	-	-	1
		F	46	2	2	-	-	2	2	5	3	6	4	1	2	3	1	-	1	-	-	-	-	-	-	-
980.0	ANALGESICS, ANTIPYRETICS AND ANTIRHEUMATICS		30	1	1	-	-	1	2	2	3	5	3	3	1	3	1	1	1	1	1	-	-	-	-	-
		M	20	1	1	-	-	1	1	2	2	3	3	2	1	2	1	1	1	1	1	-	-	-	-	-
		F	10	-	-	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
980.1	BARBITURATES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980.2	OTHER SEDATIVES AND HYPNOTICS		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980.3	TRANQUILIZERS AND OTHER PSYCHOTROPIC AGENTS		21	-	-	-	-	-	-	-	4	2	4	4	2	-	-	1	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	-	-	4	2	3	4	1	-	-	1	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
980.4	OTHER SPECIFIED DRUGS AND MEDICAMENTS		29	1	1	-	-	1	2	3	2	3	2	3	1	2	1	1	1	1	1	-	-	-	-	-
		M	14	1	1	-	-	1	1	2	1	2	2	2	1	1	1	1	1	1	1	-	-	-	-	-
		F	15	-	-	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
980.5	UNSPECIFIED DRUG OR MEDICAMENT		17	-	-	-	-	1	1	2	2	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
980.7	AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS & FERTILIZERS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
980.9	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES		2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
982	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		7	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
982.0	MOTOR VEHICLE EXHAUST GAS		2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
982.1	OTHER CARBON MONOXIDE		3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
982.8	OTHER SPECIFIED GASES AND VAPOURS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
982.9	UNSPECIFIED GASES AND VAPOURS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983	HANGING, STRANGULATION OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983.0	HANGING	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983.1	SUFFOCATION BY PLASTIC BAG	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
983.9	UNSPECIFIED MEANS		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
984	SUBMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		21	-	-	-	-	6	2	1	2	1	2	1	1	1	1	1	1	-	1	1	-	-	-	-
		M	15	-	-	-	-	6	2	1	2	1	2	1	1	1	1	1	1	-	1	1	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985	INJURY BY FIREARMS AND EXPLOSIVES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		21	-	-	-	-	3	3	3	2	3	2	1	1	-	-	1	-	-	-	-	-	-	-	1
		M	17	-	-	-	-	3	3	3	2	3	2	1	1	-	-	1	-	-	-	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.0	HAND GUN		3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.1	SHOT GUN		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.4	OTHER AND UNSPECIFIED FIREARM		15	-	-	-	-	2	2	3	2	3	2	1	1	-	-	1	-	-	-	-	-	-	-	1
		M	12	-	-	-	-	2	2	3	2	3	2	1	1	-	-	1	-	-	-	-	-	-	-	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
985.5	EXPLOSIVES		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
987	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED		12	-	-	-	-	-	-	1	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	-	1	2	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
987.0	RESIDENTIAL PREMISES		3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
987.1	OTHER MAN-MADE STRUCTURES		5	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1958
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
147	MALIGNANT NEOPLASM OF NASOPHARYNX	M	109	-	-	1	-	1	2	2	3	5	4	6	12	13	20	17	15	6	7	-	-	-	-	-
		F	30	-	-	-	-	-	1	-	2	3	3	2	3	1	4	2	3	2	1	-	-	-	-	-
147.1	POSTERIOR WALL	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147.9	NASOPHARYNX, UNSPECIFIED		103	-	-	1	-	1	2	2	3	5	4	6	12	13	20	17	15	6	7	-	-	-	-	-
		M	79	-	-	1	-	1	2	2	3	5	4	6	12	12	10	11	9	5	6	-	-	-	-	-
		F	29	-	-	-	-	-	-	-	-	-	-	-	-	1	10	6	6	1	1	-	-	-	-	-
148	MALIGNANT NEOPLASM OF HYPOPHARYNX		62	-	-	-	-	-	1	1	1	2	3	4	5	5	7	8	4	5	2	2	1	-	-	-
		M	44	-	-	-	-	-	1	1	1	2	3	4	5	5	6	7	3	4	2	2	1	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
148.1	PYRIFORM SINUS		21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148.9	HYPOPHARYNX, UNSPECIFIED		41	-	-	-	-	-	1	1	1	2	3	4	5	5	7	8	4	5	2	2	1	-	-	-
		M	28	-	-	-	-	-	1	1	1	2	3	4	5	5	6	7	3	4	2	2	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
149	MALIGNANT NEOPLASM OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY AND PHARYNX		177	-	-	-	-	1	2	2	3	5	8	8	12	15	17	12	12	7	6	1	-	-	-	-
		M	122	-	-	-	-	1	2	2	3	5	8	8	12	15	17	12	12	6	6	1	-	-	-	-
		F	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
149.0	PHARYNX, UNSPECIFIED		132	-	-	-	-	1	2	2	3	5	8	8	12	15	17	12	12	7	6	1	-	-	-	-
		M	77	-	-	-	-	1	2	2	3	5	8	8	12	15	17	12	12	6	6	1	-	-	-	-
		F	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM		11,594	-	8	11	8	7	9	21	61	110	174	246	472	665	1,289	1,776	1,686	1,779	1,390	902	426	112	13	35
		M	6,219	-	8	11	8	6	7	12	38	68	117	149	290	338	774	1,039	1,049	914	644	359	139	32	1	20
		F	5,375	-	-	-	-	1	2	9	23	42	57	97	182	327	515	737	637	865	746	543	287	80	12	15
150	MALIGNANT NEOPLASM OF OESOPHAGUS		972	-	-	-	-	-	-	1	3	7	13	20	38	78	145	194	153	141	97	30	6	1	-	1
		M	724	-	-	-	-	-	-	1	3	7	13	20	38	78	111	157	116	104	74	24	5	1	-	1
		F	248	-	-	-	-	-	-	-	-	-	-	-	-	-	34	37	37	37	23	6	1	-	-	-
150.3	UPPER THIRD	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150.5	LOWER THIRD	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150.9	OESOPHAGUS, UNSPECIFIED		955	-	-	-	-	-	-	1	3	7	13	20	38	78	145	194	153	141	97	30	6	1	-	1
		M	715	-	-	-	-	-	-	1	3	7	13	20	38	78	111	157	116	104	74	24	5	1	-	1
		F	240	-	-	-	-	-	-	-	-	-	-	-	-	-	34	37	37	37	23	6	1	-	-	-
151	MALIGNANT NEOPLASM OF STOMACH		1,460	-	-	-	-	2	1	2	14	21	38	64	132	197	289	329	334	321	232	139	58	10	2	2
		M	885	-	-	-	-	2	1	2	14	21	38	64	132	197	289	329	334	321	232	139	58	10	2	2
		F	575	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151.0	CARDIA		85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151.9	STOMACH, UNSPECIFIED		1,403	-	-	-	-	2	1	2	14	20	38	64	132	197	289	329	334	321	232	138	58	10	2	2
		M	839	-	-	-	-	2	1	2	14	20	38	64	132	197	289	329	334	321	232	138	58	10	2	2
		F	564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM		87	-	-	-	-	-	-	-	-	1	1	2	3	3	5	6	6	4	4	3	1	-	-	-
		M	44	-	-	-	-	-	-	-	-	1	1	2	3	3	5	6	6	4	4	3	1	-	-	-
		F	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152.0	DUODENUM		36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152.1	JEJUNUM		11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152.2	ILEUM		10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152.3	MECKEL'S DIVERTICULUM		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152.9	SMALL INTESTINE, UNSPECIFIED		30	-	-	-	-	-	-	-	-	1	1	2	3	3	5	6	6	4	4	3	1	-	-	-
		M	14	-	-	-	-	-	-	-	-	1	1	2	3	3	5	6	6	4	4	3	1	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153	MALIGNANT NEOPLASM OF COLON		4,235	-	1	1	1	1	2	4	10	26	45	93	229	374	676	740	738	674	371	187	104	14	1	5
		M	2,083	-	1	1	1	1	2	4	10	26	45	93	167	238	330	340	390	330	226	117	46	4	1	3
		F	2,152	-	-	-	-	-	-	-	-	-	-	-	62	136	346	400	348	344	145	70	58	10	-	2
153.0	HEPATIC FLEXURE		113	-	-	-	-	-	-	-	-	1	2	4	10	14	21	17	12	7	6	1	-	-	-	-
		M	43	-	-	-	-	-	-	-	-	-	1	2	4	5	7	6	4	2	2	1	-	-	-	-
		F	70	-	-	-	-	-	-	-	-	1	1	2	6	9	14	11	8	5	4	-	-	-	-	-
153.1	TRANSVERSE COLON		449	-	-	-	-	-	-	-	1	2	4	9	21	40	63	83	104	74	37	11	1	-	-	1
		M	197	-	-	-	-	-	-	-	1	2	4	9	16	25	33	40	46	34	21	6	1	-	-	1
		F	252	-	-	-	-	-	-	-	-	-	-	-	5	15	30	43	58	40	16	5	-	-	-	-
153.2	DESCENDING COLON		287	-	-	-	-	-	-	-	1	2	3	5	15	25	44	55	60	46	25	6	-	-	-	-
		M	138	-	-	-	-	-	-	-	1	2	3	5	12	17	24	30	34	23	10	1	-	-	-	-
		F	149	-	-	-	-	-	-	-	-	-	-	-	3	8	20	25	26	23	15	5	-	-	-	-
153.3	SIGMOID COLON		1,307	-	-	-	-	-	-	1	2	5	9	15	39	68	120	144	135	122	78	41	7	1	-	1
		M	654	-	-	-	-	-	-	1	2	5	9	15	29	43	64	74	73	61	36	11	1	-	-	1
		F	653	-	-	-	-	-	-	-	-	-	-	-	10	25	56	70	62	61	42	30	6	1	-	-
153.4	CAECUM		417	-	-	-	-	-	-	-	-	1	2	4	10	16	31	39	39	34	22	8	1	-	-	-
		M	176	-	-	-	-	-	-	-	-	1	2	4	7	8	15	17	19	15	7	1	-	-	-	-
		F	241	-	-	-	-	-	-	-	-	-	-	-	3	8	16	22	20	19	15	7	1	-	-	-
153.5	APPENDIX		36	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	1	-	-	-	-
		M	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	1	1	-	-	-	-
		F	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153.6	ASCENDING COLON		1,011	-	-	-	-	-	-	1	3	7	12	23	57	97	145	168	145	122	74	37	6	-	-	-
		M	438	-	-	-	-	-	-	1	3	7	12	23	41	54	81	94	88	68	43	18	2	-	-	-
		F	573	-	-	-	-	-	-	-	-	-	-	-	16	43	64	74	57	54	31	19	4	-	-	-
153.7	SPLENIC FLEXURE		113	-	-	-	-	-	-	-	-	-	1	2	4	5	8	11	10	8	4	1	-	-	-	-
		M	49	-	-	-	-	-	-	-	-	-	1	2	4	5	8	11	10	8	4	1	-	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153.9	COLON, UNSPECIFIED		1,809	-	1	1	1	1	2	3	4	7	14	22	50	74	107	134	153	150	124	83	27	3	-	3
		M	1,069	-	1	1	1	1	2	3	4	7	14	22	50	74	107	134	153	150	124	83	27	3	-	3
		F	740	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
154	MALIGNANT NEOPLASM OF RECTUM, RECTOSIGMOID JUNCTION AND ANUS		830	-	-	-	-	-	-	-	1	2	3	5	11	20	35	55	72	74	55	35	9	1	-	1
		M	453	-	-	-	-	-	-	-	1	2	3	5	11	20	35	55	72	74	55	35	9	1	-	1
		F	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
154.0	RECTOSIGMOID JUNCTION		156	-	-	-	-	-	-	-	-	-	-	-	1	3	6	11	13	15	10	6	1	-	-	-
		M	78	-	-	-	-	-	-	-	-	-	-	-	1	3	6	11	13	15	10	6	1	-	-	-
		F	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
154.1	RECTUM		646	-	-	-	-	-	-	-	1	2	3	5	10	17	29	44	59	59	45	29	8	1	-	1
		M	352	-	-	-	-	-	-	-	1	2	3	5	10	17	29	44	59	59	45	29	8	1	-	1
		F	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
154.2	ANAL CANAL		28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
213	BENIGN NEOPLASM OF BONE AND ARTICULAR CARTILAGE	M	20	-	-	-	-	1	1	-	-	1	1	1	1	1	2	2	2	2	1	1	-	-	-	-
		F	32	-	-	-	-	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	-	-
213.1	LOWER JAW BONE	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-
213.9	SITE UNSPECIFIED	M	9	-	-	-	-	1	1	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-
		F	12	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
214	LIPOMA	M	7	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-
215	OTHER BENIGN NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	M	20	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	29	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-
215.5	ABDOMEN	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
215.9	SITE UNSPECIFIED	M	18	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	27	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	-	-
216	BENIGN NEOPLASM OF SKIN	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
216.7	SKIN OF LOWER LIMB, INCLUDING HIP	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
216.9	SITE UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
218	UTERINE LEIOMYOMA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
219	OTHER BENIGN NEOPLASM OF UTERUS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
219.0	CERVIX UTERI	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
219.9	PART UNSPECIFIED	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
220	BENIGN NEOPLASM OF OVARY	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	M	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225.0	BRAIN	M	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225.1	CRANIAL NERVES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225.2	CEREBRAL MENINGES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
225.3	SPINAL CORD	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
227	BENIGN NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
227.0	SUPRARENAL GLAND	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
227.1	PARATHYROID GLAND	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
227.3	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228	HAEMANGIOMA AND LYMPHANGIOMA, ANY SITE	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228.0	HAEMANGIOMA, ANY SITE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
228.1	LYMPHANGIOMA, ANY SITE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235-238	NEOPLASMS OF UNCERTAIN BEHAVIOUR	M	151	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	2	2	2	-	-
		F	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235	NEOPLASM OF UNCERTAIN BEHAVIOUR OF DIGESTIVE AND RESPIRATORY SYSTEMS	M	84	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	2	2	2	2	-	-
		F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235.2	STOMACH, INTESTINES AND RECTUM	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235.3	LIVER AND BILIARY PASSAGES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
235.7	TRACHEA, BRONCHUS AND LUNG	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
236	NEOPLASM OF UNCERTAIN BEHAVIOUR OF GENITOURINARY ORGANS	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
236.0	UTERUS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
236.1	PLACENTA	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237	NEOPLASM OF UNCERTAIN BEHAVIOUR OF ENDOCRINE GLANDS AND NERVOUS SYSTEM	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.0	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.1	PINEAL GLAND	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.5	BRAIN AND SPINAL CORD	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
237.7	NEUROFIBROMATOSIS	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
238	NEOPLASM OF UNCERTAIN BEHAVIOUR OF OTHER AND UNSPECIFIED SITES AND TISSUES	M	118	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	2	2	2	-	-
		F	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1980
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
307	SPECIAL SYMPTOMS OR SYNDROMES NOT ELSEWHERE CLASSIFIED	M	18	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	5	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307.1	ANOREXIA NERVOSA	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307.5	OTHER AND UNSPECIFIED DISORDERS OF EATING	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
307.9	OTHER AND UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
308	ACUTE REACTION TO STRESS	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
308.9	UNSPECIFIED	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS FOLLOWING ORGANIC BRAIN DAMAGE	M	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
310.2	POSTCONCUSSIONAL SYNDROME	M	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
310.9	UNSPECIFIED	M	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
315	SPECIFIC DELAYS IN DEVELOPMENT	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
315.9	UNSPECIFIED	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
317-319	MENTAL RETARDATION	M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318	OTHER SPECIFIED MENTAL RETARDATION	M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.1	SEVERE MENTAL RETARDATION	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
318.2	PROFOUND MENTAL RETARDATION	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
319	UNSPECIFIED MENTAL RETARDATION	M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M	3,612	86	64	36	28	58	87	87	87	58	70	77	76	139	196	276	295	390	383	478	206	77	10	1
		F	3,780	47	39	34	18	51	87	74	80	64	70	52	50	71	95	183	207	317	383	481	60	19	1	1
			1,832	39	25	2	10	7	0	13	7	6	0	25	26	68	101	93	166	73	0	297	146	58	9	0
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	M	209	2	7	4	3	4	4	4	3	4	4	4	4	6	6	4	4	4	4	2	2	2	-	-
		F	102	1	2	1	1	2	2	2	2	2	2	2	2	3	3	2	2	2	2	1	1	1	-	-
320	BACTERIAL MENINGITIS	M	107	2	7	4	3	4	4	4	3	4	4	4	4	6	6	4	4	4	4	2	2	2	-	-
		F	47	1	2	1	1	2	2	2	2	2	2	2	2	3	3	2	2	2	2	1	1	1	-	-
320.0	HAEMOPHILUS MENINGITIS	M	45	1	5	3	2	2	2	2	1	2	2	2	2	3	3	2	2	2	2	1	1	1	-	-
		F	17	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	-	-
320.1	PNEUMOCOCCAL MENINGITIS	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320.2	STREPTOCOCCAL MENINGITIS	M	25	-	1	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	9	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
320.3	STAPHYLOCOCCAL MENINGITIS	M	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
320.9	MENINGITIS DUE TO UNSPECIFIED BACTERIUM	M	69	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
322	MENINGITIS OF UNSPECIFIED CAUSE	M	27	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	20	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
322.0	CHRONIC MENINGITIS	M	15	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
		F	4	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
322.9	MENINGITIS, UNSPECIFIED	M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
323.9	UNSPECIFIED CAUSE	M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
324	INTRACRANIAL AND INTRASPINAL ABSCESS	M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
324.0	INTRACRANIAL ABSCESS	M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
324.1	INTRASPINAL ABSCESS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
324.9	OF UNSPECIFIED SITE	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
326	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	M	2,495	39	15	10	5	4	4	4	7	11	26	37	31	68	117	179	303	488	513	438	177	69	9	-
		F	1,197	9	8	5	4	4	4	4	4	2	13	11	9	29	61	101	167	262	255	144	48	15	2	-
			1,298	10	7	5	1	0	0	0	3	9	13	6	22	39	56	78	136	226	258	272	129	54	8	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
431	INTRACEREBRAL HAEMORRHAGE	M	8,060	3	1	1	1	1	8	10	15	39	57	91	82	127	165	238	284	336	297	205	97	16	3	1
		F	938	2	1	1	1	1	2	4	8	22	43	45	48	69	73	126	147	146	108	65	18	2	1	1
		T	1,142	5	2	2	2	2	10	14	23	61	100	136	130	196	238	364	431	482	405	270	115	18	4	2
432	OTHER AND UNSPECIFIED INTRACRANIAL HAEMORRHAGE	M	230						2	2	3	3	7	5	6	8	14	15	29	15	22	15	6	1		
		F	105						2	2	3	3	4	7	6	8	12	15	26	17	17	5	1	1		
		T	335						4	4	6	6	11	12	12	16	26	30	55	32	39	20	7	2		
432.1	SUBDURAL HAEMORRHAGE	M	125							1	1	1	3	3	4	5	8	8	13	8	8	5	1			
		F	38							1	1	1	1	2	2	3	4	5	5	5	2	1				
		T	163							2	2	2	4	5	6	8	12	13	18	13	10	6	1			
432.9	UNSPECIFIED INTRACRANIAL HAEMORRHAGE	M	140						2	1	2	2	4	2	2	3	6	7	13	7	14	10	5	1		
		F	67						2	1	1	1	3	5	4	5	8	10	21	12	15	10	5	1		
		T	207						4	2	3	3	7	7	6	8	14	17	34	19	29	20	10	2		
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	M	112							1	1	2	3	5	6	14	22	34	26	13	8	1				
		F	140								1	1	1	2	4	6	12	23	26	17	17	12	2			
		T	252							1	2	3	4	7	10	20	34	57	52	30	25	13	2			
433.0	BASILAR ARTERY	M	78										1	1	1	3	5	8	13	7	8	1				
		F	62											1	1	1	3	5	5	5	2	1				
		T	140										1	2	2	4	8	13	18	12	10	2				
433.1	CAROTID ARTERY	M	40							1	1	2	2	4	5	11	17	26	13	8	8	1				
		F	33								1	1	1	1	3	5	9	18	21	12	15	11	2			
		T	73							1	2	3	3	5	8	16	26	44	34	20	23	12	2			
433.2	VERTEBRAL ARTERY	M	31													1	1	2	1	1	1					
		F	41														1	1	2	2	1	1				
		T	72													1	2	3	3	3	2	1				
433.3	MULTIPLE AND BILATERAL	M	3																							
		F	2																							
		T	5																							
433.8	OTHER	M	2																							
		F	2																							
		T	4																							
434	OCCLUSION OF CEREBRAL ARTERIES	M	2,374						1	1	2	4	10	12	34	90	163	236	284	336	297	205	97	16	3	1
		F	900								1	1	2	4	8	37	60	147	237	371	436	476	331	113	29	9
		T	3,274						1	1	3	5	12	16	42	127	223	383	521	707	733	681	428	129	32	10
434.0	CEREBRAL THROMBOSIS	M	1,474								1	2	5	8	20	58	107	147	237	371	436	476	331	113	29	9
		F	1,104										1	2	4	19	40	107	179	258	360	436	331	113	29	9
		T	2,578								1	2	6	10	24	77	147	254	416	629	796	912	662	226	58	18
434.1	CEREBRAL EMBOLISM	M	330																							
		F	734																							
		T	1,064																							
434.9	UNSPECIFIED	M	64																							
		F	41																							
		T	105																							
435	TRANSIENT CEREBRAL ISCHAEMIA	M	1,166																							
		F	509																							
		T	1,675																							
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	M	677																							
		F	80																							
		T	757																							
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	M	7,837													137	288	555	799	1,088	1,608	1,360	1,038	417	63	1
		F	14,065													104	288	821	1,387	1,988	1,617	1,488	1,284	617	91	1
		T	21,772													241	576	1,376	2,186	3,076	3,225	2,848	2,322	1,034	154	2
		M	4,119																							
		F	8,376																							
		T	12,495																							
437.0	CEREBRAL ATHEROSCLEROSIS	M	820																							
		F	739																							
		T	1,559																							
437.1	OTHER GENERALIZED ISCHAEMIC CEREBROVASCULAR DISEASE	M	215																							
		F	324																							
		T	539																							
437.2	HYPERTENSIVE ENCEPHALOPATHY	M	66																							
		F	33																							
		T	99																							
437.3	CEREBRAL ANEURYSM, NONRUPTURED	M	8																							
		F	4																							
		T	12																							
437.4	CEREBRAL ARTERITIS	M	42	1	1																					
		F	16																							
		T	58	1	1																					
437.5	MOYAMOYA DISEASE	M	24																							
		F	8																							
		T	32																							
437.6	OTHER	M	4																							
		F	4																							
		T	8																							
437.9	UNSPECIFIED	M	2																							
		F	2																							
		T	4																							
438	LATE EFFECTS OF CEREBROVASCULAR DISEASE	M	355																							
		F	216																							
		T	571																							
440-448	DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	M	1,305													17	12	18	24	54	84	88	61	27	8	8
		F	820																							
		T	2,125													17	12	18	24	54	84	88	61	27	8	8
440	ATHEROSCLEROSIS	M	4,659																							
		F	4,246																							
		T	8,905																							
440.0	OF AORTA	M	2,413						1							12	24	40	72	205	205	177	106	27	8	14
		F	1,355																							
		T	3,768						1							12	24	40	72	205	205	177	106	27	8	14
440.1	OF RENAL ARTERY	M	817																							
		F	1,536																							
		T	2,353																							
440.2	OF ARTERIES OF THE EXTREMITIES	M	3																							
		F	2																							
		T	5																							
440.9	GENERALIZED AND UNSPECIFIED	M	1,098																							
		F	421																							
		T	1,519																							
441	AORTIC ANEURYSM	M	2,239													1		1	1	2	1	1				
		F	1,773																							
		T	4,012													1		1	1	2	1	1				
441.0	DISSECTING ANEURYSM (ANY PART)	M	1,466																							
		F	663																							
		T	2,129																							
441.1	THORACIC ANEURYSM, RUPTURED	M	1,225																							
		F	336																							
		T	1,561																							
441.2	THORACIC ANEURYSM WITHOUT MENTION OF RUPTURE	M	367																							
		F	111																							
		T	478																							
		M	156																							
		F	150																							
		T	306																							
		M	77																							
		F	73																							
		T	150																							
		M	46																							
		F	23																							
		T	69																							

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
533.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	M	36	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	5	3	3	9	7	-	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	3	1	-	-	-
534	GASTROJEJUNAL ULCER	MF	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	1	-	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
534.4	CHRONIC OR UNSPECIFIED WITH HAEMORRHAGE	MF	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
534.5	CHRONIC OR UNSPECIFIED WITH PERFORATION	MF	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
534.9	UNSPECIFIED AS ACUTE OR CHRONIC, WITHOUT MENTION OF HAEMORRHAGE OR PERFORATION	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535	GASTRITIS AND DUODENITIS	MF	95	-	-	-	-	1	1	-	-	-	5	5	2	5	10	7	11	13	9	9	6	4	2	-
		M	32	-	-	-	-	1	1	-	-	-	4	5	2	4	9	5	6	8	5	4	3	2	2	-
		F	63	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	5	5	4	5	3	2	-	-
535.0	ACUTE GASTRITIS	MF	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.1	ATROPHIC GASTRITIS	MF	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.2	GASTRIC MUCOSAL HYPERTROPHY	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.3	ALCOHOLIC GASTRITIS	MF	10	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		M	8	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
535.4	OTHER GASTRITIS	MF	36	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	3	5	6	1	1	-	-
		M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	2	4	5	1	1	-	-
		F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
535.5	UNSPECIFIED GASTRITIS AND GASTRODUODENITIS	MF	39	-	-	-	-	-	2	-	-	-	-	-	1	1	2	3	3	3	2	7	6	1	-	-
		M	16	-	-	-	-	-	2	-	-	-	-	-	1	1	2	2	1	2	2	4	2	1	-	-
		F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	4	-	-	-
536	DISORDERS OF FUNCTION OF STOMACH	MF	13	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	2	2	1	-	-
		M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-
536.1	ACUTE DILATATION OF STOMACH	MF	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
536.8	DYSPEPSIA AND OTHER DISORDERS OF FUNCTION OF STOMACH	MF	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
536.9	UNSPECIFIED	MF	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-
		M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-
537	OTHER DISORDERS OF STOMACH AND DUODENUM	MF	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	3	1	-	-
		M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	3	3	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537.0	ADULT HYPERTROPHIC PYLORIC STENOSIS	MF	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
537.4	FISTULA OF STOMACH OR DUODENUM	MF	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
537.8	OTHER	MF	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	-	-
		M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
537.9	UNSPECIFIED	MF	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
540-543	APPENDICITIS	MF	157	-	1	1	2	49	32	12	7	4	3	2	2	2	2	2	2	1	1	1	-	-	-	-
		M	97	-	1	1	2	27	20	8	5	3	2	2	2	2	2	2	2	1	1	1	-	-	-	-
		F	60	-	-	-	-	22	12	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540	ACUTE APPENDICITIS	MF	132	-	1	1	2	42	27	10	6	3	2	2	2	2	2	2	2	1	1	1	-	-	-	-
		M	82	-	1	1	2	23	17	7	4	2	2	2	2	2	2	2	2	1	1	1	-	-	-	-
		F	50	-	-	-	-	19	10	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540.0	WITH GENERALIZED PERITONITIS	MF	17	-	-	-	-	2	3	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		M	10	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
		F	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540.1	WITH PERITONEAL ABSCESS	MF	14	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	8	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540.9	WITHOUT MENTION OF PERITONITIS	MF	101	-	1	1	2	38	22	8	5	3	2	2	2	2	2	2	1	1	1	-	-	-	-	-
		M	64	-	1	1	2	21	12	5	3	2	2	2	2	2	2	2	1	1	1	-	-	-	-	-
		F	37	-	-	-	-	17	10	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
541	APPENDICITIS, UNQUALIFIED	MF	4	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543	OTHER DISEASES OF APPENDIX	MF	21	-	-	-	-	6	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	-	-	-	5	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	HERNIA OF ABDOMINAL CAVITY	MF	67	-	-	-	-	1	1	1	1	1	1	1	2	3	3	4	6	10	16	18	20	21	6	1
		M	34	-	-	-	-	1	1	1	1	1	1	1	2	3	3	4	4	8	10	9	13	15	6	1
		F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	9	7	6	-	-
550	INGUINAL HERNIA	MF	25	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	6	3	2	1	1	-	-
		M	19	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	6	3	2	1	1	-	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550.0	INGUINAL HERNIA, WITH GANGRENE	MF	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-
		M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550.1	INGUINAL HERNIA, WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE	MF	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	4	4	1	-
		M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	4	4	1	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550.9	INGUINAL HERNIA, WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
551	OTHER HERNIA OF ABDOMINAL CAVITY, WITH GANGRENE	MF	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-
		M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
551.0	FEMORAL, WITH GANGRENE	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
551.1	UMBILICAL, WITH GANGRENE	MF	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1968
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
642.9	UNSPECIFIED HYPERTENSION COMPLICATING PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646	OTHER COMPLICATIONS OF PREGNANCY, NOT ELSEWHERE CLASSIFIED	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646.6	INFECTIONS OF GENITOURINARY TRACT IN PREGNANCY	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
646.7	LIVER DISORDERS IN PREGNANCY	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-659	NORMAL DELIVERY, AND OTHER INDICATIONS FOR CARE IN PREGNANCY, LABOUR AND DELIVERY	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
651	MULTIPLE GESTATION	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
658	OTHER PROBLEMS ASSOCIATED WITH AMNIOTIC CAVITY AND MEMBRANES	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-669	COMPLICATIONS OCCURING MAINLY IN THE COURSE OF LABOUR AND DELIVERY	F	7	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
666	POSTPARTUM HAEMORRHAGE	F	8	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
669	OTHER COMPLICATIONS OF LABOUR AND DELIVERY, NOT ELSEWHERE CLASSIFIED	F	5	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
670-676	COMPLICATIONS OF THE PUERPERIUM	F	17	-	-	-	-	-	6	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
670	MAJOR PUERPERAL INFECTION	F	13	-	-	-	-	-	6	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
671	VENOUS COMPLICATIONS IN PREGNANCY AND THE PUERPERIUM	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
673	OBSTETRICAL PULMONARY EMBOLISM	F	6	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
674	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM, NOT ELSEWHERE CLASSIFIED	F	7	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	M	91	1	1	1	-	-	-	1	-	-	4	3	6	6	4	9	16	9	18	17	6	3	-	-
		F	124	-	1	1	-	-	-	1	-	-	2	3	-	-	2	-	11	10	14	7	7	1	-	-
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	61	-	1	-	-	-	-	1	-	-	1	1	2	3	2	5	8	5	8	8	3	1	-	-
		F	30	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	3	3	5	3	1	1	-	-
680	CARBUNCLE AND FURUNCLE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
680.1	NECK	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
682	OTHER CELLULITIS AND ABSCESS	M	52	-	-	-	-	-	-	1	-	-	1	1	2	3	2	4	11	5	10	4	4	1	-	-
		F	26	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	3	3	6	3	1	1	-	-
682.0	FACE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
682.2	TRUNK	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.3	UPPER ARM AND FOREARM	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.4	HAND, EXCEPT FINGERS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.5	BUTTOCK	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
682.6	LEG, EXCEPT FOOT	M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
		F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
682.7	FOOT, EXCEPT TOES	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.8	OTHER SPECIFIED SITE	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
682.9	UNSPECIFIED SITE	M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
686.1	PYOGENIC GRANULOMA	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
686.9	UNSPECIFIED LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE	M	39	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	2	-	-
		F	14	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	1	-	-
692	CONTACT DERMATITIS AND OTHER ECZEMA	M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
692.7	DUE TO SOLAR RADIATION	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
692.9	UNSPECIFIED CAUSE	M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-
		F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
693	DERMATITIS DUE TO SUBSTANCE TAKEN INTERNALLY	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
693.0	DUE TO DRUGS AND MEDICAMENTS	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
693.1	DUE TO FOOD	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
694	BULLOUS DERMATOSES	M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
		F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
694.4	PEMPHIGUS	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
694.5	PEMPHIGOID	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA, 1966
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
770.0	CONGENITAL PNEUMONIA	M	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.1	MASSIVE ASPIRATION SYNDROME	M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.2	INTERSTITIAL EMPHYSEMA AND RELATED CONDITIONS	M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.3	PULMONARY HAEMORRHAGE	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.4	PRIMARY ATELECTASIS	M	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.5	OTHER AND UNSPECIFIED ATELECTASIS	M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
770.6	TRANSITORY TACHYPNOEA OF NEWBORN	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
770.7	CHRONIC RESPIRATORY DISEASE ARISING IN THE PERINATAL PERIOD	M	92	86	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
		F	58	47	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
770.8	OTHER RESPIRATORY PROBLEMS AFTER BIRTH	M	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771	INFECTIONS SPECIFIEC TO THE PERINATAL PERIOD	M	79	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	87	82	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
771.0	CONGENITAL RUBELLA	M	45	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	42	38	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.1	CONGENITAL CYTOMEGALOVIRUS INFECTION	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.2	OTHER CONGENITAL INFECTIONS	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.4	OMPHALITIS OF NEWBORN	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.7	NEONATAL CANDIDA INFECTION	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
771.8	OTHER INFECTION SPECIFIC TO THE PERINATAL PERIOD	M	76	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	40	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
772	FETAL AND NEONATAL HAEMORRHAGE	M	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.1	INTRAVENTRICULAR HAEMORRHAGE	M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.2	SUBARACHNOID HAEMORRHAGE	M	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.4	GASTROINTESTINAL HAEMORRHAGE	M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.5	ADRENAL HAEMORRHAGE	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.6	OTHER	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
772.9	UNSPECIFIED	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773	HAEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
773.2	HAEMOLYTIC DISEASE DUE TO OTHER AND UNSPECIFIED ISOIMMUNIZATION	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774	OTHER PERINATAL JAUNDICE	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774.4	PERINATAL JAUNDICE DUE TO HEPATOCELLULAR DAMAGE	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775	ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
775.5	OTHER TRANSITORY NEONATAL ELECTROLYTE DISTURBANCES	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	HAEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.2	DISSEMINATED INTRAVASCULAR COAGULATION IN NEWBORN	M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.5	CONGENITAL ANAEMIA	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776.6	ANAEMIA OF PREMATURITY	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	M	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.5	NECROTIZING ENTEROCOLITIS IN FETUS OR NEWBORN	M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.6	PERINATAL INTESTINAL PERFORATION	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
777.8	OTHER	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.0	HYDROPS FETALIS NOT DUE TO ISOIMMUNIZATION	M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.4	OTHER DISTURBANCES OF TEMPERATURE REGULATION OF NEWBORN	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
778.5	OTHER AND UNSPECIFIED OEDEMA OF NEWBORN	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
676.0	SURGICAL OPERATION WITH TRANSPLANT OF WHOLE ORGAN	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
676.1	SURGICAL OPERATION WITH IMPLANT OF ARTIFICIAL INTERNAL DEVICE	M	9	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
676.2	SURGICAL OPERATION WITH ANASTOMOSIS, BYPASS OR GRAFT, WITH NATURAL OR ARTIFICIAL TISSUES USED AS IMPLANT	M	12	-	-	1	1	1	-	-	-	-	1	-	1	1	1	1	-	-	2	1	1	-	-	-
		F	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-
676.3	SURGICAL OPERATION WITH FORMATION OF EXTERNAL STOMA	M	12	-	-	2	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-
		F	9	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
676.4	OTHER RESTORATIVE SURGERY	M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-
		F	5	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-
676.5	AMPUTATION OF LIMB(S)	M	15	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	-	2	2	1	-	-	-
		F	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-
676.6	REMOVAL OF OTHER ORGAN (PARTIAL) (TOTAL)	M	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	3	-	-	-
		F	15	-	1	-	-	-	-	1	-	1	1	-	-	-	1	1	1	-	1	1	3	-	-	-
676.8	OTHER	M	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	9	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
676.9	UNSPECIFIED	M	26	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	17	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
679	OTHER PROCEDURES, W/O MENTION OF MISADV AT TIME OF PROCEDURE, CAUSING ABNORMAL PATIENT REACTION, OR LATER COMPLICATION	M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	41	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
679.1	KIDNEY DIALYSIS	M	17	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	24	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
679.2	RADIOLOGICAL PROCEDURE AND RADIOTHERAPY	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
679.6	URINARY CATHETERIZATION	M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
679.8	OTHER	M	24	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	8	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
679.9	UNSPECIFIED	M	16	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	11	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
680-888	ACCIDENTAL FALLS	M	990	4	10	2	2	8	24	19	41	48	30	30	36	33	62	73	87	68	138	121	100	29	4	1
		F	565	3	6	1	1	7	22	16	32	36	26	25	31	28	40	40	55	62	76	70	61	22	3	3
680	FALL ON OR FROM STAIRS OR STEPS	M	425	3	4	1	1	1	2	3	9	12	4	5	5	5	22	33	32	20	62	51	39	7	1	-
		F	51	2	2	-	-	-	-	1	2	2	2	1	1	1	2	3	3	3	6	6	4	3	-	-
680.9	OTHER STAIRS OR STEPS	M	30	-	1	-	-	-	-	-	1	1	-	-	-	-	1	2	2	1	3	3	2	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
681	FALL ON OR FROM LADDERS OR SCAFFOLDING	M	31	-	-	-	-	-	-	-	1	1	1	1	1	1	2	2	3	2	3	2	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
681.0	FALL FROM LADDER	M	26	-	-	-	-	-	-	-	1	1	1	1	1	1	2	2	3	2	3	2	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
681.1	FALL FROM SCAFFOLDING	M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
682	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	M	71	1	5	1	1	1	2	2	4	4	6	4	4	4	6	6	6	4	5	2	1	-	-	-
		F	39	1	3	-	-	1	1	1	2	2	2	2	2	2	3	3	3	2	3	2	1	-	-	-
683	FALL INTO HOLE OR OTHER OPENING IN SURFACE	M	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
683.0	ACCIDENT FROM DIVING OR JUMPING INTO WATER (SWIMMING POOL)	M	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
683.9	FALL INTO OTHER HOLE OR OTHER OPENING IN SURFACE	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
684	OTHER FALL FROM ONE LEVEL TO ANOTHER	M	86	1	1	-	-	1	2	2	3	4	3	3	3	3	5	6	6	5	10	11	8	1	-	-
		F	37	1	1	-	-	-	1	1	2	2	1	2	2	2	3	3	3	3	6	5	3	1	-	-
684.1	FALL FROM CLIFF	M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
684.2	FALL FROM CHAIR OR BED	M	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
684.9	OTHER FALL FROM ONE LEVEL TO ANOTHER	M	26	1	1	-	-	1	2	2	3	4	3	3	3	3	5	6	6	5	10	11	8	1	-	-
		F	11	1	1	-	-	-	1	1	2	2	1	2	2	2	3	3	3	3	6	5	3	1	-	-
685	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING OR STUMBLING	M	73	-	1	-	-	-	-	-	-	1	1	1	1	1	1	2	3	3	5	5	3	1	-	-
		F	62	-	1	-	-	-	-	-	-	1	1	1	1	1	1	2	3	3	5	5	3	1	-	-
687	FRACTURE, CAUSE UNSPECIFIED	M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
688	OTHER AND UNSPECIFIED FALL	M	569	1	4	1	1	6	20	13	32	36	23	24	28	25	48	57	75	60	123	114	94	28	4	1
		F	301	2	2	1	1	5	16	11	24	26	19	18	23	21	32	33	49	57	70	65	58	21	3	3
690-899	ACCIDENTS CAUSED BY FIRE AND FLAMES	M	302	21	19	10	10	10	15	12	16	14	12	11	9	10	14	9	11	7	7	5	2	1	-	-
		F	175	11	10	6	7	6	8	6	8	8	6	6	5	6	8	5	6	4	4	3	1	1	-	-
690	CONFLAGRATION IN PRIVATE DWELLING	M	206	14	10	7	7	4	7	6	8	6	6	5	4	4	6	4	5	3	3	2	1	-	-	-
		F	109	7	7	4	4	2	4	3	4	4	3	3	2	3	4	2	3	2	2	1	-	-	-	-
690.2	OTHER SMOKE AND FUMES FROM CONFLAGRATION	M	97	7	9	3	3	6	8	6	8	8	6	6	5	6	8	5	6	4	4	3	1	1	-	-
		F	66	4	3	2	3	4	4	3	4	4	3	3	3	3	4	3	3	2	2	2	1	-	-	-
690.3	BURNING CAUSED BY CONFLAGRATION	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
690.9	UNSPECIFIED	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM EACH CAUSE BY SEX AND AGE
CALIFORNIA - 1960
(BY PLACE OF RESIDENCE)

NINTH REVISION NUMBER	CAUSE OF DEATH	SEX	TOTAL ALL AGES	UNDER ONE YEAR	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 AND OVER	AGE NOT STATED
987.2	NATURAL SIZES	M	3					1		1																
		F	2					1																		
987.9	UNSPECIFIED	M	1																							
988	INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	M	73	4	2	1		2		2		2	4	5	6	6	6	4	6	5	2	2				
		F	47	3	1			1		1		1	1	3	3	3	4	4	6	3	3	2				
988.0	JUMPING OR LYING BEFORE MOVING OBJECT	M	26	3	1			1		1		1	3	2	3	2	2	1	1	1						
988.1	BURNS, FIRE	M	10																							
		F	6																							
988.3	EXTREMES OF COLD	M	1																							
988.5	CRUSHING OF MOTOR VEHICLE	M	2																							
988.8	OTHER SPECIFIED MEANS	M	8																							
		F	1																							
988.9	UNSPECIFIED MEANS	M	46	4	2			2		2		2	4	5	6	6	6	4	6	5	2	2				
		F	27	3	1			1		1		1	1	3	3	3	4	4	6	3	3	2				
989	LATE EFFECTS OF INJURY, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	M	6																							
		F	2																							
999	LATE EFFECTS OF INJURY DUE TO WAR OPERATIONS	M	1																							

SOURCE: STATE OF CALIFORNIA, DEPARTMENT OF HEALTH SERVICES, DEATH RECORDS